



TARGET Instant Payment Settlement

User Detailed Functional Specifications

V0.8.0

Author	4CB
Version	0.8.0
Date	22/12/2017

All rights reserved.

INTRODUCTION	6
READER'S GUIDE.....	7
1. GENERAL FEATURES OF TIPS.....	9
1.1. INTRODUCTION TO THE TIPS SERVICE	9
1.2. ACCESS TO TIPS	11
1.2.1. Connectivity (A2A/U2A)	11
1.2.2. Authentication and authorisation process	12
1.2.3. Access rights	12
1.2.4. Security	13
1.2.4.1. Confidentiality	14
1.2.4.2. Integrity.....	14
1.2.4.3. Availability	14
1.2.4.4. Monitoring	14
1.2.4.5. Auditability	14
1.2.5. Graphical user interface.....	15
1.3. TIPS ACTORS AND ACCOUNT STRUCTURE	16
1.3.1. Parties	16
1.3.1.1. Setup of parties for TIPS.....	16
1.3.1.2. Concept of party in TIPS	16
1.3.1.3. Hierarchical party model.....	18
1.3.1.4. Party identification.....	18
1.3.1.5. Reference data for parties in TIPS	19
1.3.2. Accounts structure and organisation.....	22
1.3.2.1. TIPS accounts	23
1.3.2.2. Transit accounts	23
1.3.2.3. Credit Memorandum Balance	23
1.3.2.4. Reference data for accounts and CMBs in TIPS.....	24
1.4. DYNAMIC DATA MODEL	26
1.4.1. Instant Payment Transaction.....	26
1.4.2. Liquidity Transfer.....	28
1.4.3. Cash Posting	29
1.4.4. Cash Balance	30
1.4.5. RTGS Systems	31
1.5. TIPS FEATURES	31
1.5.1. General concepts.....	31
1.5.2. Settlement of Instant Payment transactions.....	33
1.5.2.1. Instant Payment transaction settlement process	34
1.5.2.2. Recall settlement process	37
1.5.2.3. Investigation process.....	39
1.5.3. Liquidity Management	40
1.5.3.1. Inbound Liquidity Transfer.....	40
1.5.3.2. Outbound Liquidity Transfer	41
1.5.3.3. Reserve calculation	44

1.5.4. Reference data management	44
1.5.4.1. Blocking Participants	46
1.5.4.2. Blocking accounts and CMBs	46
1.5.4.3. Limit management	47
1.5.5. Queries and reports	47
1.5.5.1. Queries	47
1.5.5.2. Reports	48
1.5.6. Raw Data extraction	49
1.5.6.1. Raw data for Archiving	50
1.5.6.2. Raw data for Billing	50
1.6. INTERACTIONS WITH OTHER SERVICES	50
1.6.1. TARGET2 and other RTGS Systems	50
1.6.1.1. Liquidity Transfer management	51
1.6.1.2. Closure of the RTGS System	52
1.6.1.3. Change of business date of the RTGS System	53
1.6.1.4. TIPS General Ledger	55
1.6.1.4.1 TIPS General Ledgers production	55
1.6.1.4.2 Content	55
1.6.2. Eurosystem Single Market Infrastructure Gateway	55
1.6.3. Common Reference Data Management	56
1.6.4. Archiving	57
1.6.5. Billing	58
1.7. OPERATIONS AND SUPPORT	58
1.7.1. Service configuration	58
1.7.2. Business and operations monitoring	60
1.7.3. Archiving management	61
2. DIALOGUE BETWEEN TIPS AND TIPS ACTORS	62
2.1. MESSAGE ROUTING	62
2.2. INSTANT PAYMENT TRANSACTION	66
2.2.1. Timeout scenario: missing/delayed Beneficiary-side answer	77
2.2.2. Examples	81
2.2.2.1. Successful scenario with confirmed order – only accounts involved.	84
2.2.2.2. Successful scenario with confirmed order – Creditor account and debtor CMB	86
2.2.2.3. Successful scenario with confirmed order – Creditor CMB and debtor Account	89
2.2.2.4. Successful scenario with rejected order	92
2.2.2.5. Error scenarios	95
2.2.2.6. Delayed Beneficiary-side answer scenario	101
2.3. RECALL	104
2.3.1. Examples	113
2.3.1.1. Successful scenario – Positive Recall Answer	113
2.3.1.2. Successful scenario – Negative Recall Answer	116
2.3.1.3. Unsuccessful scenario – Recall Answer Duplicate check failed.	117
2.4. INVESTIGATION	120

2.4.1. Examples	122
2.4.1.1. Successful scenario – Transaction status investigation.....	123
2.4.1.2. Unsuccessful scenario – Transaction status investigation.....	124
2.5. INBOUND/OUTBOUND LIQUIDITY TRANSFERS	126
2.5.1. Inbound Liquidity Transfer	126
2.5.1.1. Examples.....	131
2.5.1.1.1 Successful scenario – Inbound Liquidity Transfer order is settled in TIPS.....	132
2.5.1.1.2 Unsuccessful scenario: Inbound LT order is rejected because LT duplicate check failed	134
2.5.2. Outbound Liquidity Transfer	136
2.5.2.1. Examples.....	145
2.5.2.1.1 Successful scenario – Outbound LT order settled in TIPS and RTGS System	145
2.5.2.1.2 Unsuccessful scenario – Outbound LT order rejected for insufficient funds in TIPS.....	150
2.5.2.1.3 Unsuccessful scenario – Outbound LT order rejected by the RTGS System	152
2.5.2.2. RTGS Alert scenario – No reply from RTGS	157
2.6. NOTIFICATIONS	159
2.6.1. Floor notification on account	160
2.6.2. Ceiling notification on CMB	162
2.7. QUERIES	164
2.7.1. Examples	170
2.7.1.1. Successful scenario – Account balance and status query.....	170
2.7.1.2. Successful scenario – CMB limit and status query	172
2.7.1.3. Unsuccessful scenario – TIPS Account/CMB not found	173
2.8. REPORTS	181
2.8.1. Statement of Account Turnover	182
2.8.1.1.1 Statement of Account Turnover – Full mode.....	186
2.8.2. Statement of Accounts	187
2.8.2.1. Examples.....	189
2.8.2.1.1 Statement of Accounts – Full mode	190
2.8.2.1.2 Statement of Accounts – Delta mode.....	192
2.9. REFERENCE DATA MANAGEMENT	196
2.9.1. Examples	204
2.9.1.1.1 Successful scenario – Block of a participant.....	204
2.9.1.1.2 Successful scenario – Unblock of a participant	206
2.9.1.1.3 Unsuccessful scenario – Party not existing	207
2.9.1.1.4 Successful scenario – block of a CMB	208
2.9.1.1.5 Successful scenario – unblock of an Account.....	209
2.9.1.1.6 Unsuccessful scenario – Restriction type not allowed	211
2.9.1.1.7 Successful scenario – Decrease of a CMB Limit.....	212
2.9.1.1.8 Unsuccessful scenario – User not allowed to change the Limit.....	213
3. CATALOGUE OF MESSAGES	215
3.1. INTRODUCTION.....	215

3.2. GENERAL INFORMATION	215
3.2.1. Message signing	216
3.2.2. Technical validation.....	216
3.2.3. Supported Character Set	216
3.3. MESSAGES USAGE	217
3.3.1. List of messages	217
3.3.2. Messages description	219
3.3.2.1. Payments Clearing and Settlement	219
3.3.2.1.1 FIToFIPaymentStatusReportV03 (pacs.002.001.03)	219
3.3.2.1.2 PaymentReturn (pacs.004.001.02)	222
3.3.2.1.3 FIToFICustomerCreditTransferV02 (pacs.008.001.02).....	227
3.3.2.1.4 FIToFIPaymentStatusRequest (pacs.028.001.01)	231
3.3.2.2. Cash Management (camt)	233
3.3.2.2.1 GetAccount (camt.003.001.06)	233
3.3.2.2.2 ReturnAccount (camt.004.001.07).....	234
3.3.2.2.3 ModifyLimit (camt.011.001.06)	238
3.3.2.2.4 ReturnBusinessDayInformation (camt.019.001.06).....	239
3.3.2.2.5 Receipt (camt.025.001.04)	239
3.3.2.2.6 ResolutionOfInvestigation (camt.029.001.03)	240
3.3.2.2.7 LiquidityCreditTransfer (camt.050.001.04)	242
3.3.2.2.8 BankToCustomerAccountReport (camt.052.001.03).....	243
3.3.2.2.9 BankToCustomerStatement (camt.053.001.03)	244
3.3.2.2.10 BankToCustomerDebitCreditNotification (camt.054.001.06)	246
3.3.2.2.11 FIToFIPaymentCancellationRequest (camt.056.001.01)	248
Account Management (acmt).....	249
3.3.2.3.249	
3.3.2.3.1 AccountRequestAcknowledgement (acmt.010.001.02).....	249
3.3.2.3.2 AccountRequestRejection (acmt.011.001.02).....	250
3.3.2.3.3 AccountExcludedMandateMaintenanceRequest (acmt.015.001.02).....	251
3.3.2.4. Reference Data (reda)	252
3.3.2.4.1 PartyStatusAdvice (reda.016.001.01)	252
3.3.2.4.2 PartyModificationRequest (reda.022.001.01)	253
4. APPENDICES	255
4.1. BUSINESS RULES	255
4.2. LIST OF ISO ERROR CODES.....	263
4.3. INDEX OF FIGURES	264
4.4. INDEX OF TABLES	268
4.5. LIST OF ACRONYMS.....	270
4.6. LIST OF REFERENCED DOCUMENTS	271

Introduction

This document describes all the features of the TIPS service and TIPS Actors' interactions with it, focusing on application-to-application communication.

This document is intended to guide TIPS Actors to the proper understanding of the service and to offer all the information needed for the implementation of software interfaces on their side.

The UDFS document focuses on the provision of information to TIPS Actors to design and build the interface of their business applications with TIPS (A2A) and it is available for the whole community: in order to ensure the same level of [information knowledge](#) for all TIPS Actors the ~~pieces of~~ information relevant for CBs, Participants ~~and~~ Reachable Parties [and Instructing Parties](#) is contained in one single book of UDFS.

The document is divided into three main chapters:

- The first chapter provides a full description of all the TIPS features and the related reference and transactional data models, non-technical details concerning access to the service and connectivity, dependencies and interactions with other services, operations and support features. The background information provided in Chapter [1](#) guides the understanding of Chapter [2](#). Information provided in Chapter [1](#) on the TIPS feature is mainly user-oriented, but also includes some [information details](#) on the internal TIPS processes, when relevant.
- The second chapter provides a formalized description of the (A2A) dialogues, which allow TIPS Actors' applications to interact with TIPS. This part aims ~~to at provide~~ [providing](#) an exhaustive description of the different (successful and unsuccessful) use cases TIPS actors may face, by providing many detailed examples. The section guides the reader through the steps of the different scenarios – highlighting the actions undertaken by TIPS and all the involved TIPS Actor's. The following parts compose a scenario:
 - o End-to-end description of the process – by means of activity diagrams and explanatory text;
 - o Involved actors;
 - o Exchanged messages;
 - o List of meaningful business cases.

The description of each step of the process includes an exhaustive list of all the checks performed by TIPS. The detailed description of the business rules is reported in the list at the end of the document.


- The list of meaningful business cases is composed by:
 - o A sample data constellation;
 - o The content of the main fields of the relevant inbound messages;
 - o A description of the main steps taking place in TIPS;
 - o The content of the main fields of the resulting outbound messages.

- The third chapter provides a detailed description of all XML messages TIPS Actors may use to interact in A2A mode with TIPS. Each message specification includes the following elements:
 - o Reference name and identifier – e.g. LiquidityCreditTransfer (camt.050.001.04)
 - o List of fields included in the message. Each field specification includes the following elements:
 - EPC Reference (if applicable)
 - Reference name
 - Short description
 - XML Path
 - Boolean attribute specifying whether the field is used in TIPS
 - Boolean attribute specifying whether the field is mandatory or not

Wherever a message or its fields are referenced throughout the document, only the reference name is used.

Reader's guide

The document is structured as to guide the readers through the steps of the whole A2A interaction and processing details as exemplified by the figure below.



Different readers may have different needs and priorities and may not need to read the whole book. For instance, business readers, interested mainly in organisational issues, may not wish to enter into the full details of each and every message description, but they would prefer going through a description of the application processes and the information flows between their own business applications and the TIPS service. On the other hand, technical readers involved in the specification and development of technical interfaces to TIPS may not be interested in the complete description of the TIPS application processes that are leading to the sending of a given message. They would probably search the necessary information to design and build the interface of the TIPS Actors' business application with TIPS service. Every reader can decide their own reading plan and it is not mandatory for every reader to read the entire UDFS book.

The following paragraphs show with a couple of examples how business readers and technical readers may follow different reading patterns, in order to fulfil their **different** needs.

Business ~~Oriented-oriented~~ perspectives

The business reader may be interested in the way information is structured in TIPS. This user may want to follow the reading plan described below to find information about the operations that are needed in order to process an Instant ~~p~~Payment in TIPS:

- The business reader finds in section [1.3 "TIPS Actors and account structure"](#) a general description of the main Reference data needed to work on TIPS, specifying how they are used for the settlement of Instant Payment transactions (e.g. what is a Participant and the related Accounts it owns and how to ~~authorize- authorise~~ a BIC to use an account to settle Instant Payment transactions). Also section [1.4 "Dynamic data model"](#) is important to understand how the information ~~are-is~~ managed in TIPS.
- From this point, the business reader may jump to section [2.2 "Instant Payment transaction"](#) to find a description of the processing of an Instant ~~payment~~Payment. Here they can find useful examples in order to understand the main scenarios involving Instant Payments.
- For further details on the checks to be performed, they may jump to [section 4.1 Business Rules](#), where the functional checks are described.

Technical oriented perspectives

For a technical reader, it is more likely that the reading plans would pass through:

- Chapter [2 "Dialogue between TIPS and TIPS Actors"](#), where a complete overview of the possible A2A dialogue with TIPS is required, e.g. when structuring the interface of a TIPS Actor towards TIPS. Each sub-section of this chapter describes, then, the flows involving the functionalities of TIPS. The readers can focus on the functionality they are interested in analysing the process and the main scenarios.
- Chapter [3 "Catalogue of messages"](#), where a detailed description of the content of a given XML message is provided, e.g. when specifying the details of the interface of a TIPS Actor towards TIPS.
- For further details on the checks to be performed and ISO codes used in the message, they may jump to chapter [4 "Appendices"](#).

All readers, whether business or technical, are invited to read the following UDFS sections, which are providing a background to the understanding of any other UDFS section:

- [1.3 "TIPS Actors and account structure"](#), which provides the basis for reference data organisation in TIPS;
- [1.5 "TIPS Features"](#), which is a summary providing the basis for the understanding of the main TIPS concepts (~~a~~Access to TIPS, ~~Authentication- authentication~~ and authorisation processes, ~~Securitysecurity~~).

1. General features of TIPS

The present chapter, after a short introduction of the TIPS service, describes all the features provided by the service.

Section [1.2](#) introduces the details regarding the access of TIPS Actors to TIPS, covering the different modes of connectivity, the authentication and authorisation processes, as well as security aspects and an introduction to the Graphical User Interface (GUI).

Sections [1.3](#) and [1.4](#) describe the reference data and dynamic data models of TIPS, including a description of all the relevant entities and their relationships.

Section [1.5](#) describes the various features of TIPS and the underlying business processes, including ~~instant~~ payment ~~Payment~~ settlement, liquidity management, reference data management, queries and reports and archiving.

Section [1.6](#) describes the interactions that TIPS, as a part of the Eurosystem Market Infrastructure, has with the other main services provided by the Eurosystem.

The last section describes processes supporting the TIPS Operator in the operational management of the system and the exact perimeter of the system introducing its limitations.

1.1. Introduction to the TIPS Service

TARGET Instant Payment Settlement (TIPS) is a harmonised and standardised pan-European service with common functionality across different countries and jurisdictions for settling payments instantly in Central Bank Money, with high capacity and around-the-clock availability.

The primary aim of TIPS is to offer instant settlement services in euro to its participants, extending the services offered by TARGET2. TIPS is, in any case, designed to be currency-agnostic in order to provide settlement in non-euro Central Bank Money, if requested, by connecting to any ~~European~~ RTGS System.

The TIPS service aims:

- ~~to provide~~ At providing real-time gross settlement in Central Bank Money for both domestic and cross-border Instant Payment transactions received from TIPS Actors;
- ~~to provide~~ At providing liquidity management functionalities to support the instant payment process;
- ~~to offer~~ At offering queries and reporting tools to support monitoring and reconciliation.

In order to reach these objectives, TIPS enables communication and provides authentication services and secure messaging to and from the centralised settlement component. The participants (i.e. Payment Service Providers¹ or PSPs) have a settlement interface to send Instant Payment

¹ [The definition of Payment Service Provider used in this document is purely technical and aims at keeping the terminology consistent with the EPC scheme and the TIPS URD.](#)

transactions and receive payment confirmations or any other payment related messages based – when possible – on ISO 20022 standards and in accordance with the SEPA Instant Credit Transfer (SCT^{Inst}) scheme. The participants are also provided with ~~two additional~~the functionalities to either recall settled Instant Payments transactions or initiate investigations on Instant Payments submitted to TIPS whose status confirmation has not been received yet.- Additionally, TIPS Participants or Instructing Parties can initiate Outbound Liquidity Transfers.

TIPS accounts in euro are legally opened in TARGET2 by the responsible Central Bank and have to be dedicated to the settlement of ~~instant-Instant payments-Payments transactions~~ in TIPS. In the specific scenario of the RTGS for Euro (i.e. TARGET2), the TIPS account balances are taken into account for the calculation of the minimum reserve and standing facility. For this reason, a snapshot of the balance on the TIPS account for the fulfilment of the minimum reserve requirement is taken at the closing time of TARGET2, immediately after the last execution of the Algo3 (i.e. shortly after the Bank-to-Bank cut-off at 18:00). TIPS operates on a 24/7/365 basis.-

~~TIPS~~ and it makes use of the following Eurosystem services:

- The Eurosystem Single Market Infrastructure Gateway (ESMIG) which ~~allows-TIPS~~ Actors/users to gain access to all Eurosystem services, including TIPS, after being authenticated and authorised to access the relevant service. The ESMIG, moreover, guarantees sanitisation of messages for security purposes and technical validation of the standard messages sent to the different services.
- The Common Reference Data Management (CRDM) service, i.e. the centralised, harmonised reference data management component that handles in a single point all data that is shared by more than one Eurosystem service. The CRDM allows users to configure, create and keep up-to-date all the reference data needed in the different Eurosystem services, including TIPS. As an example, the setup of reference data related to a TIPS participant like the creation of an account is up to the responsible NCB whereas a TIPS participant is responsible for the setup and configuration of CMBs.
- The Billing service, which produces invoices and debits the relevant accounts for the related amount based on consumption data it collects from several Eurosystem services, including TIPS.
- The Legal Archiving service, which collects and stores business transaction and reporting data from different Eurosystem services, including TIPS. The Legal Archiving service stores data in a secure manner and in its original content and format and makes it accessible throughout a predefined retention period.

TIPS Actors can access TIPS through two different channels:


- Application-to-Application (A2A) channel, that is application-oriented and allows TIPS Actors' systems to interact with TIPS;
- User-to-Application (U2A) channel, that is user-oriented and offers human-friendly application access through a Graphical User Interface (GUI).

1.2. Access to TIPS

The purpose of this section is to introduce the basic connectivity to TIPS. It does not aim to describe in details the technical connection with TIPS.

TIPS Actors access TIPS, in A2A or U2A mode, via different Network Service Providers (NSPs) and through the ESMIG component. TIPS Actors must bilaterally define a relationship with one or more selected NSPs for the purpose of getting connected to TIPS.

Figure 2 – TIPS Connectivity



1.2.1. Connectivity (A2A/U2A)

TIPS supports access to the service through two different channels: Application-to-Application (A2A) channel and User-to-Application (U2A) channel.

- A2A: software applications can communicate with TIPS exchanging single messages. A2A communication relies on ISO 20022 standard XML messages, where applicable, for both inbound and outbound communication. Otherwise, i.e. when there is no ISO 20022 standard message available or when the usage of XML technology is not advisable for technical reasons (e.g. performance or network traffic constraints) flat data files may be used. At the current stage, there is no business case requiring flat data files to be used instead of ISO 20022 standard messages.

All the exchanges of messages are executed through a realtime transfer service. This means that both parties (i.e. the Originator participant and Instructing Party-Party acting on behalf of

the Originator Participant or a Reachable Party and the Beneficiary participant and Instructing Party acting on behalf of the Beneficiary Participant or a Reachable Party) must be available and reachable when the message is sent. In case the message cannot be delivered, no retry mechanism is foreseen.

- U2A: for specific functionalities, the TIPS Actors can access TIPS through a Graphical User Interface. This channel is foreseen for a small subset of functionalities and queries (see [1.2.5 “Graphical user interface”](#)).

1.2.2. Authentication and authorisation process

Any individual or application interacting with TIPS is identified by a Distinguished Name (DN). A DN is a sequence of attribute-value assertions separated by commas, e.g.

```
<cn=smith,ou=tips-ops,o=bnkacct,o=nsf-1>
```

DNs are uniquely linked to digital certificates², which TIPS Actors assign to their individuals (interacting with TIPS in U2A mode) or applications (interacting with TIPS in A2A mode).

Certificates are issued by each NSP. For each request submitted to TIPS in U2A and A2A mode, the relevant connectivity provider performs authentication of the sender at network infrastructure level. If the authentication is successful, the connectivity provider forwards the request and the sender's DN to the ESMIG.

The ESMIG carries out an authorisation check at service level, in order to verify whether the DN is enabled to submit requests to TIPS. The ESMIG documentation contains exhaustive information on all the checks the ESMIG carries out. If these checks are successful, the request and the sender's DN are forwarded to TIPS.

TIPS then carries out the authorisation of the sender at application level based on the DN's access rights profile. Section [1.2.3 “Access rights”](#) provides details on this process.

Distinguished Names, their connection to TIPS Actors, as well as access rights profiles and authorisations for DNs to submit requests related to specific BICs are defined in the Common Reference Data Management (CRDM) service. Additional information on the setup of access rights and on the underlying concepts can be found in the CRDM documentation.

1.2.3. Access rights

TIPS authorises requests from specific users (i.e. individuals or applications identified by means of a DN) based on their relevant access rights profile. Each interaction with TIPS that can be triggered in A2A or U2A mode by means of a message or a GUI screen (e.g. sending an Instant Payment transaction or blocking a TIPS Account) is defined as a TIPS user function. The capability to trigger a specific TIPS user function is granted by means of the related Privilege.

² A digital certificate is an electronic document binding an identity to a pair of electronic keys, a private key (used to sign digital information to be sent to a counterpart or to decrypt digital information received from a counterpart) and a public key (used to encrypt digital information to be sent to a counterpart or to perform the authentication and to ensure the integrity of digital information received from a counterpart).

All Privileges that are relevant for TIPS are defined and stored within the CRDM, which also offers the possibility to group different Privileges into sets known as Roles. Each of these Roles will define a standard, specific business role for TIPS Actors to use to interact with TIPS. TIPS users will be assigned one or more roles in the CRDM depending on their requirements, and these roles will define their access rights configuration.

Roles are then granted to users identified by specific DNs. This allows the DN linked to the Role to trigger user functions in TIPS by exercising the Privileges contained within the Role.

TIPS authorises the sender of a given request only if the DN fulfils both of the following conditions:

1. The DN has the relevant privilege(s) required to submit the request;
2. The DN is enabled to submit the request on the requested business object(s).

The first condition depends on the DN's access rights profile, which is defined by the role(s) assigned to it in the CRDM. For example, a DN may be enabled to send Instant Payment transactions but not liquidity transfers.

The second condition is based on the business object itself, if any, on which a request is being performed. For instance, in an Instant Payment transaction, the object is represented by the TIPS Account being debited; in an Account balance and status query, the object is the TIPS Account being queried. TIPS applies specific business logic, which differs depending on the type of request, to determine whether a certain DN is authorised to act on a certain object. If a certain DN is authorised to exercise a type of request (related to a specific Privilege) on a specific object, that object is said to be within the DN's data scope for that Privilege.

The role of Instructing Party constitutes a specific case. Instructing Parties are DNs that are authorised to send instructions on behalf of a specific BIC. This configuration is defined by means of a DN-BIC routing table set up within the CRDM.

The entire access rights configuration process is carried out within the CRDM: the CRDM documentation provides additional details on these aspects.

1.2.4. Security

This section aims at describing the main processes performed by TIPS in terms of principles applied to ensure TIPS Actors can securely exchange information with TIPS.

It means that the following security conditions are met:

- **Confidentiality:** Ensuring that information is accessible only to authenticated and authorised TIPS Actors;
- **Integrity:** Safeguarding the accuracy and completeness of information;
- **Availability:** Ensuring that authorised users have access to information and associated assets when required;
- **Monitoring:** Detecting operational and technical problems and recording appropriate information for crisis management scenarios and future investigations;

- **Auditability:** Ensuring the possibility to establish whether a system is functioning properly and that it has worked properly.

1.2.4.1. Confidentiality

The confidentiality of data is ensured by the possibility to grant specific access rights for any given set of data, as detailed in section [1.2.3 "Access rights"](#). In conjunction with mechanisms of authentication and authorisation applied to all requests received by TIPS in both A2A and U2A mode, this guarantees that each TIPS Actor's data is treated confidentially and is not accessible to non-~~authorized~~ ~~authorised~~ actors.

1.2.4.2. Integrity

Within TIPS, various business validations ensure the integrity of information. If a business validation fails, TIPS has a concept of Error handling in place. The requested action is not processed and TIPS provides the user with detailed information regarding the nature of the error.

In U2A mode, TIPS offers users in addition the possibility to further ensure the data integrity via usage of a dual authorisation concept, the 4-Eyes principle. In case this option is chosen for a specified set of TIPS operations, a second independent verification and confirmation is required before an operation becomes active in TIPS. If, for example, a critical set of data should be modified and the person requesting the change is only allowed to do so under the 4-Eyes principle, then a second person of the same Party has to confirm the correctness of the request. Otherwise, the requested change is not implemented.

1.2.4.3. Availability

The overall availability of the TIPS services is ensured by the innovative architectural design, and is pursued through node redundancy and self-recovery capability (built at application level). In the event of unavailability of some local nodes of the application cluster or unavailability of an entire site, TIPS adapts its behaviour as far as possible to continue operating, as better described in the High Level Technical Design (HLTD) document.

1.2.4.4. Monitoring

TIPS operational monitoring provides tools to the TIPS Operator for the detection in real-time of functional or operational problems. Technical monitoring allows for the detection of hardware and software problems via real-time monitoring of the technical components involved in the processing, including the network connections.

~~In addition, the monitoring provides the TIPS Operator with an overview of the message flows.~~

1.2.4.5. Auditability

TIPS provides an audit trail with which it is possible to reconstruct user activities, exceptions and information security events. More in detail, the following data are collected:

- payment transaction records;
- authentication successes and failures of normal and privileged users;

- security related messages (e.g. changes of access rights, alerts and exceptional events).

~~Logging facilities and log information are protected against tampering and unauthorised access.~~

1.2.5. Graphical user interface

TIPS offers a set of functions accessible via a dedicated Graphical User Interface (GUI) in U2A mode. Authorised users are able to access TIPS functions and data via the GUI based on their access rights profile.

The following table provides the exhaustive list of TIPS U2A functions provided through the GUI.

Each TIPS Actor may trigger all or only a subset of these functions depending on the participant type (e.g. Central Bank, TIPS Participant, etc.) and only in relation to the objects in its own data scope. These functions are available on a 24/7/365 basis.

Table 1 – TIPS U2A Functions

Function	Actor
Block/Unblock Participant	CB, TIPS Operator ³
Block/Unblock TIPS Account	CB, TIPS Operator
Block/Unblock Credit Memorandum Balance	TIPS Participant, Instructing Party ⁴ , CB, TIPS Operator
Adjust Credit Memorandum Balance Limit	TIPS Participant, Instructing Party ⁵ , CB, TIPS Operator
Query Account Balances and Status	TIPS Participant, Instructing Party, CB, TIPS Operator
Query CMB Limit and Status	TIPS Participant, Instructing Party, CB, TIPS Operator
Query Instant Payment transaction	TIPS Participant, Instructing Party, CB, TIPS Operator
<u>Initiate Outbound Liquidity Transfer</u>	<u>TIPS Participant, Instructing Party⁶, CB, TIPS Operator</u>

The TIPS User Handbook (see TARGET Instant Payment Settlement User Handbook) provides exhaustive information on each of the screens listed above, including the type of actors authorised to trigger the corresponding functionality.

³ TIPS Operator can block Participants and TIPS Accounts in contingency and upon request of the responsible Central Bank.

⁴ An Instructing Party acting on behalf of a TIPS participant may block/unblock CMBs owned by the relevant TIPS Participant, unless restricted via access rights.

⁵ An Instructing Party acting on behalf of a TIPS participant may adjust the limit of the CMBs owned by the relevant TIPS Participant, unless restricted via access rights.

⁶ An Instructing Party acting on behalf of a TIPS participant may be authorised to instruct Liquidity Transfers.

1.3. TIPS Actors and account structure

1.3.1. Parties

Entities that interact with the TIPS service are ~~generically~~ generally known as TIPS Actors. The TIPS participation model envisions different types of Actors, with different roles and responsibilities, as outlined in section [1.3.1.2. “Concept of party in TIPS”](#) TIPS Actors are defined as Parties in the Common Reference Data Management service.

This section provides a detailed description of all the reference data CRDM stores and TIPS uses for all TIPS Actors. More in detail, section [1.3.1.1](#) identifies the reference data related to the setup of parties for TIPS and it provides detailed information as to who is responsible for the setup of these reference data. Section [1.3.1.2](#) defines the concept of party in the CRDM service and the way this concept relates with the different types of legal entities that can interact with TIPS. Section [1.3.1.3](#) describes the so-called hierarchical party model, i.e. the organisational structure of parties in the CRDM repository. Sections [1.3.1.4](#) and [1.3.1.5](#) illustrate in detail the reference data required by TIPS for each party, i.e. the way a party can be identified in TIPS and which attributes have to be stored for each party.

1.3.1.1. Setup of parties for TIPS

The setup of parties for TIPS takes place in the Common Reference Data Management service.

The TIPS Operator is responsible for setting up and maintaining party reference data for all Central Banks in TIPS. Central Banks are responsible for setting up and maintaining party reference data for the banks of their ~~national~~ community.

The following table summarizes, for each reference data object related to the setup of parties for TIPS, the responsible Actor for its configuration and it specifies which mode the Actor can use for the configuration.

Table 2 – Setup of Parties for TIPS

Reference Data Object	Responsible Actor	Mode
Party (CB)	TIPS Operator	U2A
Party (Participant)	Central Bank	A2A/U2A
Party (Reachable Party)	Central Bank	A2A/U2A

1.3.1.2. Concept of party in TIPS

Any TIPS Actor, meaning any legal entity or organisation ~~participant~~ participating in and interacting with TIPS either directly or indirectly (i.e. through an Instructing Party), is defined as a party (or several parties, as explained later in this section) in the Common Reference Data Management repository. Each party belongs to one of the following party types:

- TIPS Operator

- Central Bank
- Participant
- Reachable Party

The **TIPS Operator** is the legal and organisational entity that operates TIPS. They are responsible for the initial setup and day-to-day operations of TIPS and act as single point of contact for Central Banks and directly connected TIPS Actors⁷. They are responsible for monitoring the system and carrying out corrective actions in case of incidents or in the event of service unavailability. The **TIPS Operator** is also responsible for setting up and maintaining Central Banks reference data in the Common Reference Data Management repository and, if required, they may operate on behalf of any TIPS Actor. They have full access to all live and all archived reference data and transactional data in TIPS.

Central Banks are responsible for setting up and maintaining reference data in the Common Reference Data Management repository for all the TIPS Actors belonging to their ~~national~~ community. Central Banks ~~provide liquidity to Participants through Liquidity Transfers from the relevant RTGS system and~~ can also act as Participants (see below) themselves. In addition ~~and as far as the submission of liquidity transfers or the maintenance of reference data are concerned~~, they can act on behalf of one of their Actors in case of need. The European Central Bank owns and manages a single Transit Account (see section [1.3.2.2 "Transit accounts"](#)) in euro that must exist in TIPS, in order to allow the transfer of liquidity from TARGET2 to TIPS and vice versa. With the same purpose, for each other settlement currency in TIPS, the relevant non-euro Central Bank shall define a single Transit Account for their currency.

Participants represent entities that ~~hold one or more than one TIPS Accounts are eligible for participation in TARGET2 (but do not necessarily own a TARGET2 PM account)~~. They are identified by a BIC11 ~~and they receive liquidity on their TIPS Accounts by means of Liquidity Transfers from the relevant RTGS system. In this respect, TIPS Participants do not necessarily own a TARGET2 PM account; therefore, a TIPS Participant may receive liquidity in TIPS from another T2 Participant. In TIPS and hold TIPS Accounts (see section 1.3.2.1), which cannot have a negative balance. They TIPS Participants can manage setup and maintain CMBs (see section 1.3.2.3 "Credit Memorandum Balance") linked to their own accounts as well as configuring Instructing Party (see below) roles for Actors acting on behalf of~~ themselves or ~~for their of~~ Reachable Parties (see below) ~~defined as users of their accounts or CMBs~~. In addition, they define the access rights configuration of said Instructing Parties. They can also act as Instructing Parties and by definition they already have the prerogatives of an Instructing Party for what concerns their own accounts.

Reachable Parties are also identified by a BIC11, but they ~~cannot do not~~ hold TIPS Accounts and have to rely on a Participant's account to settle payments in TIPS. They can also act as Instructing Parties, which allows them to interact directly with TIPS.

The role of **Instructing Party** allows an Actor to send (or receive) Instant Payments to (or from) TIPS. Participants and Reachable Parties can act as Instructing Parties. ~~Actors~~ Third parties, not necessarily

⁷ [TIPS Actors different from Central Banks may contact the Service Desk only for connectivity-related incidents.](#)

[being a TIPS Participant or a Reachable Party](#), can act as Instructing Parties on behalf of other Participants or Reachable Parties, taking on ~~the a~~ subset [or the whole set](#) of functionalities that are available to the Participant or Reachable Party granted them in terms of access rights^{7.2}.

Each legal entity may play different roles in TIPS. Generally speaking, any legal entity playing multiple business roles in TIPS results in the definition of multiple parties.

For example, a Central Bank willing to make use of TIPS not only for the provision of liquidity to the Participants of its community, but also for the settlement of Instant Payments, will result in the definition of two parties, a Central Bank party and a Participant party.

Similarly, a financial institution holding two ~~Accounts~~ [accounts](#) within the books of two different Central Banks, would be defined as two different Participant parties, each of them belonging to one of the two Central Banks.

1.3.1.3. Hierarchical party model

~~Legal relationship between~~ [The parties party model in of TIPS determine is based on](#) a hierarchical ~~party model based on a~~ three-level structure. The TIPS Operator is the only party on the top level of the hierarchy and it is [responsible for the setup of in a legal relationship with](#) each party of the second level, i.e. each Central Bank in TIPS. Similarly, ~~legal relationships exist between~~ each party belonging to the second level (i.e. a Central Bank) ~~and is responsible for the setup of~~ all [parties of](#) its community (i.e. Participants and Reachable Parties), [represented by parties of the third level](#). [Instructing Parties are not part of the hierarchical party model, because as described in the previous section, they are not a type of party in TIPS, but rather a role that allows an Actor \(a TIPS Participant, a Reachable or a third party not participating in TIPS\) to instruct for a given party in TIPS.](#)

The hierarchical model also determines the so-called reference data scope, i.e. the area of responsibility of each Central Bank and of the TIPS Operator. More into detail:

- The reference data scope of a Central Bank includes its reference data, plus the reference data of all its parties;
- The reference data scope of the TIPS Operator includes all the reference data ~~non-not~~ included in the data scope of any Central Bank (e.g. countries and currencies reference data).

Each Central Bank and the TIPS Operator are responsible for their own reference data scopes, i.e. each of them is responsible for the input and maintenance of all information included in its reference data scope. [The TIPS Operator may also act, upon request, on the reference data scope of a Central Bank.](#)

1.3.1.4. Party identification

Each legal entity is identified in the financial market by a BIC (Bank Identification Code), according to the ISO 9362 standard. As previously described, each legal entity or organisation may result in the definition of multiple parties in the Common Reference Data Management repository. This implies that the usage of BIC is not enough to ensure uniqueness in the identification of parties, as these parties may be related to the same legal entity and, consequently, they may have been assigned the same

BIC. For this reason, the CRDM service requires two BICs to identify each party. More precisely, the CRDM service identifies each party with the BIC of the party itself and the BIC of the party with which it has established a business relation. Therefore:

- Each Participant and Reachable Party is identified by the [11-digit](#) BIC of its Central Bank plus its own [11-digit](#) BIC;
- Each Central Bank is identified by the [11-digit](#) BIC of the TIPS Operator plus its own [11-digit](#) BIC.

~~As a general rule (i.e. valid for all Eurosystem market infrastructure services), the CRDM service requires the assignment of 11-digit BICs to parties, with the only constraint that this BIC must be unique within the set of parties having established a business relationship with the same party⁸. This results in the possibility, for the same legal entity, on the one hand to establish multiple business relationships with different parties using the same 11-digit BIC. On the other hand, a given legal entity may express the business need to be defined as several different parties below the same parent party in the hierarchy: this is possible, provided that the given legal entity assigns different 11-digit BICs to the different parties created for this purpose.~~


~~On top of the general rule described above,~~ TIPS imposes an ~~additional~~ constraint in the assignment of BICs related to its parties, due to the fact ~~that~~ the settlement process must be able to infer the accounts to be debited and credited by an Instant Payment transaction based on the BICs of the Originator Participant and of the Beneficiary Participant (see also section [2.2](#)). This circumstance implies the need to ensure that any given BIC can only be assigned to one TIPS party and that two different TIPS parties must have assigned two different BICs. For this reason, the CRDM service prevents the possibility to allow two different parties identified by the same 11-digit BIC (this may happen, for example, when one financial institution is defined two times as a party by two different Central Banks) being defined as TIPS parties. Therefore, in order to allow a given financial institution to be defined as two different TIPS parties (by the same Central Bank or by two different Central Banks), the same financial institution must be defined in the CRDM repository as two parties identified by two different 11-digit BICs.

1.3.1.5. Reference data for parties in TIPS

~~The following diagram shows the conceptual data model for party reference data in TIPS. All related entities, attributes and relationships between different entities are described in detail in the rest of this section.~~

⁸ ~~According to the hierarchical party model, this means that the BIC must be unique within the set of parties having in common the same party of the upper level of the hierarchy.~~

Figure 3 – Party reference data model



The following table shows the exhaustive list of Party reference data attributes that TIPS [receives from the Common Reference Data Management service and](#) stores in its Local Reference Data Management repository.

Table 3 – Party reference data

Attribute	Description
Party BIC	11-character Bank Identifier Code (BIC11) to uniquely identify the party in TIPS.
Party Type	Type of party. The exhaustive list of party types is as follows: <ul style="list-style-type: none"> • TIPS Operator • Central Bank • Participant • Reachable Party
Country	Country code of the Central Bank the party belongs to.

Attribute	Description
Blocking Status	<p>Blocking status for the Party.</p> <p>Exhaustive list of possible values:</p> <ul style="list-style-type: none"> - blocked-Blocked for credit; - blocked-Blocked for debit; - blocked-Blocked for credit and debit; - unblockedUnblocked.

All other party reference data are stored in the Common Reference Data Management repository, as they are not needed for settlement in TIPS.

Each Participant party is linked to one or many TIPS Accounts (see section [1.3.2.1](#)), as account owner. Each Central Bank party may be linked to one and only one Transit Account (see section [1.3.2.2](#)), as account owner of the Transit Account for a given currency.

The following table shows the exhaustive list of Instructing Party reference data attributes that TIPS [receives from the Common Reference Data Management service and](#) stores in its Local Reference Data Management repository.

Table 4 – Instructing Party reference data

Attribute	Description
Direction	<p>It specifies whether the link between the DN and the BIC authorises the Instructing Party to act as Originator (inbound routing) or as Beneficiary (outbound routing). The exhaustive list of possible values is as follows:</p> <ul style="list-style-type: none"> • Inbound • Outbound
Distinguished Name	<p>When Direction is “Inbound”, it specifies the DN the Instructing Party uses to send messages to TIPS. When Direction is “Outbound”, it specifies the DN TIPS uses the to send messages to the Instructing Party.</p>
User BIC	<p>When Direction is “Inbound”, it specifies the BIC the Instructing Party uses as Originator in the messages it sends sent to TIPS. When Direction is “Outbound”, it specifies the BIC TIPS Beneficiary uses in the messages TIPS sends sent to the Instructing Party as Beneficiary.</p>

For inbound routing purpose, one Distinguished Name may be linked to many Originator BICs, which means the same entity may play the Instructing Party role for many Participants and Reachable Parties, possibly for many Originator BICs within the same Participant or Reachable Party.

Conversely, one Originator BIC may be linked to many Distinguished Names, which means one Participant or Reachable Party may authorise many entities to play the Instructing Party role, for one or many of their BICs. Such a scenario may be used in case a TIPS Participant needs to instruct its own accounts and, at the same time, give a third party the possibility to instruct on its behalf on the same accounts.


For outbound routing purpose, any given Beneficiary BIC may be linked to one and only one Distinguished Name, which means each Participant and Reachable Party must authorise one and only one entity to play the Instructing Party on the Beneficiary side. Conversely, one Distinguished Name may be linked to many Beneficiary BICs, which means one entity may play the Instructing Party role for many Participants and Reachable Parties.

One Instructing Party may act both as Originator and Beneficiary, possibly using use the same Distinguished Name for both directions (Inbound and Outbound).

1.3.2. Accounts structure and organisation

Accounts are opened in TIPS for the provision of liquidity and the settlement of instant payments transactions. The following diagram shows the conceptual data model for account reference data in TIPS. This section provides a detailed description of all the reference data CRDM stores and TIPS uses for all its accounts.

Figure 4 – Account structure and organisation



~~Accounts are opened in TIPS for the provision of liquidity and the settlement of instant payments. This section provides a detailed description of all the reference data CRDM stores and TIPS uses for all its accounts.~~

The TIPS Operator and Actors-Central Banks input and maintain in the Common Reference Data Management repository the following categories of accounts, depending on their role:

- TIPS Accounts
- Transit Account

Furthermore, TIPS Participants may define Credit Memorandum Balances (CMBs) on their TIPS Accounts, in order to define payment capacity limits for their Reachable Parties.

The following three sections define the above mentioned reference data objects, whereas section [1.3.2.4](#) provides a detailed description of the reference data required by TIPS for the same reference data objects.

~~4.3.1.6-~~[1.3.2.1.](#) TIPS accounts

TIPS Accounts are accounts that Participants use for the settlement of Instant Payments and Liquidity Transfers. They cannot have a negative balance.

Each Participant may own one or many TIPS Accounts and they may use them for their settlement activities or to give the possibility to settle to Reachable Parties or other Participants as well as authorising several BICs to operate on the account. The Participant that holds the TIPS Account, in any case, remains the owner and legal responsible for the TIPS Account itself.

Central Banks create TIPS Accounts for their Participants.

~~4.3.1.7-~~[1.3.2.2.](#) Transit accounts

Transit Accounts in TIPS are accounts that belong to Central Banks ~~own for providing liquidity to TIPS Participants. Transit Accounts which~~ may have either zero or a negative balance as they reflect any movement of liquidity from/to the RTGS,. ~~The~~but they transit accounts are technical accounts involved in the liquidity transfer process. They that cannot be involved used forin the settlement of Instant Payments- transactions. Only one Transit Account per settlement currency can exist in TIPS. The Transit Account for euro belongs to the European Central Bank. The TIPS Operator creates Transit Accounts for the Central Banks.

~~4.3.1.8-~~[1.3.2.3.](#) Credit Memorandum Balance

A Credit Memorandum Balance (CMB) represents a limit defined for a Reachable Party on a given TIPS Account. As such, each CMB is linked to exactly one TIPS Account, but each TIPS Account may have any number of CMBs, each representing a credit line for a Reachable Party in TIPS.

TIPS Participants create CMBs for their TIPS Accounts, on an optional basis.

CMBs offer the possibility to define limit management flexibly on a TIPS Account, without dedicating liquidity exclusively for each single customer. Specifically, the sum of all CMB limits on a TIPS Account may be higher than the balance of the same Account at any time.

When defining a CMB, it is possible to specify a limit, which may be initially set to null. In this case, the related Reachable Party may make use of the full payment capacity of the TIPS Account linked to the CMB. [TIPS Participants create CMBs for their TIPS Accounts.](#)

1.3.1.9.1.3.2.4. Reference data for accounts and CMBs in TIPS

The following table shows the exhaustive list of Account reference data attributes that TIPS [receives from the Common Reference Data Management service and](#) stores in its Local Reference Data Management repository.

Table 5 – Account reference data

Attribute	Description
Account Number	It specifies the unique number of the Accountaccount .
Account Type	Type of account. The exhaustive list of account types is as follows: <ul style="list-style-type: none"> • TIPS Accountaccount • Transit Accountaccount
Currency	It specifies the currency of the Accountaccount .
Opening Date	Opening date of the Accountaccount .
Closing Date	Closing date of the Accountaccount .
Floor Notification Amount	It specifies the lower threshold for notifying the Account-account owner.
Ceiling Notification Amount	It specifies the upper threshold for notifying the Account-account owner.
Credit Notification Flag	Boolean attribute specifying whether the Account-account owner must receive a credit notification after the settlement of any inbound Liquidity Transfer from the relevant RTGS system.
Blocking Status	Blocking status for the TIPS account. Exhaustive list of possible values: <ul style="list-style-type: none"> - blocked-Blocked for credit; - blocked-Blocked for debit; - blocked-Blocked for credit and debit; - unblockedUnblocked.

All other account reference data are stored in the Common Reference Data Management repository, as they are not needed for settlement in TIPS.

Each TIPS Account is linked to one and only one Participant (i.e. the ~~Account-account~~ owner); similarly, each Transit Account is linked to one and only one Central Bank (the European Central Bank for the euro Transit Account, the relevant Central Bank for any other settlement currency).

Furthermore, each TIPS Account may be linked to one or many CMBs and to one or many Authorised Account Users (see Table 7 below).

The following table shows the exhaustive list of CMB reference data attributes that TIPS receives from the Common Reference Data Management service and stores in its Local Reference Data Management repository.

Table 6 – CMB reference data

Attribute	Description
CMB Number	It specifies the unique number of the Account CMB.
Opening Date	Opening date of the CMB.
Closing Date	Closing date of the CMB.
Floor Notification Amount	It specifies the lower threshold <u>of the CMB headroom (see section 04.4)</u> for notifying the owner of the Account which the CMB is linked to.
Ceiling Notification Amount	It specifies the upper threshold <u>of the CMB headroom</u> for notifying the owner of the Account-account which the CMB is linked to.
Limit	It specifies the limit amount for the CMB.
Blocking Status	Blocking status for the CMB. Exhaustive list of possible values: <ul style="list-style-type: none"> - bBlocked for credit; - bleeked-Blocked for debit; - bleeked-Blocked for credit and debit; - unblockedUnblocked.
User BIC	Authorised BIC for the CMB.

All other CMB reference data are stored in the Common Reference Data Management repository, as they are not needed for settlement in TIPS.

Each CMB is linked to one and only one TIPS Account.

The following table shows the exhaustive list of Authorised Account User reference data attributes that TIPS receives from the Common Reference Data Management service and stores in its Local Reference Data Management repository.

Table 8 – Instant Payment Transaction data

Attribute	Description
Reference	The Originator Bank's reference number of the SCT Inst Transaction message.
Acceptance Timestamp	Timestamp of the SCT Inst Transaction
Amount	Amount intended to be settled by the transaction
Currency	The currency relevant for the transaction
Crediting Account	TIPS Account to be credited
Crediting Account Status	Blocking status for the TIPS account to be credited. Exhaustive list of possible values: <ul style="list-style-type: none"> - Blocked for credit; - blocked-Blocked for debit; - blocked-Blocked for credit and debit; - unblockedUnblocked.
Crediting CMB	CMB to be credited
Crediting CMB Status	Blocking status for the CMB to be credited. Exhaustive list of possible values: <ul style="list-style-type: none"> - Blocked for credit; - Blocked for debit; - Blocked for credit and debit; - Unblocked
Debiting Account	TIPS Account to be debited.
Debiting Account Status	Blocking status for the TIPS account to be debited. Exhaustive list of possible values: <ul style="list-style-type: none"> - Blocked for credit; - blocked-Blocked for debit; - blocked-Blocked for credit and debit; - unblockedUnblocked.
Debiting CMB	CMB to be debited.
Debiting CMB Status	Blocking status for the CMB to be debited. Exhaustive list of possible values: <ul style="list-style-type: none"> - Blocked for credit; - blocked-Blocked for debit; - blocked-Blocked for credit and debit; - unblockedUnblocked.

Attribute	Description
Status	<p>Status of the transaction.</p> <p>Exhaustive list of possible values:</p> <ul style="list-style-type: none"> - Received - Validated - Reserved - Settled - Failed - Rejected - Expired
Type	<p>Type of the underlying payment transaction.</p> <p>Exhaustive list of possible values:</p> <ul style="list-style-type: none"> - Instant payment <u>Payment</u> - Recall answer
Value Date	<p>Transaction settlement date in accordance to the related RTGS System.</p>

Each Instant Payment ~~Transaction-transaction~~ creates ~~two~~ Cash Postings related to the impacted Accounts or CMBs.

1.4.2. Liquidity Transfer

This entity represents data related to liquidity transfers submitted by TIPS Actors or received from the relevant RTGS System. Liquidity Transfer data includes the following attributes:

Table 9 – Liquidity Transfer data

Attribute	Description
Reference	Reference number of the liquidity transfer.
Amount	Amount intended to be transferred.
Currency	The currency relevant for the liquidity transfer.
Crediting Account	TIPS account or RTGS account to be credited.
Crediting Account Status	<p>Blocking status for the TIPS account to be credited for inbound liquidity transfer. Exhaustive list of possible values:</p> <ul style="list-style-type: none"> - b<u>B</u>locked for credit; - blocked-<u>Blocked</u> for debit; - blocked-<u>Blocked</u> for credit and debit;

Attribute	Description
	- unblocked Unblocked.
Debiting Account	TIPS account or RTGS account to be debited.
Debiting Account Status	Blocking status for the TIPS account to be debited for outbound liquidity transfer. Exhaustive list of possible values: <ul style="list-style-type: none"> - bBlocked for credit; - blocked-Blocked for debit; - blocked-Blocked for credit and debit; - unblockedUnblocked.
Status	Status of the liquidity transfer. Exhaustive list of possible values: <ul style="list-style-type: none"> - Received - Validated - Settled - Failed - Rejected by RTGS - Transient
Value Date	Liquidity transfer settlement date in accordance to the related RTGS System.

Each Liquidity Transfer references a credited and a debited Account.

1.4.3. Cash Posting

A Cash Posting is created for each Payment transaction or Liquidity Transfer that results in a reserved or settled amount on a TIPS Account. Cash Posting data includes the following attributes es. es:

Table 10 – Cash Posting data

Attribute	Description
Amount	Amount reserved or settled by the transaction or liquidity transfer.
Type	Specifies the origin of the Cash Posting. Exhaustive list of possible values: <ul style="list-style-type: none"> - Payment transaction - Liquidity Transfer

Each Cash Posting is linked to a single Payment transaction or Liquidity Transfer, as well as a single Cash Balance. In addition, a Cash Posting can reference up to one CMB-.

1.4.4. Cash Balance

A Cash Balance is created for each TIPS Account and modified each time a Payment Transaction or Liquidity Transfer results in a reserved or settled amount.

Cash Balance data includes the following attributes:

Table 11 – Cash Balance data

Attribute	Description
Available Balance	Current balance available for settlement on the TIPS account
Reserved Balance	Balance that has been temporarily reserved on the TIPS account while the related <u>Instant payment Payment</u> transactions are executed.

Each Cash Balance is linked to a single TIPS account as well as a single Cash Posting.

CMB Headroom

TIPS keeps track of the utilisation and available headroom for each CMB for which a limit is defined. Whenever an Instant Payment transaction ~~or Liquidity Transfer~~ is settled against a given Originator or Beneficiary CMB, TIPS debits/credits the linked TIPS Account and decreases/increases the relevant CMB Headroom accordingly at the same time. If ~~an the amount of an~~ Instant Payment transaction ~~exceeds would exceed~~ the current CMB Headroom ~~to be debited for the Originator Participant~~, then it is rejected.

For unlimited CMBs, the headroom must always be considered infinite and, conversely, the utilisation always zero.

A CMB Headroom is created for each CMB and modified each time an Instant Payment ~~Transaction~~ transaction impacting the CMB is processed or the CMB limit is adjusted.

CMB Headroom data includes the following attributes:

~~Table 12 – CMB Headroom~~

Table 12 – CMB Headroom data

Attribute	Description
CMB Headroom	Current value of the limit available for settlement on the related CMB.

Each CMB Headroom is linked to a single CMB as well as a single Cash Posting.

1.4.5. RTGS Systems

TIPS maintains information about the RTGS systems that interact with it, along with the respective currency, status (i.e. whether they are open and ready to receive liquidity transfers or not), distinguished name and business date. ~~This distinguished name of the RTGS system is the one that is recognised as a dedicated RTGS System special-user that authorised to send any messages or queries to TIPS (e.g. to manage the transfer of liquidity from the RTGS to TIPS and to query the balances of the TIPS accounts linked to the RTGS account).~~

The status and the business date are updated automatically upon receiving a ReturnBusinessDayInformation message from the relevant RTGS system and can be modified manually by the TIPS Operator in contingency situations.

RTGS System data includes the following attributes.:

Figure 4: RTGS Systems

Table 13 – RTGS systems data

Attribute	Description
RTGS system	Identifier of the RTGS system interacting with TIPS.
RTGS Currency	Settlement currency of the related RTGS.
RTGS Status	Current status of the related RTGS. Possible values: - <u>Open</u> - <u>Closed</u>
Business Date	Current business date of the RTGS System.
Distinguished Name	DN of the RTGS System

1.5. TIPS Features

1.5.1. General concepts

TIPS processes instructions continuously during the day, on a 24/7/365 basis without any scheduled service downtime. In this context, the term “instructions” refers not only to ~~instant payments~~ Payments or ~~liquidity transfers~~ Transfers, but also to local reference data updates and any other type of request that leads to the update of reference or dynamic data in TIPS.

All these types of instructions are processed in a strictly ordered sequence as part of the same input flow, so that a single sequence of instructions leads deterministically to a single possible status.

For example, TIPS may receive an Instant Payment transaction ~~that debiting attempts to debit~~ an account ~~followed by~~ and a concurrent request to block the same account for debiting. ~~In this case~~

~~TIPS processes~~ receives the ordered sequence where the debiting ~~before~~ precedes the blocking, the Instant Payment transaction will be processed before the account is blocked. If, ~~on the other hand~~ conversely, TIPS ~~receives~~ receives the ordered sequence where ~~processes~~ the account blocking is executed prior to the Instant Payment transaction ~~after the account blocking request~~, the account will be blocked ~~and whereas~~ the payment transaction will be rejected.

The possible types of instructions processed by TIPS are listed below:

- Instant Payment transactions for the settlement of cash on a TIPS account
- Beneficiary replies to confirm or reject an Instant Payment transaction on the beneficiary side
- Recall instructions to request a refund from the Beneficiary Participant for previously settled Instant Payment transactions
- Recall answers from the Beneficiary Participant for either the refund or the rejection in response to a recall instruction
- Liquidity transfers to instruct the transfer of liquidity between TIPS and an RTGS System
- ~~Reference~~ data maintenance instructions to modify TIPS local reference data.
-

Local reference data maintenance within TIPS is limited to the following set of operations, that can be performed at any point in time (i.e. 24/7/365), with immediate effect:

- Blocking/unblocking of a TIPS Actor
- Blocking/unblocking of an account or CMB
- Update of a CMB limit

All other reference data setup and maintenance operations are performed in the CRDM; reference data are then propagated from the CRDM to TIPS asynchronously, on a daily basis.

TIPS also offers querying and reporting functionalities.

Data included in reports depends on the access rights profile of the subscribing TIPS Actor and is based on periodical snapshots taken at specific points in time in TIPS. TIPS offers two types of reports:

- Statement of Account Turnover
- Statement of Accounts

TIPS Actors can subscribe for the types of reports they want to receive.

For the Statement of Accounts the TIPS Actors can also configure whether they want to receive it in full mode (complete set of data) or in delta mode (including only the data produced since the last generation of the same type of report for the same actor) along with the frequency they want to receive it at each day.

TIPS triggers the production of full reports when the relevant RTGS System notifies TIPS about the end of the current business day. In addition, delta reports can be scheduled to be produced and sent at regular intervals corresponding to the moments when snapshots are taken (every number of hours, e.g. every 3 hours, every 6 hours, etc.) by each TIPS Actor. When subscribing for a report in Delta

mode, the end of the business day of the relevant RTGS System triggers in any case a last report generation for the business day which contains all the data remaining between the trigger itself and the last Delta report produced for the interested Actor.

In addition, upon notification from an RTGS System that a new business date has been reached, TIPS provides the same RTGS System with data on the business day that just elapsed and that the RTGS System uses to build and provide General Ledgers to the Central Banks.

Queries are available in both U2A and A2A mode, on a 24/7/365 basis, and allow users to access data in real time. TIPS provides three types of queries:

- Account balance and status query
- CMB limit and status query
- ~~Payment transaction status query~~
-

The following subsections go in depth on the aforementioned features.

1.5.2. Settlement of Instant Payment transactions

TIPS supports the different process flows foreseen in the SCT^{Inst} scheme, i.e. ~~instant~~ Instant payments, recalls and investigations.

The table below contains an overview of the types of instructions TIPS Actors can exchange with TIPS for payment purposes.

Table 14 – TIPS Payment transaction types

Instruction Type	Description
Instant Payment transaction	Forwarded from an Originator Participant <u>or Instructing Party acting on behalf of the Originator Participant or a Reachable Party</u> to TIPS to instruct the settlement of cash on a TIPS Account. It is also forwarded by TIPS to the relevant-intended Beneficiary Participant <u>or Instructing Party acting on behalf of the Beneficiary Participant or a Reachable Party</u> to request confirmation for the settlement.
Beneficiary Reply	Forwarded from a Beneficiary Participant <u>or Instructing Party acting on behalf of the Beneficiary Participant or a Reachable Party</u> to TIPS as response to an Instant Payment transaction. It contains the Beneficiary Participant's positive or negative response. It is also forwarded by TIPS back to both (i) the Originator Participant <u>or Instructing Party acting on behalf of the Originator Participant or a Reachable Party</u> and (ii) Beneficiary Participant <u>or Instructing Party acting on behalf of the Beneficiary Participant or a Reachable Party</u> as confirmation that settlement has been performed <u>or ended in error</u> .

Instruction Type	Description
Recall	Sent by an Originator Participant of a previously settled Instant Payment transaction to request that the given transaction is cancelled and a refunded amount – equal or possibly lower than the original one – is credited back to the original account. It is forwarded-submitted by the Originator Participant <u>or Instructing Party acting on behalf of the Originator Participant or a Reachable Party</u> to TIPS and, <u>after successful validation, passed-it is forwarded directly</u> by TIPS to the relevant Beneficiary Participant <u>or Instructing Party acting on behalf of the Beneficiary Participant or a Reachable Party</u> .
Recall Answer	Sent by a Beneficiary Participant <u>or Instructing Party acting on behalf of the Beneficiary Participant or a Reachable Party</u> to TIPS as either a positive response to refund the cash, reversing the effect of the original Instant Payment transaction, or a negative response to a Recall instruction-. <u>In both cases, after successful validation it is also, it is</u> forwarded by TIPS to the Originator Participant <u>or Instructing Party acting on behalf of the Originator Participant or a Reachable Party</u> as confirmation.

1.5.2.1. Instant Payment transaction settlement process

~~An Instant payments-Payment transaction is are~~ initiated by an Originator Participant or Instructing Party acting on behalf of the Originator Participant or a Reachable Party, e.g. a TIPS Participant, ~~requesting-instructing a payment~~ to debit one of their ~~own~~-TIPS accounts and ~~to~~ credit the TIPS account of a Beneficiary Participant. The perimeter of TIPS is limited to the interactions with these participants, which represent financial institutions or parties acting on their behalf. The communication between the actual Originator and Beneficiary of a payment (i.e. the individuals or institutions transferring funds between each other, which may be customers of the Originator/Beneficiary Participants) is out of the TIPS scope and handled by each participant independently.

In the following description, ~~for the sake of readability, and in the rest of this document, the terms~~ expression “Originator ~~Participantside~~” means “the Originator Participant or an Instructing Party acting on behalf of the Originator Participant or a Reachable Party” and “Beneficiary ~~Participantside~~” means “Beneficiary Participant or an Instructing Party acting on behalf of the Beneficiary Participant or a Reachable Party”. ~~can also be taken to indicate Instructing Parties acting on behalf of the actual participants, i.e. TIPS Participants or Reachable Parties.~~

TIPS keeps track of the cash balance for each TIPS Account. The settlement process begins with an ~~instant-Instant~~ Payment transaction message submitted by the Originator ~~Participant-side~~ to TIPS. TIPS validates the message and, if no errors are detected and sufficient funds are available, reserves the amount to be debited on the Originator ~~Participant’s-side’s~~ account by creating a related cash

posting. TIPS then forwards the Instant Payment transaction to the Beneficiary Participantside. While the cash amount is reserved, it cannot be used for settlement in a different payment or liquidity transfer; in addition, if either (i) the account owner or (ii) the account is blocked after the reservation and before the payment can be settled, the reserved amount is still eligible for settlement.



The Beneficiary Participant-side shall respond to TIPS with a beneficiary reply, either confirming or rejecting the payment. Upon receiving this reply, TIPS will respectively settle or release the reserved amount, removing the cash posting and updating the cash balances of the Originator and beneficiary Beneficiary Participant accounts ~~cash balances~~. Subsequently, TIPS will forward a status advice to both the Originator and Beneficiary Participantsides. Payments are always settled for the full amount; partial settlement is not foreseen in TIPS.

If TIPS does not receive a reply from the beneficiary-Beneficiary Participant ~~reply~~ within a standard, configurable timeout period, the reserved amount is automatically released and can then be once again used for settlement. In the aforementioned scenario, TIPS sends a negative status report to both the Originator and Beneficiary participants-sides and removes the relating cash posting.

Instant Payment transactions that involve CMBs are handled similarly to the above description. A CMB Headroom is created for each CMB in TIPS, and it is always kept equal to the CMB limit minus the current limit utilisation. When an Instant Payment transaction involving one or two CMBs is settled, in addition to updating the cash balances for the involved accounts, the headroom and the limit utilisation of the related CMBs are also modified.

The following diagram shows the possible statuses of an Instant Payment transaction.

Figure 6 – Payment Transaction status transition diagram



An Instant Payment transaction entering the system for the first time is temporarily in *Received* status while it undergoes the TIPS validations. While in this status, it is already possible for an Instant Payment transaction to exceed the timeout period, leading it to the final *Expired* status from which it will no longer be submitted to settlement. This can happen when TIPS receives a message from the Originator Participant or Instructing Party that has an acceptance timestamp already older than the acceptable timeout; TIPS records the received message, replies with a timeout error message to the sender and saves the transaction as expired.

If the Instant Payment transaction passes all validations successfully, it becomes *Validated*. At this point the actual settlement process begins with the attempt to reserve the required cash amount on the relevant debit account. If the reservation is successful, the transaction is set to *Reserved* status; if for any reason the reservation is unsuccessful (e.g. because the cash balance on the TIPS account is insufficient or the account is blocked) its status changes to *Failed*.

Reserved—A **reserved** Instant Payment transaction may subsequently change its status into one of the four final status**es**, depending on the outcome of the settlement attempt:

1. If TIPS does not receive the **beneficiary**—**Beneficiary side** reply within the standard timeout period, the Instant Payment times out and the transaction moves to status *Expired*;
2. If the Beneficiary **Participant-side** rejects the Instant Payment, the transaction moves to status *Rejected*;
3. If the Beneficiary **Participant-side** confirms **or rejects** the Instant Payment but any kind of error occurs, the transaction moves to status *Failed*;
4. Finally, if the Beneficiary **Participant-side** confirms the Instant Payment and TIPS settles it successfully, the transaction moves to status *Settled*.

The detailed flow of the process, with the relevant steps, is described in section [2.2 – “Instant Payment transaction”](#) and [Figure 15 – Payment Transaction flow](#).

1.5.2.2. Recall settlement process

The Originator Participant or Instructing Party of a previously settled Instant Payment transaction (the Recall Assigner) can send to TIPS a specific recall message in order to request the return of funds previously settled. TIPS validates that the requestor is duly authorised to initiate the recall process and the Recall Assignee, which is the Beneficiary Participant of the original Instant Payment, can be reached via TIPS. No further validations are performed by TIPS which simply forwards the request to the intended recipient.

The Beneficiary Participant is authorised to send to TIPS a Recall Answer containing either the acceptance or the rejection of the request. The sender can be also an Instructing Party acting on behalf of the Beneficiary Participant. There is no time limits **set-enforced in TIPS** for the receiver of the Recall **(i.e. the Recall Assignee)** to respond; TIPS does not perform any timeout check and it is up to the participants or instructing parties to adhere to specific time rules pertaining to recalls.

Once the Recall Answer is received, TIPS performs several checks using the most recent reference data; this means that changes done to the reference data affecting access rights may change the

outcome of the authorisation check between processing of the recall and processing of the ~~recall~~ Recall answer ~~Answer~~.

~~After running the proper checks~~ If the checks are successful, a negative Recall Answer response ~~is simply immediately~~ forwarded by TIPS to the Recall Assigner.


In case the Recall Assignee replies with a positive Recall Answer ~~is given by the Recall Assignee~~, additional processing has to be performed by TIPS. The system determines from the Originator Participant or Reachable party BIC and Beneficiary Participant or Reachable party BIC within the ~~recall~~ Recall answer ~~Answer~~ message the accounts and/or CMBs that TIPS has to use for settlement of the recall. In order to reverse the direction of the cash flow from the original payment transaction that is recalled, TIPS interprets the Originator Participant or Reachable Party BIC as the Beneficiary participant or Reachable party BIC for the reversed cash flow, and vice versa.

Once the above data are retrieved, TIPS determines a suitable payment transaction dataset and immediately attempts to settle the reversed cash flow using the same or a different amount (the Recall Assignee may apply a fee for recalls). The payment process stated for the settlement of an Instant Payment transaction is for the most part applied also for payment transactions automatically generated by TIPS during the processing of a positive Recall Answer. The latter differs from processing an Instant Payment transaction only because there is no reservation of funds and their acceptance is implicitly assumed by issuing the recall in the first place.

If any check on either positive or negative Recall Answer fails or the transaction cannot be settled, e.g. due to insufficient funds on the debited account, TIPS informs the sender of the Recall Answer with a [FIToFIPaymentStatusReportV03](#).

The following figure shows the possible statuses of a ~~Positive~~ positive Recall Answer, the content of which determines the dataset of the payment transaction that should be settled in TIPS. As mentioned above TIPS acts as a channel between the Assigner and the Assignee without storing any messages data or internal statuses related to Recalls and negative Recall Answers.

Figure 7 – Positive Recall Answer status diagram



The positive Recall Answer is *Received* once schema validation and authentication checks are executed; its status skips to *Validated* just after TIPS has performed successfully the required Access Rights and Duplicate check. If ~~not, the checks are not successful~~ ~~its the~~ status of the Recall Answer changed is set to *Failed*. Simultaneously and TIPS sends a message to the Recall Assigner containing the proper error code. At this point the validated Recall Answer settlement process begins is submitted for settlement with the attempt to reverse the cash flow on the relevant debit account. If the settlement attempt is successful, the instruction is set to *Settled* status; if for any reason the attempt is unsuccessful (e.g. because the cash balance on the TIPS account is insufficient or the account is blocked) ~~it fails to settle~~ the settlement fails and ~~its the~~ status of the positive Recall Answer changes to *Failed*.

1.5.2.3. Investigation process

In line with the SCT^{Inst} scheme rulebook, TIPS supports a transaction status investigation process, which can be initiated by Participants or Instructing Parties acting on behalf of Participants or Reachable Parties on the originator side using the transaction status inquiry message. This is a special case of query that allows TIPS Actors to retrieve the last generated payment transaction status advice. If no payment transaction status advice is present, an error is returned.

TIPS retains information for responding to investigations for a configurable timeframe, initially set to exactly 5 calendar days (see [Table 18](#)). Furthermore, according to the SCT^{Inst} scheme rulebook, the

investigation functionality will be available only after the certainty of completion of the settlement phase of a transaction, which translates into SCT^{Inst} Timestamp Timeout expiration + Investigation Offset.

~~Complementing this status investigation process TIPS provides additional queries, which can be used for the inquiry regarding the status of a particular transaction (see section) and which return a wider set of information.~~

The investigation functionality will be described in the section [2.4- "Investigation"](#).

1.5.3. Liquidity Management

TIPS provides liquidity management functionalities to allow the transfer of liquidity between TIPS Accounts and RTGS Accounts, in both directions. Liquidity transfers can only be performed between accounts – TIPS and RTGS – that are denominated in the same currency.

TIPS foresees two different types of Liquidity Transfer: Inbound (from an RTGS System to TIPS) and Outbound (from TIPS to an RTGS System).

All Liquidity Transfers, ~~whatever regardless of~~ the type, are ~~performed settled~~ by moving the liquidity through an RTGS Transit Account. TIPS has one and only one Transit Account defined for each currency. The Central Bank responsible for the RTGS System related to ~~the a given~~ currency is the responsible Central Bank for the Transit Account. The ECB is ~~the~~ responsible for the Transit Account ~~denominated~~ in euro.

Liquidity transfers do not entail a reservation of funds, unlike ~~instant payments~~ Payment transactions, and are settled immediately.

1.5.3.1. Inbound Liquidity Transfer


An Inbound Liquidity Transfer moves liquidity from an RTGS account to a TIPS account in the same currency. Inbound Liquidity Transfer orders can be triggered only in the RTGS System and are received by TIPS.

Authorised RTGS Account holders may trigger Inbound Liquidity Transfer orders in the corresponding RTGS System; the order is received, as a Liquidity Transfer message, in TIPS. A target TIPS Account must be specified in the message. Originators of Inbound Liquidity Transfer orders do not necessarily need to be TIPS Participants. For instance, any entity who owns a PM account in TARGET2 may trigger Inbound Liquidity Transfers in euro, even if it does not own an account in TIPS.

If the received message passes all the business checks s successfully, TIPS transfers the requested amount from the relevant Transit Account to the TIPS Account. After settlement, TIPS informs the RTGS System and, optionally, the owner of the TIPS account about the successful settlement.

Liquidity transfer orders can have different statuses depending on the executed steps of the settlement process. The possible statuses of an Inbound Liquidity Transfer order are described below in the following diagram.

Figure 8 – Inbound Liquidity Transfer status



An Inbound Liquidity Transfer order is *Received* and *Validated* by TIPS if it passes all validation checks successfully and the related TIPS account is not 'blocked for credit' or 'blocked for debit and credit'; otherwise its status ~~turns into ais set to~~ *Failed* status. Subsequently, it changes to *Settled* status once the Settlement Core component settles the full amount of the order.-

1.5.3.2. Outbound Liquidity Transfer

An Outbound Liquidity Transfer is used in order to repatriate liquidity from a TIPS account to the relevant RTGS System. Outbound Liquidity Transfer orders can be triggered only in TIPS and are received by the relevant RTGS System. However, if the corresponding RTGS system supports pull functionality, Outbound Liquidity Transfer orders could also be triggered in the RTGS system.



The process foresees that an authorised entity, e.g. a TIPS Participant, Instructing Party and Central Bank acting on behalf, triggers an Outbound Liquidity Transfer order towards the corresponding RTGS

System, in the form of a Liquidity Transfer message. A target RTGS Account must be specified in the message. No reservation of funds occurs in this scenario and settlement takes place immediately.

If the Liquidity Transfer request passes all the business checks successfully, TIPS transfers the requested amount from the TIPS Account to the relevant Transit Account and informs the RTGS System. TIPS then expects the RTGS System to reply with either a confirmation or a rejection message.

The possible statuses of an Outbound Liquidity Transfer order are ~~the~~ shown in the following diagram:-

Figure 998 -- Outbound Liquidity Transfer status



An Outbound Liquidity Transfer order is first *Received* and *Validated* by TIPS if it passes all validations successfully; otherwise its status turns into a *Failed* status. Subsequently, it changes to *Transient*

status if settled correctly, when the funds are moved to the technical Transit Account denominated in the same currency of the corresponding liquidity transfer. Conversely, if the involved TIPS Account is blocked or has insufficient funds, the Liquidity Transfer is set to *Failed*.

-Liquidity Transfers with status set to *Transient* may then settle finally (status *Settled*) upon TIPS receiving positive confirmation from the related RTGS System, or be *Rejected* if the RTGS System responds with a negative reply. ~~If the answer received from the RTGS System does not pass validation checks successfully, the related status changes to *Failed*.~~ If the RTGS does not respond properly and the status is not set to *Settled* or *Rejected* within a configurable timeframe, an **alarm-alert** is raised to the TIPS Operator, in order to take corrective measures.

1.5.3.3. Reserve calculation

TIPS Accounts and all their balances are, from a legal perspective, considered to be in the jurisdiction of TARGET2 and the respective non-euro RTGS. In this respect, TIPS balances are taken into account for the calculation of the minimum reserve requirements in TARGET2.

Given the 24/7/365 nature of settlement in TIPS, it is necessary to define a single point in time to perform the calculation in a synchronised way between TIPS and TARGET2. To make sure that the balances used for the calculation in TIPS and TARGET2 are coherent, TIPS prepares snapshots of the balances during the RTGS end of day procedure, ensuring that no liquidity transfers are pending confirmation from the related RTGS System. These snapshots are the basis for the General Ledger files produced by TIPS and forwarded to the linked RTGS Systems.

1.5.4. Reference data management

TIPS Reference data offers Participants, Central Banks and the TIPS Operator an integrated and consistent set of common information, along with the ability to input and maintain reference data of TIPS Participants and their Accounts.

TIPS Reference Data Management is split between TIPS itself and the external Common Reference Data Management component (CRDM). The CRDM allows users to setup and maintain reference data that is common to multiple Eurosystem services, and propagates such data to the relevant services. In this respect, changes to TIPS reference data fall into two categories:

- Common reference data changes: this class of operations covers most TIPS reference data changes, notably the creation, update and deletion of Participants and Accounts. These operations are carried out by authorised users in the CRDM via its dedicated interface and propagated to TIPS on a daily basis before the change of RTGS business day. As the CRDM interface is available 22 hours a day⁹ **and during the weekdays**, this type of operation is only available during that time window. [Please refer to CRDM documentation for additional details.](#)

⁹ The timeframe of 22 hours of availability may be subject to revision, depending on possible decisions made in the context of the T2-T2S Consolidation project.

~~TIPS may reject certain changes at the time of propagation. For example, if an Account is deleted at CRDM level but has a balance over zero when the change is propagated to TIPS, this change is rejected.~~

The propagation of Common Reference Data to TIPS is effected through a process that progressively updates all TIPS processing nodes without impacting the 24-hour settlement process.

As the propagation of Common Reference Data requires a certain amount of time each day, it is necessary to input all changes needed for a certain business day before a specific pre-defined cut-off time in advance of said date.

- Immediate reference data changes: this class of operations refers to high-priority settlement-relevant reference data changes that need to be implemented in TIPS as soon as they are instructed. These operations are carried out by authorised users directly in TIPS via the TIPS interface (available 24 hours a day) and processed in the same flow as Instant Payment transactions. The possible immediate reference data changes in TIPS are listed below:
 - Blocking/unblocking of a participant
 - Blocking/unblocking of an account or CMB
 - Update of a CMB limit (and consequently adjustment of the related headroom)

Blocking/unblocking status and CMB limit data maintenance operations are also available in the CRDM – refer to 1.6.3 “Common Reference Data Management” for additional information.

Within TIPS, Reference Data maintenance instructions can be submitted in U2A and A2A mode depending on the individual object. Regardless of the connection mode, all instructions are submitted to the Reference Data Manager component in the same format.

U2A functions can also be triggered in 4-Eyes mode, so that a final approval from a different user is required before the change comes into effect. 4-Eyes mode is not available in A2A mode. When a 4-Eyes instruction is submitted, it is provisionally validated and put on hold until a second user, different from the initial submitter and with the adequate privileges, confirms or revokes it. If the instruction is confirmed, it is submitted to TIPS as any other Reference Data Management instruction.

The following table lists the reference data operations that are available within TIPS, the types of TIPS Actors that are responsible for them and the respective availability in U2A and A2A. All the following operations are available on a 24/7/365 basis and they are implemented with immediate effect in TIPS reference data. Additional reference data management operations are available in the CRDM and are implemented in TIPS typically within 24 hours.

Table 15 – Reference data management functions available in TIPS

Entity	Possible operations	Responsible Actors(s)	U2A availability	A2A availability
--------	---------------------	-----------------------	------------------	------------------

Entity	Possible operations	Responsible Actors(s)	U2A availability	A2A availability
Actor	Update of blocking status	TIPS Operator ¹⁰ TIPS Operator, CB	Yes	Yes
Account	Update of blocking status	TIPS Operator, CB, Instructing Party	Yes	Yes
CMB	Update of blocking status, update of CMB limit	TIPS Operator, CB, TIPS Participant , Instructing Party ¹¹	Yes	Yes
RTGS Status	Create, Update, Delete	RTGS System (A2A), TIPS Operator (U2A)	Yes	Yes

The update of the RTGS Status table is normally performed on automatic basis upon the receipt of a [ReturnBusinessDayInformationamt.049](#) message from the relevant RTGS System. In contingency situations, it can be carried out manually by the TIPS ~~e~~Operator.

1.5.4.1. Blocking Participants

TIPS allows Central Banks to block immediately a TIPS Participant falling under their data_scope for credit operations, debit operations or both ~~in A2A mode~~.

Blocking a TIPS Participant for debiting/crediting results in an equivalent blocking on all Accounts owned by that Participant and all the CMBs linked to that Account. The individual Account and CMB blocking status is not overwritten. When crediting or debiting a TIPS Account, TIPS also checks the Owner Participant blocking status.

Unblocking the TIPS Participant means that all of its Accounts and CMBs revert back to their individual blocking status.

The block is performed setting a restriction (through CRDM or directly in TIPS) on the party identifying the TIPS Participant. TIPS performs the block request executing it immediately, without checking if the TIPS Participant is already blocked but overwriting the previous block or adding a new one.

For example, if a TIPS Participant is blocked for credit and TIPS receives a new request of blocking for debit, the Participant (and all related accounts and CMBs) results in a block for both credit and debit operations. If a Participant is blocked for credit and TIPS receives a new request of blocking for credit, the blocking for credit is applied again and the sender of the request is notified with a positive reply.

1.5.4.2. Blocking accounts and CMBs

TIPS allows Central Banks to block immediately an Account or a CMB linked to TIPS Participant falling under their data_scope for credit operations, debit operations or both ~~in A2A mode~~. TIPS allows TIPS Participants to block immediately a CMB linked to Accounts under their data_scope for credit operations, debit operations or both ~~in A2A mode~~.

¹⁰ [TIPS Operator can \(i\) block/unblock Participants and TIPS Accounts in contingency and upon request of the responsible Central Bank and \(ii\) CMBs upon request of the responsible TIPS Participant.](#)

¹¹ [An Instructing Party acting on behalf of a TIPS Participant may block/unblock CMBs owned by the relevant TIPS Participant, unless restricted via access rights.](#)

Blocking a TIPS Account for debiting/crediting results in an equivalent blocking on all CMBs linked to that Account. The individual CMB blocking status is not overwritten. When crediting or debiting a CMB, TIPS also credits or debits the related account.

Unblocking the TIPS Account means that all linked CMBs revert back to their individual blocking status.

As explained in case of blocking of a TIPS Participant (see [1.5.4.1 “Blocking Participants”](#)), TIPS performs the block request executing it immediately, without checking if the object itself is already blocked but overwriting the previous block or adding a new one.

~~On the contrary, TIPS verifies, before performing the block/unblock operations, if an object with an higher blocking priority is already blocked. In this case, the requested operation is rejected.~~

~~For example, if TIPS receives the request to block or unblock a CMB linked to an Account that has already a block of whatever type, TIPS rejects the request.~~

1.5.4.3. Limit management

TIPS allows Central Banks and TIPS Participants to update the Limits related to CMB falling under their data scope.

When a CMB limit is modified, the headroom of the CMB is updated accordingly. The CMB Headroom is updated (increased or decreased) on the basis of the difference between the old limit value of the CMB and the new limit value: if this difference is positive, the headroom is increased; if the difference is negative, the headroom is decreased.

It is possible, thus, that a change in the limit leads the headroom to ~~become~~ becoming negative. In this case the CMB will only accept ~~instant~~ Instant payments ~~Payments transactions~~ and liquidity transfers in credit until the headroom once again goes over zero.

1.5.5. Queries and reports

TIPS allows to perform different categories of real-time queries and a set of pre-defined reports on production data. The dataset on the basis of the Queries and Reports feature are calculated and aggregated on a continuous basis i.e. each time a given instruction is executed, any calculated or aggregated data that depends on the executed instruction is immediately updated.

1.5.5.1. Queries

TIPS provides the query functionality to TIPS actors to satisfy their information needs on demand. It is possible to obtain information on the status of Account, CMB or Payment transaction by submitting query requests to TIPS.

~~Each query may be available in A2A mode and/or U2A mode.~~

In order to manage in a timely manner the liquidity over the accounts and CMBs in the user data scope and to gather information on single transactions, the following queries can be used:

- Account balance and status query;
- CMB limit and status query;
- Payment transaction status query.

The Account balance and status query and the CMB limit and status query are available in A2A and/or U2A mode, while the Payment transaction status query will be available only in U2A mode: please refer to relevant section of the UHB (see TARGET Instant Payment Settlement User Handbook).

The processing of a Query Request consists in the three following steps:

- execution of the checks on the Query Request message regarding authorisation of the sender and validation of the query;
- retrieval of the data corresponding to the submitted Request and its input parameters;
- sending of the Query Response to the original sender (same DN of the query sender);

TIPS shall take into account all access rights while processing queries and only return results if the interested data are part of the Tips Actor data scope, as defined in the table [Query permissions](#).

~~The Payment transaction status query is provided in addition to the Investigation functionality (see section 2.7), making available a bigger set of information about a payment transaction, also to Participants or Instructing Parties acting on behalf of Participants or Reachable Parties on the beneficiary side.~~

A brief outline of the purpose of each query and the exact description of its respective selection and return parameters are given:

- ~~in~~ in section [2.7 “Queries”](#) for the A2A mode;
- ~~in~~ in the relevant section of the UHB (see TARGET Instant Payment Settlement User Handbook) for the U2A mode.

1.5.5.2. Reports

TIPS informs TIPS Actors with a set of predefined reports in order to support business monitoring and reconciliation activities. The predefined reports offered by TIPS are the Statement of Account Turnover and the Statement of Accounts.

The Statement of Account Turnover provides information on the opening/closing balances at start/end of RTGS business day and the sum of debits/credits for all the TIPS accounts in the data scope of the TIPS Actor.

The Statement of Accounts provides information on the balances available at the time of report creation for all the TIPS accounts in the data scope of the TIPS Actor. For each TIPS account, detail information on the related transactions settled (liquidity transfers or Instant Payments) during the reporting period is provided.

TIPS actors can configure their report subscription via the [TIPS Graphical User Interface Common Reference Data Management](#).

These reports are available in A2A push mode only and the data scope of any of them and the moment of generation may be different for different users and depend on their access profiles and configuration (see Table 30 – Report permissions and data scope).

Reports The Statement of Account report can be produced in Full or Delta mode; delta reports include only the relevant data that has changed since the generation of the previous version. The Statement of Account Turnover report cannot be provided in Delta Full mode only.

The creation of a report is triggered at the end of day of the corresponding RTGS or at the frequency scheduled in the report subscription; the latter is specified in hours (e.g. every 3 hours, every 6 hours, etc.) and it is not relevant for full reports.

Report generation process is based on data made available by snapshots of in-memory balances (and transactional data) taken produced at the time scheduled in the report subscription as explained in detail in section 2.8 “Reports”.

1.5.6. Raw Data extraction

TIPS produces, on a daily basis, raw data files related to all the activities performed during the day. TIPS relies on the end of day of the underlying RTGS Systems that is communicated via A2A message (see 1.6.1 “TARGET2 and other RTGS Systems”). The raw data files contain the information related to the RTGS Systems business day that has been completed. TIPS does not produce raw data for reference data, as they are provided by the Common Reference Data Management service.

For performance reasons, TIPS does not produce the raw data immediately after the change of date but during the night time. The files are then sent to the shared services for Archiving and Billing.

All of the timestamps included in the raw data are expressed in UTC.

TIPS applies compression to the raw data whenever possible by using industry standard algorithms.

The list of expected raw data follows.

Table 16 – Raw data

Raw data file	Related information	Receiving Service
Raw data for billing	Information related to billable items	Billing
Raw data for archiving	Transactional data and authentication and security data	Archiving

1.5.6.1. Raw data for Archiving

TIPS provides the following information for the Archiving:

- Message signing and content of the settlement messages: FI To FI Customer Credit Transfer, Payment Return, Liquidity transfer (only for the outbound liquidity transfers), FI To FI Payment Status Report sent from the Beneficiary side to TIPS;
- Transactional data (payment transaction, status message liquidity).

1.5.6.2. Raw data for Billing

The raw data for billing contains the following information on transactional data (not exhaustive list):

Table 17 – Raw data for Billing

Attribute	Description
Transaction Identifier	Identifier of the IP transaction or of the RA transaction.
Business Date	RTGS business date on which the transaction was processed.
Transaction Type	Type of transaction. The exhaustive list of possible values is as follows: <ul style="list-style-type: none"> • IP (Instant Payment) • RA (Recall Answer)
Originator BIC	In case of an IP transaction (Transaction Type = "IP"), it is the BIC11 specified in the "Debtor Agent" field of the related incoming FI to FI Customer Credit Transfer . In case of a Recall Answer (Transaction Type = "RA"), it is the BIC11 specified in the "Creditor Agent" field of the related incoming Payment Return .
Account Number	In case of an IP transaction (Transaction Type = "IP"), it is the identification number of the debited TIPS Account. In case of a positive Recall Answer (Transaction Type = "RA"), it is identification number of the credited TIPS Account.
Final Status	Final processing status of the transaction. The exhaustive list of possible values is as follows: <ul style="list-style-type: none"> • Settled • Failed • Rejected • Expired

1.6. Interactions with other services

This section describes all interactions between TIPS and other services provided by the Eurosystem or other RTGS systems.

1.6.1. TARGET2 and other RTGS Systems

This sub-section describes all the needed interactions between TIPS and the RTGS systems.

TIPS is designed to be multi-currency and provide settlement in euro and non-euro Central Bank Money.

The interactions with the RTGS aims at informing TIPS about:

- the need for settlement of Liquidity Transfers coming from the RTGS System (see 1.5.3.1 Inbound Liquidity Transfer);
- the confirmation of a Liquidity Transfer settlement received from TIPS by the RTGS System (see [1.5.3.2 “Outbound Liquidity Transfer”](#));
- the current status of the relevant RTGS system, needed for the validation of liquidity transfers;
- the current Business Date of the RTGS system, needed for the validation of recall answers, Instant Payments and liquidity transfers;
- the moment of change of Business Date in the relevant RTGS system, in order to start the creation of reports and the General Ledger file.

TIPS foresees three main interactions with the RTGS Systems covering the above listed information: the Liquidity Transfer management, the closure of the RTGS System (for the maintenance window and the weekend or holidays) and the change of business date of the RTGS System.

The following sub-sections provides detailed information on these three main interactions, with specific reference to TARGET2.

1.6.1.1. Liquidity Transfer management

As described briefly in [1.5.3.1 “Inbound Liquidity Transfer”](#) and [1.5.3.2 “Outbound Liquidity Transfer”](#), the TIPS Service communicates with the relevant RTGS System for settling liquidity transfers in a specific currency.


As a general rule, when receiving an Inbound Liquidity Transfer, TIPS accepts the request and settles without checking the status of the RTGS System itself; TIPS gives for granted that the RTGS System requests a liquidity transfer when the system is open. TIPS informs the RTGS System only in case of failure of the sent liquidity transfer.

On the contrary, when receiving an Outbound Liquidity Transfer, TIPS interacts with the RTGS System as follows:

- TIPS checks that the relevant RTGS System is open and ready for settlement by querying the related entity RTGS System;
- TIPS forwards the liquidity transfer to the RTGS System for the settlement;
- TIPS waits for a confirmation of settlement of the liquidity transfer from the RTGS System; if the confirmation is:
 - o positive, then the transaction is confirmed inside TIPS;
 - o negative, then TIPS performs an automatic reverse of funds;
 - o missing, then TIPS, after a configurable timeframe, raise an alert for related checks. In any case, the liquidity transfer is considered final only after an explicit confirmation/rejection from the relevant RTGS System.

The following flow represents the above described details of the interaction.

Figure 10 – Interaction with RTGS System for Liquidity Transfers




1.6.1.2. Closure of the RTGS System

The RTGS System informs TIPS that it is closing; in this specific case, TARGET2 is closing for starting the time-window needed for all the daily maintenance operations or for the weekend or holiday. The RTGS System informs TIPS when it is open again for business.

The following flow represents the interaction between TIPS and the RTGS System for the closure and opening of the RTGS System:

Figure 11 – Closure and opening of the RTGS System



1.6.1.3. Change of business date of the RTGS System

The change of business date of the RTGS System is a key point for TIPS. When informed about the change of business date, TIPS prepares the data for the balances of the business date operations and for the General Ledger file. The designed interaction between TIPS and the relevant RTGS System aims at avoiding any possible discrepancy from TIPS and RTGS System data that may come from the presence of pending Liquidity Transfers in on one side or the other.


The interaction foresees the following steps:





- 1) the RTGS System sends a status message informing TIPS that the cut-off for Liquidity Transfers has been reached;
- 2) any other Outbound Liquity Transer message reaching TIPS after the reception of this message must be rejected;
- 3) meanwhile, both TIPS and the RTGS system keep settling the Liquidity Transfers received before the cut-off. The RTGS system keeps sending the related notifications to TIPS, in order to align all the pending transactions. TIPS keeps accepting and processing the Incoming Liquidity Transfers;
- 4) when TIPS receives the confirmation of settlement for all the transient Liquidity Transfers, it informs the RTGS System that it can proceed;

- 5) when the RTGS completes the settlement of the residual transactions on its side and has received the TIPS confirmation to proceed, it sends another status message informing TIPS that the change of business date can be performed. This status message contains the new business date the RTGS System is moving to. TIPS update the status and the business date in the RTGS System table and starts the gathering of balances information;
- 6) TIPS takes the snapshot of the balances and sends the General Ledger file to the RTGS System;
- 7) RTGS System sends another status message informing TIPS that Liquidity Transfers can be accepted and processed again.

The following flow represents the steps listed above.

Figure 12 – RTGS System change of business date



- Legenda
-  LT processing
 -  LT processing for the pending LTs
 -  LT rejection
 -  Preparation of balances and GL snapshots

1.6.1.4. TIPS General Ledger

TIPS provides a general ledger file to TARGET2 for accounting and Reserve Management purposes.

1.6.1.4.1 TIPS General Ledgers production

When TARGET2 starts its End-of-Day process, it sends a [ReturnBusinessDayInformation](#) to TIPS, in order to inform the latter that no more liquidity transfers are accepted by TARGET2 and TIPS starts to finalise all open liquidity transfers towards TARGET2.

After the finalization of all open liquidity transfers, TIPS confirms it with a receipt (camt.025) to TARGET2.

After that and upon request via [ReturnBusinessDayInformation](#) from TARGET2, TIPS generates and provides a general ledger file based on “TIPS EoD account balances” data related to the business day that just elapsed and that TARGET2 uses to build and provide general ledgers to the Central Banks.

1.6.1.4.2 Content

The general ledger file contains all accounts in Euro held in TIPS, including the Euro transit account. TIPS sends to the RTGS a single not compressed flat file containing records without a particular order. TIPS delivers general ledger data that fulfil the following condition: the sum of all balances of the TIPS accounts denominated in Euro (excluding the transit account for Euro) must be equal to the balance on the transit account for that currency in absolute value.

1.6.2. Eurosystem Single Market Infrastructure Gateway

The Eurosystem Single Market Infrastructure Gateway (ESMIG) service provides access to the Market Infrastructure services, including TIPS; in both A2A and U2A channel.

For TIPS, in A2A the ESMIG allows the access from the outside world to TIPS establishing the communication channel between TIPS and the Network Service Providers and checks the A2A message has a valid format (XML schema validation). The NSPs are expected to perform the checks of authentication of the sender and the verification of the signing for the messages received by TIPS. Thus, a message arriving to TIPS must be considered authenticated, properly signed, well-formed after technical validation and sent by a sender recognised as a properly configured one for using the TIPS service.

TIPS performs, then, the authorisation tasks for the sender. The authorisation tasks consists in checking that the access rights configuration of the sender allows it to submit the given request.

In U2A, the ESMIG Identity Access Management component of the ESMIG executes the authentication for U2A users entering the TIPS Graphical User Interface (GUI). Once the user has

been successfully authenticated, the GUI retrieves the granted roles and checks that the requested action is allowed for the user.

For further details, please refer to ESMIG documentation.

1.6.3. Common Reference Data Management

The Common Reference Data Management (CRDM) service provides features that allow duly authorised users to set up, maintain and query all reference data that are shared by multiple services (e.g. T2S, TIPS) for their processing activities.

The access to CRDM is possible in U2A mode (for all functions) and in A2A mode (for a subset of functions).

In order to ensure a timely and consistent propagation of common reference data to the relevant services, CRDM implements a publish-subscribe feature allowing each service to receive all the common reference data (and their changes) they require for their processing.

In a nutshell:

- CRDM publishes all changes (in push mode) of common reference data (e.g. creations of new objects, updates of already existing objects).
- Other subscriber services get those changes (in pull mode) and apply them to their Local Reference Data Management component, according to their needs.

Other detailed information can be found in the CRDM documentation.


As far as TIPS is concerned, as anticipated in [1.5.1 “General concepts”](#) and in [1.5.4 “Reference data management”](#), all reference data setup and maintenance operations – other than the immediate changes in the local reference data management – are performed in the CRDM and reference data are then propagated from the CRDM to TIPS asynchronously on a daily basis. The dialogue between CRDM and TIPS envisages two types of interactions:

1. **Daily propagation:** this is the main interaction between CRDM and TIPS. Every CRDM opening day, an ad hoc event triggers the propagation of all TIPS reference data from CRDM to TIPS. The event takes place at 17:00 hrs, so to ensure a smooth and complete reference data propagation before TIPS receives the notification that a new business day is starting. The set of reference data that TIPS receives on business day T includes all the active data on the mentioned business date.
If an item, propagated on date T, contains a validity date in the future (e.g. T+2), TIPS acquires it during the daily propagation but the item will be available in TIPS only after the validity date.
2. **Contingency propagation:** in case of contingency the TIPS Operator may trigger an ad hoc Daily propagation from CRDM to TIPS. The contingency propagation is a daily propagation triggered intraday if an immediate change of a set of data (not manageable directly into TIPS) must be performed. In this case, the following steps happen:

- a. All the data selectable for the daily propagation and valid at the moment of the contingency propagation are propagated;
- b. The daily propagation is performed as scheduled, on the same date, and includes all the active data on the relevant business date.

The following diagram shows a conceptual overview of the interactions between CRDM and TIPS.

Figure 13 – Interaction between CRDM and TIPS



1.6.4. Archiving

The Archiving service provides features that allow the archiving of legally relevant data for regulatory purposes. Instant Payment transaction, Liquidity Transfers, status message data and reference data are archived for a period of exactly ten years. Authentication and security data are archived for a period of exactly three months. Please refer to [0 “The TIPS Operator is also provided with a contingency tool in order to inject messages in case of need. This tool allows the TIPS Operator to act on the system in case of need. For example, this tool allows to update the RTGS Status table simulating the receipt of a ReturnBusinessDayInformation message from the relevant RTGS System or the Receipt message in order to finalise a pending liquidity transfer.”](#)

Archiving management” for details on how to access archived data.

TIPS produces every day the needed data of payment transaction and status message to be archived. Please refer to [1.5.6 “Raw Data extraction”](#) for additional details.

1.6.5. Billing

The Billing service provides features that allow the collection of data aiming to calculate, create and send the invoices to the customers of the services of the Eurosystem Market Infrastructure. Other detailed information can be found in the Billing Service documentation.

TIPS produces every day the needed data and send them to the Billing service, as Raw Data. Please refer to [1.5.6 “Raw Data extraction”](#) for additional details.

TIPS is not expected to prepare or send consumption files and invoices to the customers but only to gather the data and provide them to the Billing service.

1.7. Operations and support

1.7.1. Service configuration

TIPS relies on system parameters configured and maintained by the TIPS Operator. The parameters are configured in the CRDM and propagated to TIPS once a day.

The following table includes the exhaustive list of system parameters and their default values.


Table 18 – System Parameters

Parameter name	Description	Default value
Retention Period	The retention period for transactional data (<u>i.e. Instant Payment transactions, recall, liquidity transfers</u>) expressed in calendar days. This parameter is used also for detecting the timeframe within which two instructions with the same <u>Originator BIC</u> (field AT-06 in DS-02) and <u>Originator reference</u> (field AT-43 in DS-02) must be considered as duplicates. The parameter defines the maximum period of time for which the historical data can be accessed either via TIPS GUI or via A2A queries. <u>The retention period starts by the time the transactional data is received by the system.</u>	5
SCTInst Timestamp Timeout	The time window foreseen in SCTInst <u>schema-scheme</u> after which a payment transaction must be rejected due to timeout. This parameter is expressed in milliseconds.	20,000
Originator Side Offset	It is a configurable offset for evaluation of the <u>SCTInst-SCTInst</u> Timestamp Timeout applied to the reception of the <u>message sent by Originator Participant or Instructing Party acting on behalf of the Originator Participant or a Reachable Party-message</u> . This parameter can only have values smaller <u>than</u> or equal to zero. . An Instant Payment Transaction sent by the Originator Participant <u>or Instructing Party acting on behalf of the Originator Participant or a Reachable Party</u> can be rejected- due to timeout in the event that the message is submitted to TIPS with a timestamp (the SCT ^{Inst} timestamp, field AT-50 in DS-02) that is already past the timeout window (SCT ^{Inst} Timestamp Timeout + Originator Side Offset). This parameter is expressed in milliseconds.	-1,000

Parameter name	Description	Default value
Beneficiary Side Offset	It is a configurable offset for evaluation of the SCT ^{Inst} Timestamp Timeout applied to the reception of the <u>message sent by Beneficiary Participant or Instructing Party acting on behalf of the Beneficiary Participant or a Reachable Party message</u> . Rejections due to timeout can occur in the event that the Beneficiary Reply message is not received or if it is submitted to TIPS with a timestamp (the SCT ^{Inst} timestamp, field AT-50 in DS-02) that <u>is</u> already past the timeout window (SCT ^{Inst} Timestamp Timeout + Beneficiary Side Offset). This parameter is expressed in milliseconds.	1,000
Sweeping Timeout	The time window after which the sweeping daemon looks for pending payments for which (i) a <u>valid and timely</u> confirmation from the Beneficiary Participant has not been received yet and (ii) the SCTInst Timestamp Timeout is elapsed. It is expressed in seconds. The value can impact on the performances of the system and must be changed only after green light received by the technical support.	<i>to be specified</i> 60
Maximum Amount	Maximum amount – defined for each settlement currency – which can be transferred by a single Instant Payment transaction. The parameter must allow an “unlimited” value.	<i>unlimited</i>
Acceptable Future Time Window	The acceptable time range for future timestamps. The rejection of an Instant Payment transaction is triggered if the received timestamp is greater than the acceptable time window (current timestamp plus this time window value). It is expressed in milliseconds.	0100
Investigation Offset	Configurable offset foreseen in SCT ^{Inst} schema <u>scheme</u> . An Investigation request can be accepted only if it is received at after SCT ^{Inst} Timestamp Timeout of the Transaction + Investigation Offset. This parameter must be configured for each currency . It is expressed in milliseconds.	5,000
<u>RTGS Alert</u>	<u>Configurable timeframe after which the TIPS Operator is notified about a missing answer from the RTGS to an Outbound liquidity transfer.</u> <u>The parameter value is expressed in minutes.</u>	<u>15</u>

In order to properly configure the parameters, the following ~~schema~~ diagram depicts the meaning of SCT^{Inst} Timestamp Timeout, Originator Side Offset, Beneficiary Side Offset and Investigation Offset in the timeout scenario.

Figure 14 – Timeout parameters



1.7.2. -Business and operations monitoring

The Business and operations monitoring integrates information coming from different sources in order to monitor the business and operational status of the service, to detect possible problems in real-time or to proactively recognise a possible deterioration of the service performance and to provide up-to-date information for crisis management scenarios.

Business and operations monitoring gives the TIPS Operator the possibility to perform a real-time monitoring-supervision of the platform in terms of:

- Performance;
- Transactions transit and response times;
- Ongoing fulfilment of SLA commitments and expectations;
- Volumes and values exchanged;
- Actors activity on the system;
- Usage of liquidity;
- Hardware and software problems.;

The scope is to allow an early detection of possible anomalies through the continuous comparison of reported data with standard patterns. Besides that, the data can be used to improve the service behaviour or its usage through a better understanding of the relevant dynamics.

The Business and operations monitoring application process extracts, merges and organizes the data in forms of tables, grids and graphs to ensure both the depth of the underlying information and its prompt usability.

In order to exclude any even remote impact on the service performances, the business and operations monitoring application makes use of a different set of data which are replicated from the original ones.

TIPS provides the TIPS Operator also with a tool for the detection in real-time of functional or operational problems, called Technical ~~monitoring~~ Monitoring. It allows for the detection of hardware and software problems via real-time monitoring of —the technical components involved in the processing, including the network connections.

Business and operations monitoring interfaces are available in U2A mode only.

The TIPS Operator is also provided with a contingency tool in order to inject messages in case of need. This tool allows the TIPS Operator to act on the system in case of need. For example, this tool allows to update the RTGS Status table simulating the receipt of a ReturnBusinessDayInformation message from the relevant RTGS System or the Receipt message in order to finalise a pending liquidity transfer.

1.7.3. Archiving management

TIPS provides raw data to the Archiving shared service on a daily basis, as described in [1.6.4 “Archiving”](#).

The TIPS Operator is responsible for the retrieval of the archived information on TIPS Actor request.

TIPS Operator is allowed to retrieve archived Instant Payment transaction, Liquidity Transfers, status message data and reference data for a period of exactly ten years. Moreover, TIPS Operator shall be able to retrieve archived authentication and security data for a period of exactly three months.

2. Dialogue between TIPS and TIPS Actors

This section aims ~~to at describe~~ describing the interactions in A2A mode between TIPS Actors and TIPS.

In the first sub-section, it describes the general communication process: what is the general process when a message arrives to TIPS and which functions of TIPS are interested in the process.

The following sub-sections describe the interactions the TIPS Actors can have with TIPS. These sub-sections describe the scenarios the user can go through, specifying:

- ~~the~~ The involved actors;
- ~~the~~ The involved messages;
- ~~the~~ The conditions of executions and the possible returned errors.

In such a way, this section aims both to describe the process for the TIPS Actors, guiding them in the use of the involved messages and to give the necessary details needed for implementing the software on their side.

When a message is referenced, it is linked to the relevant section within chapter [3 – “Catalogue of messages”](#) where to find the detailed information.

2.1. Message routing

In A2A mode, TIPS Actors and TIPS can exchange messages and files by means of two types of transfer services:

- The real-time message, which requires that all the interested actors are available at the same time;
- The store-and-forward file transfer, which enables TIPS to transmit messages or files even when the receiver is not available.

The following table shows how the main types TIPS data exchanges are mapped against the technical features of the different network services for inbound and outbound communication.

Table 19 – Network services

Data Exchange	Inbound transfer services	Outbound transfer services
Instant Payment transactions	Message-based, real time	Message-based, real time
Inbound/Outbound Liquidity transfers	Message-based, real time	Message-based, real time
Investigations	Message-based, real time	Message-based, real time

Queries	Message-based, real time	Message-based, real time
Recall	Message-based, real time	Message-based, real time
Notifications	n/a	Message-based, real time
Reports (pull)	n/a	File-based, store-and-forward
Raw data	n/a	File transfer to TARGET2

The File-based store-and-forward network service is used only by TIPS and only to send outbound Reports.

As described in the section [1.2](#), TIPS allows Participants and Instructing Parties to use multiple distinguished names (DNs) to communicate with the network service.

Thanks to the functionalities available in the CRDM, a TIPS actor with the suitable permissions is able to set up routing configurations, allowing TIPS to accept messages coming from specified DN's and to route a predefined set of outbound communication to a specified DN's. A routing configuration is a link between a Participant or Reachable Party's BIC and a distinguished name.

Depending on the direction of communication, we can distinguish between:

- Inbound messages: TIPS shall allow a many-to-many relation between sender distinguished names and Originator Participant or Reachable Party BICs, meaning that the same Instructing Party can play its role for many BICs and that a Participant or Reachable Party can authorise many Instructing Parties to act on its behalf. The couple (DN, BIC) is stored in the "Inbound DN-BIC Routing" table.
- Outbound messages: TIPS shall ensure that there is a many-to-one relation between Beneficiary Participant or Reachable Party BICs and receiver distinguished names, meaning that any given Beneficiary Participant BIC may be linked to one and only one Distinguished Name. The couple (DN, BIC) is stored in the "Outbound DN-BIC Routing" table.

In the following we will clarify in what case and under what condition TIPS uses those links to manage the input and the output messages and in which others it manages messages without querying them.

TIPS uses the routing information contained in the Inbound DN-BIC Routing table to check authorisation of any input message: only messages with the couple DN-BIC for which an entry in the Inbound DN-BIC Routing table exists are accepted by TIPS.

Regarding how to route outbound communication, the general behavior of TIPS is as follows:

- When TIPS receives an input message *x* from a TIPS actor *a*, it stores the DN of the message sender and uses it to send or to forward any kind of communication regarding *a* and the transaction represented by *x*.

- In case *x* concerns another TIPS Actor (*b*) assuming a different role i.e. the Beneficiary of an Instant Payment or the Assignee of a Recall, TIPS cannot infer its DN from the message coming from *a*. For this reason, TIPS uses the Outbound DN-BIC routing table to retrieve the DN *z* of *b* based on its BIC. TIPS relates *b* to the DN *z* throughout the entire transaction life-cycle.

Therefore, as a general rule, when TIPS cannot identify an actor DN from an input message or in case of pull-mode communication, TIPS uses the Outbound DN-BIC routing table to find the correct outbound DN.

Based on the transaction types and on the role assumed by the Actors, the following table specifies the type of outbound routing used for the different data exchange scenarios.

Table 20 – Outbound routing

Data Exchange	Outbound DN-BIC	Sender DN
Instant Payment transactions answer (Originator role)	✘	✔
Instant Payment transactions answer (Beneficiary role)	✔	✘
Inbound/Outbound Liquidity transfers receipts	✘	✔
Investigation answers	✘	✔
Query answers	✘	✔
Recall answers (Assigner role)	✘	✔
Recall answers (Assignee role)	✔	✘
Error on input messages	✘	✔
Reference data reports	✘	✔
Notifications	✔	✘
Reports	✔	✘

Entering in detail on the single message:

- "Outbound DN-BIC Routing" table is used to select the correct DN for a TIPS actor identified by a BIC, in case of:
 - o Notifications, for the Owner of the Account/CMB, i.e.
 - Floor/Ceiling notification on Account/CMB;
 - Credit/Debit notification on Account.
 - o Messages forwarded to other TIPS actor, i.e.
 - FItoFICustomerCreditTransfer forwarded to the Beneficiary;

- [FIToFIPaymentCancellationRequest](#) forwarded to the Assignee;
 - ResolutionOfInvestigation forwarded to the [Assignee](#);
 - [PaymentReturn](#) forwarded to the [Recall Assigner \(Beneficiary\)](#).
 - [Reports](#) sent to the subscribing TIPS actors.
- The Sender DN is used to answer to an input message in case of:
 - Error messages generated by TIPS as result of a failed check on an input message;
 - Every other answer, i.e.:
 - FltoFIPaymentStatusReport sent to the Originator of an Instant Payment Transaction;
 - [FIToFIPaymentStatusReport](#) as result of an investigation;
 - [Receipt](#) of Liquidity transfer orders;
 - Answers to a Query:
 - [ReturnAccount](#);
 - [FIToFIPaymentStatusReport](#).
 - Reference data reports:
 - [PartyStatusAdvice](#);
 - [AccountRequestAcknowledgement](#);
 - [AccountRequestRejection](#);
 - [Receipt](#).

The different multiplicity of the DN-BIC correspondence between the Inbound and the Outbound DN-BIC routing table and the absence of constraints between the two types of configuration, makes it possible to setup a given Participant or Reachable Party BIC in the CRDM with different and disjoint sets of DNs for its Instructing Parties: one set (with cardinality greater than or equal to one) for the inbound routing and another one (with cardinality equal to one) for the outbound routing. This means that a BIC can be configured to send message with an Instructing Party (DN) but to receive messages with a different DN.

For example, a BIC *z* could be linked to the DN *a* in the Inbound DN-BIC routing table and with the DN *b* in the outbound DN-BIC routing table, with *a* being different from *b*. This would imply that the TIPS actor identified by BIC *z*, when acting as Originator of an Instant Payment transaction, can send messages to TIPS with *a* and receive the related answers from TIPS to *a*. The same actor, when playing the role of the Beneficiary of an Instant Payment Transaction, receives messages from TIPS to *b* but has to send its answers to TIPS with *a*.

The Instant Payment transaction steps tables of the Chapter [2 – “Dialogue between TIPS and TIPS Actors”](#) specify the DN considered by TIPS for each step, message and Actor role.

2.2. Instant Payment transaction

This section focuses on the settlement of Instant Payment transactions, describing the full scenario and the related steps.

The introductory part of the section presents the general flow, including all the steps.

A sub-section dedicated to the timeout follows, describing the specific case of timeout occurring when a Beneficiary reply is missing.

All the remaining sub-sections contain examples of the possible scenarios, starting from a successful one and detailing possible failure scenarios. Each example shows the relevant messages and how the main fields are filled.

The Instant Payment transaction process covers the scenarios in which an Originator Participant or Instructing Party acting on behalf of the Originator Participant or a Reachable Party instructs TIPS in order to immediately transfer funds to the account of a Beneficiary Participant. The involved actors are:

- The Originator Participant, or Instructing Party acting on behalf of the Originator Participant or a Reachable Party~~acting on its behalf~~, starting the scenario;
- ~~€~~The Beneficiary Participant, or Instructing Party acting on behalf of the Beneficiary Participant or a Reachable Party~~acting on its behalf~~, receiving the request and either confirming or rejecting the payment.

The involved messages are:


- ~~€~~The FltoFICustomerCreditTransfer message sent by the Originator Participant or Instructing Party acting on behalf of the Participant/Reachable Party~~Originator Participant~~ in order to (i) instruct the payment, (ii) to reserve the corresponding amount and (iii) to inform the Beneficiary Participant or Instructing Party acting on behalf of the Participant/Reachable Party~~Beneficiary Participant~~ about the transaction received;
- ~~the~~The FltoFIPaymentStatusReport message sent (i) by the Beneficiary Participant or Instructing Party acting on behalf of the Participant/Reachable Party~~Beneficiary Participant~~ to TIPS to either accept or reject the Instant Payment transaction, or (ii) by TIPS to inform the actors about the result of the settlement (i.e. settled, rejected, timed out);
- ~~the~~The ReturnAccount message that can be possibly sent by TIPS to Creditor Account Owner and/or Debtor Account Owner. The message is sent by TIPS if (i) the owner of the TIPS account (or CMB) enables the floor and ceiling notifications and (ii) the configured threshold is crossed.

All the described scenarios are triggered under the assumption that the schema validation, check of mandatory fields and authentication of the user have already been successfully performed by ESMIG.

It is important to keep in mind that when the Debtor or Creditor BIC contain a BIC8 instead of a BIC11, the message is accepted and the string is completed by appending “XXX” at the end of the BIC8 for further processing. All the steps are described considering BIC11 only.

Below is the diagram describing the process and the involved actors. The details of the steps are described in the following [Table 21 – Instant Payment transaction steps](#).

Figure 15 – Payment Transaction flow






Table 21 – Instant Payment transaction steps

Step	Involved messages	Involved actors	Description
1	FltoFICustomerCreditTransfer	Originator Participant or Instructing Party as Sender TIPS as receiver	TIPS receives an Instant Payment transaction from the Originator Participant or Instructing Party <u>acting on behalf of the Originator Participant or a Reachable Party</u> starting the conditional settlement phase of the transaction. Schema validation, check of mandatory fields and authentication checks have already been successfully executed. The timeout for the Instant Payment transaction has not expired.
2		TIPS	TIPS successfully executes the checks: <ul style="list-style-type: none"> - Access Rights check; - Timeout Check - Originator Side; - Maximum Amount not Exceeded; - Originator Account or CMB existence; - Instructing Party authorised; - Beneficiary correctly configured; - Beneficiary Account or CMB existence. <p>See 4.1- Business Rules for details.</p>
2e	FltoFIPaymentStatusReport	TIPS as sender Originator Participant or Instructing Party as receiver	TIPS unsuccessfully executes one of the checks listed in step 2. At the first negative check the system stops and sends a message to the Originator Participant or Instructing Party <u>acting on behalf of the Originator Participant or a Reachable Party</u> --- same DN of the Sender in step 1 --- containing the proper error code. If the failed check is " Timeout Check - Originator Side ", the system changes the status of the transaction is set to "Expired"; in all the other cases, the system sets the status is set to "Failed".

Step	Involved messages	Involved actors	Description
3		TIPS	<p>TIPS determines<u>infers</u> the account to be debited from the configured accounts information, the Originator Participant BIC and the currency of the Instant Payment transaction.</p> <p>In details TIPS verifies<u>checks</u> that:</p> <ul style="list-style-type: none"> (i) an account, with type "TIPS Account", exists, (ii) it is linked to the Originator Participant (field "Originator BIC") as authorised user, (iii) and <u>it is denominated in the has-asame</u> currency as equal to the one defined in the Settlement Amount. <p>- if the check does not return any no TIPS Account is found, TIPS looks for a CMB linked to the Originator Participant (field "Originator BIC") as <u>authorised</u> user;</p> <p>- TIPS selects the TIPS Account linked to the CMB; the account related to the CMB must have-be denominated in the samea currency equal-to-as the one defined in the Settlement Amount.</p> <p>From now on, the <u>selected</u> account is referred to as "Originator Account" and the possible CMB as "Debiting CMB".</p>
4		TIPS	<p>TIPS determines<u>infers</u> the account to be credited from the configured accounts information, the Beneficiary Participant BIC and the currency of the Instant Payment transaction.</p> <p>In details TIPS verifies<u>checks</u> that:</p> <ul style="list-style-type: none"> (i) an account, with type "TIPS Account", exists, (ii) it is linked to the Beneficiary Participant (field "Beneficiary BIC") as authorised user, (iii) and has a currency equal to the one defined in the Settlement Amount. <p>- if the check does not no-return any TIPS Account is found, TIPS looks for a CMB linked to the Beneficiary Participant (field "Beneficiary BIC-") as <u>authorised</u> user;</p> <p>- TIPS selects the TIPS Account linked to the CMB; the account related to the CMB must have-be denominated in the samea currency equal-to-the-as the one defined in the Settlement Amount.</p> <p>From now on, the <u>selected</u> account is referred to as "Beneficiary Account" and the possible CMB as "Crediting CMB".</p>

Step	Involved messages	Involved actors	Description
5		TIPS	TIPS successfully executes the checks: - Duplicate check ; See 4.1 - Business Rules for details.
5e	FltoFIPaymentStatusReport	TIPS as sender Originator Participant or Instructing Party as receiver	TIPS unsuccessfully executes the checks listed in step 5. At the negative check <u>If the check is unsuccessful</u> the system stops and sends a message to the Originator Participant or Instructing Party <u>— acting on behalf of the Originator Participant or a Reachable Party —</u> same DN of the Sender <u>— —</u> containing the proper error code. The transaction is set to "Failed" status. See 4.1 - Business Rules for details.
6		TIPS	TIPS logs the instruction and sends it to the Check and Execute Instruction process. TIPS sets the transaction status to "Validated".
7		TIPS	TIPS successfully executes the checks: - Originator Account not blocked ; - Beneficiary Account not blocked ; - Available amount not exceeded ; See 4.1 - Business Rules for details.
7e	FltoFIPaymentStatusReport	TIPS as sender Originator Participant or Instructing Party as receiver	TIPS unsuccessfully executes the checks listed in step 7. At the first negative check the system stops and sends a message to the Originator Participant or Instructing Party <u>— acting on behalf of the Originator Participant or a Reachable Party —</u> same DN of the Sender in step 1 <u>— —</u> containing the proper error code. The transaction is set to "Failed" status. See 4.1 - Business Rules for details.
8		TIPS	The DN of the Sender in step 1 is saved as information related to the transaction. From now on, this DN is referred to as "Originator DN".

Step	Involved messages	Involved actors	Description
9		TIPS	TIPS reserves funds in the Originator account. The full amount is reserved as Reserved Balance in the Cash Balance. TIPS sets the transaction status to "Reserved". If a Debiting CMB is involved, the system decreases its headroom ef-by the same amount. After this moment, the settlement attempt is agreed and can either be confirmed or rejected by the counterpart or fail for a missing answer. The reserved amount cannot be considered for other payments.
10		TIPS	The DN of the beneficiary is identified in the "Outbound DN-BIC Routing" mapping table from the field Creditor Agent. From now on, this DN is referred to as "Beneficiary DN".
11	FltoFICustomerCreditTransfer	TIPS as sender Beneficiary Participant or Instructing Party as receiver	TIPS forwards the received Instant Payment transaction to the Beneficiary DN.
12p	FltoFIPaymentStatusReport	Beneficiary Participant or Instructing Party as sender TIPS as receiver	The Beneficiary Participant <u>or Instructing Party acting on behalf of the Beneficiary Participant or a Reachable Party</u> starts the settlement phase of the transaction by sending a positive payment status report that is successfully delivered to TIPS. Schema validation, check of mandatory fields and authentication checks have already been successfully executed.
13p		TIPS	TIPS successfully executes the checks: <ul style="list-style-type: none"> - Access Rights check; - Instructing Party authorised – creditor side; - Pending transaction existing; - Timeout Check - Beneficiary Side. See 4.1- Business Rules for details.
13e	FltoFIPaymentStatusReport	TIPS as sender Beneficiary Participant or Instructing Party as receiver	TIPS unsuccessfully executes the checks listed in step 13p. At the first negative check the system stops and sends a message to the Beneficiary Participant or Instructing Party <u>acting on behalf of the Beneficiary Participant or a Reachable Party</u> (DN of the sender of the message) containing the proper error code. The transaction is set to "Failed" status. See 4.1- Business Rules for details.

Step	Involved messages	Involved actors	Description
14p		TIPS	TIPS identifies the transaction using the Transaction ID. The transaction Id is related to a transaction that exists in TIPS and still in "Reserved" status.
15p		TIPS	TIPS retrieves the <u>reserved</u> transaction to be confirmed and confirms it. The amount is considered settled and the transaction is set to "Settled" status. The reserved amount of the Originator Account is decreased by the amount of the corresponding settled transaction. If a Debiting CMB is involved, TIPS decreases its headroom by the same amount. The same positive amount is added to the Beneficiary Account. If a Crediting CMB is involved, TIPS increases its headroom by the same amount. TIPS always executes the reserved transactions even though the involved accounts (or CMBs) have been blocked in the meantime.
16p	FltoFIPaymentStatusReport	TIPS as sender Originator Participant or Instructing Party as receiver	TIPS forwards the received Payment status report to the Originator DN.
17p	FltoFIPaymentStatusReport	TIPS as sender Beneficiary Participant or Instructing Party as receiver	TIPS generates a positive Payment status report and sends it to the Beneficiary DN. The FltoFIPaymentStatusReport contains the Transaction ID <u>and Originator BIC</u> of the transaction.
18p	ReturnAccount	TIPS as sender Debited Account and/or CMB Owner	TIPS checks the "Floor notification amount" configured for the involved Originator Account or Debiting CMB. After settlement confirmation, if the account balance <u>and/or</u> the CMB headroom after settlement is confirmed is lower <u>crosses the threshold configured as</u> than the "floor notification amount", TIPS sends a ReturnAccount to the Account and/or CMB owners involved in the transaction. The message is sent to the default DN of the Account Owner and/or CMB Owner identified in the "Outbound DN-BIC Routing" mapping table. The message contains: the Transaction ID as original Message ID - the Originator Account Number or the Debiting CMB Number

Step	Involved messages	Involved actors	Description
19p	ReturnAccount	TIPS as sender Credited Account and/or CMB Owner	TIPS checks the "Ceiling notification amount" configured for the involved Beneficiary Account or Crediting CMB. After settlement confirmation, if the account balance and/or the CMB headroom crosses the threshold configured as after the confirmed settlement is greater than the "ceiling notification amount", TIPS sends a ReturnAccount to the Account and/or CMB owners involved in the transaction. The message is sent to the default DN of the Account Owner and/or CMB Owner identified in the entity "Outbound DN-BIC Routing". The message contains: - the Transaction ID as original Message ID - the Beneficiary Account Number or the crediting CMB Number
12n	FltoFIPaymentStatusReport	Beneficiary Participant or Instructing Party as sender TIPS as receiver	The Beneficiary Participant or Instructing Party acting on behalf of the Beneficiary Participant or a Reachable Party triggers the settlement phase of the transaction sending a negative payment status report that is successfully delivered to TIPS. In this scenario the settlement phase will end up with a rejection of the Instant Payment transaction and the un-reservation of corresponding funds. Schema validation, check of mandatory fields and authentication checks have already been successfully executed.
13n		TIPS	TIPS successfully executes the checks: - Access Rights check ; - Instructing Party authorised – creditor side ; - Pending transaction existing . See 4.1- Business Rules for details.
13e		TIPS as sender Beneficiary Participant or Instructing Party as receiver	TIPS unsuccessfully executes the checks at step 13n. At the first negative check the system stops and sends a message to the Beneficiary Participant or Instructing Party acting on behalf of the Beneficiary Participant or a Reachable Party (DN of the sender of the message) containing the proper error code. See 4.1- Business Rules for details.
14n		TIPS	TIPS identifies the transaction using the Transaction ID. The Transaction transaction-Id ID is related to a transaction existing in TIPS and still in "Reserved" status.

Step	Involved messages	Involved actors	Description
15n		TIPS	<p>TIPS retrieves the <u>Instant Payment</u> transaction to be rejected and releases it. The transaction is set to "Rejected" status.</p> <p>The reserved amount is released in the involved Originator Account and the possibly involved Debiting CMB is increased of the same amount.</p> <p>TIPS always releases the reserved transactions even if the involved account or CMB have been blocked in the meantime.</p> <p><u>The transaction is set to "Rejected" status.</u></p>
16n	FItoFIPaymentStatusReport	<p>TIPS as sender</p> <p>Originator Participant or Instructing Party as receiver</p>	TIPS forwards the received Payment status report to the Originator DN.

2.2.1. Timeout scenario: missing/delayed Beneficiary-side answer

This sub-section describes the specific scenario of TIPS not receiving a Beneficiary-side answer or receiving it later than allowed.

This scenario assumes that TIPS has successfully executed the conditional settlement phase of an Instant Payment.

A specific software component (Sweeping service) is always acting in background taking care of all the orphan payments – an orphan payment being a reserved Instant Payment transaction still waiting for a confirmation/rejection. Every X seconds (X being the “Sweeping Timeout” parameter configured in the system) a process checks all the pending Instant Payments transactions and rejects only those that have exceeded the SCT^{Inst} Timestamp Timeout.

Any Beneficiary-side answer that arrives in TIPS for an orphan payment already treated by the Sweeping service generates an error since no reserved transaction is found.

~~Below is the~~ The diagram ~~below~~ describes ~~this~~ this specific process and the involved actors. The details of the steps are described in the following [Table 22 – Payment Transaction missing/delayed Beneficiary-side answer steps](#).

Figure 16 – Payment Transaction missing/delayed Beneficiary-side answer flow




Table 22 — Payment Transaction missing/delayed Beneficiary-side answer steps

Step	Involved messages	Involved actors	Description
1		TIPS	Every X seconds, with "X" being defined in the "Sweeping timeout" parameter, the Sweeping service runs checking all the payment in status "Reserved". If the "Acceptance timestamp" of the payment has exceeded the "-SCT ^{Inst} Timestamp Timeout" value, the payment is elected for sweeping.
2		TIPS	TIPS executes these operations for each orphan payment: - TIPS retrieves the transaction to be rejected and its ID <u>executing the check "Timeout Check - Missing answer"</u> (see 4.1- Business Rules for details); - the The transaction is set to "Expired" status; - the The reserved amount is released in the involved Originator Account and the possibly involved Debiting_CMB is increased by the same amount TIPS always releases the reserved transactions even if the involved account or CMB have been blocked in the meantime.
3	FltoFIPaymentStatusReport	TIPS as sender Originator Participant or Instructing Party as receiver	TIPS sends a message to the Originator Participant or Instructing Party — same DN of the Sender taken from the transaction under analysis. The FltoFIPaymentStatusReport contains the Transaction ID of the transaction and the proper error code.
3a	FltoFIPaymentStatusReport	TIPS as sender Beneficiary Participant or Instructing Party as receiver	TIPS sends a message to the Beneficiary Participant or Instructing Party — sent to the default DN of the Creditor Account Owner and/or Creditor CMB Owner identified in the entity "Outbound DN-BIC Routing": - taken from the transaction under analysis. The FltoFIPaymentStatusReport contains the Transaction ID of the transaction and the proper error code.
4		TIPS	TIPS unsuccessfully executes the checks: - Pending transaction existing . See 4.1- Business Rules for details.
5	FltoFIPaymentStatusReport	TIPS as sender Beneficiary Participant or Instructing Party as receiver	TIPS sends a FltoFIPaymentStatusReport message to the Beneficiary Participant or Instructing Party (DN of the sender of the message) containing the proper error code.



TARGET Instant Payment Settlement User Detailed Functional Specification




2.2.2. Examples

This sub-section includes a not exhaustive list of examples of TIPS transactions and related messages.

Each example is introduced by a description of the involved actors and involved messages and it highlights how the balances change in the accounts.

All the examples are based on the data constellation introduced below. The [data](#) constellation follows what described in [1.5.1 – General concepts](#) is depicted on the basis of the concepts introduced in [1.3.2 “Accounts structure and organisation”](#).

Figure 17 — Payment Transaction examples — data constellation



CRDM – STATIC DATA	TIPS – STATIC DATA

CASH ACCOUNT					
ACCOUNT	TIPS PARTICIPANT	VALID FROM	VALID TO	FLOOR AMOUNT	CEILING AMOUNT
ACCOUNT1	PRTYABMMXXX	01/12/2017	31/12/9999	1.000€	1.050.000€
ACCOUNT2	PRTYBCMXXX	01/12/2017	31/12/9999	200€	1.000.000€
ACCOUNT3	PRTYBCMXXX	01/12/2017	31/12/9999	0€	9999999€
TRANACC - EUR	ECBOEURDXXX	01/12/2017	31/12/9999	0	0

CMBs						
CMB	ACCOUNT	TIPS PARTICIPANT	VALID FROM	VALID TO	FLOOR AMOUNT	CEILING AMOUNT
CMB1	ACCOUNT1	PRTYABMM234	01/12/2017	31/12/9999	100€	5.000€
CMB2	ACCOUNT2	PRTYBCM333	01/12/2017	31/12/9999	150€	400€

CRDM – STATIC DATA	
DN	PARENT BIC – PARTY BIC
<ou=dept_123, o=prtyabmmxxx, o=a2anet>	NCBOEURXXX - PRTYABMMXXX
<ou=dept_234, o=prtyabmmxxx, o=a2anet>	NCBOEURXXX - PRTYABMMXXX
<ou=dept_123, o=prtyabmm123, o=a2anet>	PRTYABMMXXX - PRTYABMM123
<ou=dept_123, o=prtyabmm234, o=a2anet>	PRTYABMMXXX - PRTYABMM234
<ou=dept_abc, o=prtybcmxxx, o=a2anet>	NCBOEURXXX - PRTYBCMXXX
<ou=dept_abc, o=prtybcm123, o=a2anet>	PRTYBCMXXX - PRTYBCM123
<ou=dept_333, o=prtybcm333, o=a2anet>	PRTYBCMXXX - PRTYBCM333
<ou=dept_123, o=ecboeurdxxx, o=a2anet>	TRGTXEPMXXX - ECBOEURDXXX

Inbound DN BIC ROUTING	
DN	ACTOR
<ou=dept_123, o=prtyabmmxxx, o=a2anet>	PRTYABMMXXX
<ou=dept_234, o=prtyabmmxxx, o=a2anet>	PRTYABMMXXX
<ou=dept_123, o=prtyabmmxxx, o=a2anet>	PRTYABMM123
<ou=dept_234, o=prtyabmmxxx, o=a2anet>	PRTYABMM123
<ou=dept_123, o=prtyabmm123, o=a2anet>	PRTYABMM123
<ou=dept_123, o=prtyabmm234, o=a2anet>	PRTYABMM234
<ou=dept_123, o=prtyabmmxxx, o=a2anet>	PRTYABMM234
<ou=dept_123, o=prtyabmm234, o=a2anet>	PRTYABMM234
<ou=dept_abc, o=prtybcmxxx, o=a2anet>	PRTYBCMXXX
<ou=dept_abc, o=prtybcm123, o=a2anet>	PRTYBCM123
<ou=dept_333, o=prtybcm333, o=a2anet>	PRTYBCM333
<ou=dept_abc, o=prtybcmxxx, o=a2anet>	PRTYBCM333
<ou=dept_123, o=ecboeurdxxx, o=a2anet>	ECBOEURDXXX

AUTHORIZED ACCOUNT USER	
ACCOUNT	ACTOR
ACCOUNT1	PRTYABMMXXX
ACCOUNT1	PRTYABMM123
ACCOUNT2	PRTYBCMXXX
ACCOUNT3	PRTYBCM123
CMB1	PRTYABMM234
CMB2	PRTYBCM333

Outbound DN BIC ROUTING	
DN	ACTOR
<ou=dept_123, o=prtyabmmxxx, o=a2anet>	PRTYABMMXXX
<ou=dept_123, o=prtyabmm123, o=a2anet>	PRTYABMM123
<ou=dept_abc, o=prtybcmxxx, o=a2anet>	PRTYBCMXXX
<ou=dept_abc, o=prtybcm123, o=a2anet>	PRTYBCM123
<ou=dept_abc, o=prtybcmxxx, o=a2anet>	PRTYBCM333
<ou=dept_123, o=ecboeurdxxx, o=a2anet>	ECBOEURDXXX

- Configuration 1
- Configuration 2
- ECB

CRDM – STATIC DATA	TIPS – STATIC DATA

CASH ACCOUNT					
ACCOUNT	TIPS PARTICIPANT	VALID FROM	VALID TO	FLOOR AMOUNT	CEILING AMOUNT
ACCOUNT1	PRTYABMXXX	01/12/2017	31/12/9999	1.000€	1.050.000€
ACCOUNT2	PRTYBCMXXX	01/12/2017	31/12/9999	200€	1.000.000€
ACCOUNT3	PRTYBCMXXX	01/12/2017	31/12/9999	0€	9999999€
TRANACC - EUR	ECBOEURXXX	01/12/2017	31/12/9999	0	0

CMBs						
CMB	ACCOUNT	TIPS PARTICIPANT	VALID FROM	VALID TO	FLOOR AMOUNT	CEILING AMOUNT
CMB1	ACCOUNT1	PRTYABM234	01/12/2017	31/12/9999	100€	5.000€
CMB2	ACCOUNT2	PRTYBCM333	01/12/2017	31/12/9999	150€	400€

CRDM – STATIC DATA	
DN	PARENT BIC – PARTY BIC
<ou=dept_123, o=prtyabmxxx, o=a2anet>	NCBOEURXXX - PRTYABMXXX
<ou=dept_234, o=prtyabmxxx, o=a2anet>	NCBOEURXXX - PRTYABMXXX
<ou=dept_123, o=prtyabmm123, o=a2anet>	PRTYABMXXX - PRTYABMM123
<ou=dept_123, o=prtyabmm234, o=a2anet>	PRTYABMXXX - PRTYABMM234
<ou=dept_abc, o=prtybcmxxx, o=a2anet>	NCBOEURXXX - PRTYBCMXXX
<ou=dept_abc, o=prtybcm123, o=a2anet>	PRTYBCMXXX - PRTYBCM123
<ou=dept_333, o=prtybcm333, o=a2anet>	PRTYBCMXXX - PRTYBCM333
<ou=dept_123, o=ecboeurxxx, o=a2anet>	TRGTKEPXXX - ECBOEURXXX

Inbound DN BIC ROUTING	
UN	ALT UK
<ou=dept_123, o=prtyabmxxx, o=a2anet>	PRTYABMXXX
<ou=dept_234, o=prtyabmxxx, o=a2anet>	PRTYABMXXX
<ou=dept_123, o=prtyabmxxx, o=a2anet>	PRTYABMM123
<ou=dept_234, o=prtyabmxxx, o=a2anet>	PRTYABMM123
<ou=dept_123, o=prtyabmm123, o=a2anet>	PRTYABMM123
<ou=dept_123, o=prtyabmxxx, o=a2anet>	PRTYABMM234
<ou=dept_123, o=prtyabmm234, o=a2anet>	PRTYABMM234
<ou=dept_abc, o=prtybcmxxx, o=a2anet>	PRTYBCMXXX
<ou=dept_abc, o=prtybcm123, o=a2anet>	PRTYBCM123
<ou=dept_333, o=prtybcm333, o=a2anet>	PRTYBCM333
<ou=dept_abc, o=prtybcmxxx, o=a2anet>	PRTYBCM333
<ou=dept_123, o=ecboeurxxx, o=a2anet>	ECBOEURXXX

AUTHORIZED ACCOUNT USER	
ACCOUNT	ACTOR
ACCOUNT1	PRTYABMXXX
ACCOUNT1	PRTYABMM123
ACCOUNT2	PRTYBCMXXX
ACCOUNT3	PRTYBCM123

Outbound DN BIC ROUTING	
DN	ACTOR
<ou=dept_123, o=prtyabmxxx, o=a2anet>	PRTYABMXXX
<ou=dept_123, o=prtyabmm123, o=a2anet>	PRTYABMM123
<ou=dept_abc, o=prtybcmxxx, o=a2anet>	PRTYBCMXXX
<ou=dept_abc, o=prtybcm123, o=a2anet>	PRTYBCM123
<ou=dept_abc, o=prtybcmxxx, o=a2anet>	PRTYBCM333
<ou=dept_123, o=ecboeurxxx, o=a2anet>	ECBOEURXXX

2.2.2.1. Successful scenario with confirmed order – only accounts involved

This positive scenario describes a successful payment transaction between two TIPS Accounts owned and held by two TIPS Participants sending the messages on their own (no Instructing Party different from the TIPS Participant(s) foreseen). “Configuration 1” and “Configuration 2” (white and yellow in the above table) are considered.

No errors or timeouts occur. No floor or ceiling notification expected. The current business date, in the given example, is 30/12/2017. The [FltoFICustomerCreditTransfer](#) message received by TIPS and triggering the scenario looks like the following one:

Figure 18 – Payment Transaction successful scenario FltoFICustomerCreditTransfer




The system, after performing the expected checks successfully, sets up the settlement on the accounts as follows:

- It identifies the Originator Account (Account1) from the Originator BIC;
- ~~it~~It identifies the Beneficiary Account (Account2) from the Beneficiary BIC;
- It identifies the Beneficiary DN from the “Outbound DN-BIC Routing” _____-(<ou=dept_abc, o=prtybcmxxx, o=a2anet>);
- It reserves the amount in Account1 – the new availability for Account1 decreases from 1,000.00 EUR to 900.00 EUR;
- The transaction is saved and put in status **RESERVEDReserved**.


The forwarding of the [FltoFICustomerCreditTransfer](#) message to the Beneficiary DN ends the Conditional Settlement phase.

Figure 19 – Payment Transaction successful scenario reservation



The answer from the Beneficiary triggers the settlement phase. In this scenario, the Beneficiary Bank confirms the payment by sending a [FltoFIPaymentStatusReport](#) message with a positive answer. TIPS definitively settles the transaction, moving the amount from Account1 to Account2.

Figure 20 – Payment Transaction successful scenario FltoFIPaymentStatusReport




The system, after performing the expected checks successfully, finds the reserved transaction and executes the settlement on the accounts as follows:

- It identifies the transaction from the Original Transaction ID. The transaction must be in status **RESERVED**.
- it identifies the Originator Account (Account1) and the Beneficiary Account (Account2) from the retrieved transaction;
- It identifies the Originator DN from the transaction;
- It definitively settles the amount moving the liquidity reserved in the Account1 to the Account2;
- The transaction status is turned into **SETTLED**.

TIPS then forwards the [FltoFIPaymentStatusReport](#) message to the Originator DN and sending a confirmation message for successful settlement to the Beneficiary.

Figure 21 ~~20202019~~ -- Payment Transaction successful scenario settlement




2.2.2.2. Successful scenario with confirmed order – Creditor account and debtor CMB

This positive scenario describes a successful payment transaction between a CMB held by a branch of a TIPS participant A sending messages on its own and a TIPS Account owned by a TIPS Participant B but used by a related Reachable Party. “Configuration 1” and “Configuration 2” (white and yellow in the above table) are considered.

No errors or timeouts occur. No floor or ceiling notification is expected. The current business date, in the given example, is 30/12/2017. The [FltoFICustomerCreditTransfer](#) message received by TIPS and triggering the scenario looks like the following one:

Figure 22 – Payment Transaction successful scenario FltoFICustomerCreditTransfer




The system, after performing the expected checks successfully, sets up the settlement on the accounts and on the CMB as follows:

- **It** identifies the Debiting CMB (CMB1) from the Originator BIC;
- **It** identifies the Originator Account from the CMB1 (Account1);
- **It** identifies the Beneficiary Account (Account3) from the Beneficiary BIC;
- It identifies the Beneficiary DN from the “Outbound DN-BIC Routing” _____ (<ou=dept_abc, o=prtybcm123, o=a2anet>);
- It decreases the headroom for the involved CMB1;
- It reserves the amount for Account1 related to the CMB – the new availability for Account1 decreases from 800.00 EUR to 774.00 EUR;
- The transaction is saved and put in status **RESERVED**.

The forwarding of the [FltoFICustomerCreditTransfer](#) message to the Beneficiary DN ends the Conditional Settlement phase.


Figure 23 – Payment Transaction successful scenario reservation



The answer from the Beneficiary **Participant** triggers the settlement phase. In this scenario, the Beneficiary **Participant** confirms the payment sending a [FltoFIPaymentStatusReport](#) message with a

positive answer. TIPS definitively settles the transaction, moving the amount from Account1 to Account3. The movement on CMB1 is confirmed.

Figure 24 – Payment Transaction successful scenario FltoFIPaymentStatusReport




The system, after performing the expected checks successfully, finds the reserved transaction and executes the settlement on the accounts as follows:

- It identifies the transaction from the Original Transaction ID. The transaction must be in status **RESERVEDReserved**.
- ~~it~~ It identifies the Originator Account (Account1) and the Beneficiary Account (Account3) from the retrieved transaction;
- It identifies the Originator DN from the transaction;
- It definitively settles the amount by moving the liquidity reserved in the Account1 to the Account3;
- The transaction status is turned into **SETTLEDSettled**.

In this example, CMB1 has no additional movements – the reduction of the headroom is confirmed. The settlement phase ends and TIPS then forwards the [FltoFIPaymentStatusReport](#) message to the Originator DN and sends a confirmation message for successful settlement to the Beneficiary ~~instructing party~~ Participant.

Figure 25 – Payment Transaction successful scenario settlement




2.2.2.3. Successful scenario with confirmed order – Creditor CMB and debtor Account

This positive scenario describes a successful payment transaction between a TIPS Account owned and held by a TIPS Participant A sending the messages on its own and a CMB held by a branch of a TIPS participant B. The TIPS Participant B acts as instructing-Instructing party-Party for its branch. "Configuration 1" and "Configuration 2" (highlighted in white and yellow in [Figure 17 – Payment Transaction examples data constellation](#)) are considered.

No errors or timeouts occur. No floor or ceiling notification is expected. The current business date, in the given example, is 30/12/2017. The [FltoFICustomerCreditTransfer](#) message received by TIPS and triggering the scenario looks like the following one.:

Figure 26 – Payment Transaction successful scenario FltoFICustomerCreditTransfer




The system **TIPS**, after performing the expected checks successfully, sets up the settlement on the accounts and on the CMB as follows:

- It identifies the Originator Account (Account1) from the Originator BIC;
- It identifies the Crediting CMB (CMB2) from the Beneficiary BIC;
- It identifies the Beneficiary Account (Account2) from the CMB2 in table CMBs;
- It identifies the Beneficiary DN from the “Outbound DN-BIC Routing” _____ (<ou=dept_abc, o=prtybcmxxx, o=a2anet>);
- It reserves the amount in Account1 – the new availability for Account1 decreases from 1,000.00 EUR to 901.00 EUR;
- The transaction is saved and put in status **RESERVED**.


The forwarding of the **FtoFICustomerCreditTransfer** message to the Beneficiary DN ends the Conditional Settlement phase.

Figure 27 – Payment Transaction successful scenario reservation



The answer from the Beneficiary **Participant** triggers the settlement phase. In this scenario, the Beneficiary Bank confirms the payment sending a **FtoFIPaymentStatusReport** message with a positive answer. TIPS definitively settles the transaction, moving the amount from Account1 to Account2 and increasing the headroom for CMB2.

Figure 28 – Payment Transaction successful scenario FItoFIPaymentStatusReport




The system, after performing the expected checks successfully, finds the reserved transaction and executes the settlement on the accounts as follows:

- It identifies the transaction from the Original Transaction ID. The transaction must be in status *RESERVEDReserved*.
- ~~it~~ It identifies the Originator Account (Account1), the Crediting CMB (CMB2) and the Beneficiary Account (Account2) from the retrieved transaction;
- It identifies the Originator DN from the transaction;
- It definitively settles the amount moving the liquidity reserved in the Account1 to the Account2;
- It increases the headroom of the CMB2;
- The transaction status is turned into *SETTLEDSettled*.

In this example, CMB2 exceeds the defined limit for the CMB. The settlement phase ends and TIPS then forwards the [FItoFIPaymentStatusReport](#) message to the Originator DN and sends a confirmation message for successful settlement to the Beneficiary ~~instructing party~~ *Participant*.

Figure 29 – Payment Transaction successful scenario settlement



2.2.2.4. Successful scenario with rejected order

This negative scenario describes a successful reservation of funds for a transaction between a CMB held by a branch of a TIPS participant A sending messages on its own and a TIPS Account owned by a TIPS Participants B. "Configuration 1" and "Configuration 2" (white and yellow in the above table) are considered.

After the successful reservation, the Beneficiary participant rejects the payment.

No errors or timeouts occur. No floor or ceiling notification is expected. The current business date, in the given example, is 30/12/2017. The [FltoFICustomerCreditTransfer](#) message received by TIPS and triggering the scenario looks like the following one.

Figure 30 – Payment Transaction rejected order FltoFICustomerCreditTransfer




The system, after performing the expected checks successfully, sets up the settlement on the accounts and on the CMB as follows:

- It identifies the Debiting CMB (CMB1) from the Originator BIC;
- It identifies the Originator Account from the CMB1 (Account1);
- It identifies the Beneficiary Account (Account3) from the Beneficiary BIC;
- It identifies the Beneficiary DN from the "Outbound DN-BIC Routing" _____ (<ou=dept_abc, o=prtybcm123, o=a2anet>);
- It decreases the headroom for the involved CMB1;
- It reserves the amount for the Account1 related to the CMB;
- The transaction is saved and put in status **RESERVED**.

The forwarding of the [FltoFICustomerCreditTransfer](#) message to the Beneficiary DN ends the Conditional Settlement phase.


Figure 31 – Payment Transaction rejected order reservation



In this scenario, the Beneficiary Participant receives the forwarded [FltoFICustomerCreditTransfer](#) message with the transaction. The Beneficiary Participant rejects the payment sending a [FltoFIPaymentStatusReport](#) message with a negative answer.

The answer from the Beneficiary Participant triggers the settlement phase for a negative scenario. TIPS must then increase the CMB1 headroom of the same amount of the payment and unreserve the amount on Account1.

Figure 32 – Payment Transaction rejected order FI to FI Status Report




The system performs the expected checks successfully. The timeout check is not performed: a negative response from the Beneficiary side must always reach the Originator side with no changes and trigger an unreservation of funds.

TIPS finds the reserved transaction, unreserves the funds on the accounts and increases the CMB headroom as follows:

- It identifies the transaction from the Original Transaction ID. The transaction must be in status RESERVEDReserved.
- It identifies the Originator Account (Account1) from the retrieved transaction;
- It unreserves the amount on the Account1 and adds the same amount of the payment to CMB1;
- The transaction status is turned into REJECTEDRejected;
- It identifies the Originator DN from the transaction.

The settlement phase ends with the rejection of the payment and TIPS then forwards the [FltoFIPaymentStatusReport](#) message to the Originator DN.

Figure 33 – Payment Transaction rejected order unreservation



2.2.2.5. Error scenarios

This section describes some possible error scenarios that can happen when dealing with Instant Payment. This is a subset of possible error cases but the error mechanism is always the same.

For the complete list of possible error codes, see [4.2 “List of ISO Error codes”](#).

Insufficient funds within the CMB

This error scenario describes a payment transaction between a CMB held by a branch of a TIPS participant A sending messages on its own and a TIPS Account owned by a TIPS Participants. “Configuration 1” and “Configuration 2” (highlighted in white and yellow in [Figure 17 – Payment Transaction examples data constellation](#) the above table) are considered.

The transaction fails since the requested amount exceeds the headroom of the involved CMB.

The [FltoFICustomerCreditTransfer](#) message received by TIPS and triggering the scenario looks like the following one:


Figure 34 – Headroom error FItoFICustomerCreditTransfer



The system executes these steps:

- **It** identifies the Debiting CMB (CMB1) from the Originator BIC;
- **It** identifies that the headroom for the involved CMB1 is lower than the request amount;
- **The** transaction fails. The attempt is saved as failed transaction and the sender is informed of the error.

Figure 35 – Headroom error transaction failed



TIPS then sends a [FItoFIPaymentStatusReport](#) to the sender with the proper error code.

Figure 36 – Headroom error FItoFIPaymentStatusReport




Blocked Account

This error scenario describes a payment transaction between two TIPS Accounts owned and held by two TIPS Participants sending the messages on their own (no Instructing Party different from the TIPS Participant(s) foreseen). “Configuration 1” and “Configuration 2” ([highlighted in white and yellow in Figure 17 – Payment Transaction examples data constellation](#)~~the above table~~) are considered.

The transaction fails since the account to be debited ~~debtor account_~~ is blocked and not available for settlement.

The [FItoFICustomerCreditTransfer](#) message received by TIPS and triggering the scenario looks like the following one:


Figure 37 – Blocked account error FItoFICustomerCreditTransfer



The system executes these steps:


- ~~it~~ identifies the Debiting Account (Account1) from the Originator BIC;
- ~~it-It recognises-infers~~ that ~~blocking status on~~ Account1 ~~is blocked (e.g. status is either 'blocked for debit' or 'blocked for credit and debit')~~;
- ~~the-The~~ transaction fails. The attempt is saved as failed [Instant Payment](#) transaction and the sender is informed of the error.

Figure 38 – Blocked account error transaction failed



TIPS then sends a [FltoFIPaymentStatusReport](#) to the sender with the proper error code.

Figure 39 – Blocked account error FltoFIPaymentStatusReport



Beneficiary side timeout

This error scenario describes a payment transaction between a CMB held by a branch of a TIPS participant A sending messages on its own and a TIPS Account owned by a TIPS Participants. "Configuration 1" and "Configuration 2" ([highlighted in white and yellow in Figure 17 – Payment Transaction examples data constellation](#)~~the above table~~) are considered.

The transaction fails since the answer from the Beneficiary Participant reaches TIPS after the foreseen timeout period.

The [FltoFICustomerCreditTransfer](#) message received by TIPS and triggering the scenario looks like the following one:

Figure 40 – Beneficiary side timeout error FltoFICustomerCreditTransfer




The system, after performing the expected checks successfully, sets up the settlement on the accounts and on the CMB as follows:

- It identifies the Debiting CMB (CMB1) from the Originator BIC;
- It identifies the Originator Account from the CMB1 (Account1);
- It identifies the Beneficiary Account (Account3) from the Beneficiary BIC;
- It identifies the Beneficiary DN from the "Outbound DN-BIC Routing _____" (<ou=dept_abc, o=prtybcm123, o=a2anet>);
- It decreases the headroom for the involved CMB1;
- It reserves the amount for the Account1 related to the CMB – the new availability for Account1 decreases from 774.00 EUR to 744.00 EUR;
- The transaction is saved and put in status **RESERVED**.


The forwarding of the [FltoFICustomerCreditTransfer](#) message to the Beneficiary DN ends the Conditional Settlement phase.

Figure 41 – Beneficiary side timeout error reservation



The answer from the Beneficiary Participant arrives when the timeout period is exceeded.


Figure 42 – Beneficiary side timeout error FItoFIPaymentStatusReport



The timeout check on Beneficiary Participant side fails. TIPS finds the reserved transaction, un-reserves the funds on the accounts and increases the CMB1 headroom as follows:

- It identifies the transaction from the Original Transaction ID. The transaction must be in status **RESERVEDReserved**;
- It identifies the Originator Account (Account1) from the retrieved transaction;
- It un-reserves the amount on the Account1 and adds the same amount of the payment to CMB1;
- The transaction status is turned into **EXPIREDExpired**;
- It identifies the Originator DN from the transaction.


Figure 43 – Beneficiary side timeout error un-reservation



TIPS informs both sides of the transaction about the expired transaction. TIPS sends the message to:

- The DN of the sender of the transaction;
- **T**he Beneficiary DN as configured in the “Outbound DN-BIC Routing ___
_____” (<ou=dept_abc, o=prtybcm123, o=a2anet>);

Figure 44 – Beneficiary side timeout error FI to FI Status Report




2.2.2.6. Delayed Beneficiary-side answer scenario

This error scenario describes a payment transaction between two TIPS Accounts owned and held by two TIPS Participants sending the messages on their own (no Instructing Party different from the TIPS Participant(s) foreseen). “Configuration 1” and “Configuration 2” (white and yellow in the above Figure 17) are considered.

In this scenario, the confirmation message from the Beneficiary Participant is delayed and, in the meantime, the Sweeper rejects the pending payment.

The [FltoFICustomerCreditTransfer](#) message received by TIPS and triggering the scenario looks like the following one.

Figure 45 – Delayed Beneficiary-side answer FltoFICustomerCreditTransfer




The system, after performing the expected checks successfully, sets up the settlement on the accounts as follows:

- **!** identifies the Originator Account (Account1) from the Originator BIC;
- **!** identifies the Beneficiary Account (Account2) from the Beneficiary BIC;
- It identifies the Beneficiary DN from the “Outbound DN-BIC Routing” _____ (<ou=dept_abc, o=prtybcmxxx, o=a2anet>);
- It reserves the amount in Account1;
- The transaction is saved and put in status **RESERVEDReserved**.

The forwarding of the [FltoFICustomerCreditTransfer](#) message to the Beneficiary DN ends the Conditional Settlement phase.


Figure 46 – Delayed Beneficiary-side answer reservation



The answer from the Beneficiary side is delayed and does not reach TIPS in time to close the transaction. After a configured timeout, the Sweeper checks for pending payments. In case a pending payment is found for which the SCT^{Inst} Timestamp Timeout **has** elapsed, TIPS triggers a timeout, rejects the transaction, un-reserves the funds on the debtor account as follows:

- **!** identifies the Originator Account (Account1) from the retrieved transaction;
- It un-reserves the amount on the Account1;
- The transaction status is turned into **EXPIREDExpired**;
- It identifies the Originator DN from the transaction;
- **!** It identifies the Beneficiary DN from the transaction.

Figure 47 – Delayed Beneficiary-side answer unreservation



TIPS then sends a [FltoFIPaymentStatusReport](#) to both the Originator and the Beneficiary Participants with the proper error code (see respectively Figure 48 for Originator side and Figure 49 for Beneficiary side).

Figure 48 – Timeout answer FltoFIPaymentStatusReport (Originator side)






Figure 49 – Timeout answer FltoFIPaymentStatusReport (Beneficiary side)



This example scenario foresees that Beneficiary-side reply reaches TIPS after the rejection due to timeout and un-reservation of funds of the relevant pending transaction. The delayed reply message generated by the Beneficiary Participant is the following.


Figure 50 – Delayed Beneficiary-side response FItoFIPaymentStatusReport



TIPS rejects the message since the underlying transaction has been already rejected by the Sweeper and it is no longer in status pending.

Therefore, TIPS sends FI to FI Status Report to the same DN that sent the Beneficiary reply. The Original Transaction Identification inserted in the FI to FI Status Report is the one received in the Beneficiary reply.

Figure 51 – Delayed Beneficiary-side reply FItoFIPaymentStatusReport



2.3. Recall

This section focuses on the processing of Recall requests and provides the description of the full scenario and the related steps.

A Recall request is forwarded by the Assigner which is an Originator Participant or **instructing Instructing party-Party** of a previously settled Instant Payment transaction to request that said transaction is cancelled and a refunded amount – equal or possibly lower than the original one – is credited back to the original account. The request is forwarded by the Assigner to TIPS and passed directly by TIPS to the Assignee which is the relevant Beneficiary or a party acting on behalf of the Beneficiary Participant. The request could be either answered negatively or positively via a Recall answer message. If the Assignee rejects the recall, the negative answer is immediately forwarded back to the Assigner of the Recall. If the Assignee answers the Recall positively TIPS attempts to settle the returned amount.

-The involved actors are:

- The Recall Assigner: the Originator Participant or Instructing Party of a previously settled instruction that sends the Recall request;
- The Recall Assignee: the Beneficiary Participant or ~~Recipient-Instructing~~ Party that receives the Recall request.

The involved messages are:

- ~~the~~ [The FIToFIPaymentCancellationRequest](#) message, used to request the cancellation of an original Instant Payment Transaction and the return of funds previously settled.
- ~~T~~he [PaymentReturn](#) message, used to respond positively to the Recall request.
- ~~T~~he [ResolutionOfInvestigation](#) message, used to respond negatively to the Recall request.
- ~~€~~~~T~~he [FltoFIPaymentStatusReport](#) message sent by TIPS in the following cases:
 - o ~~T~~o reject a Recall request or a Recall answer as they cannot be validated;
 - o ~~to~~ ~~To~~ notify to the Assignee the successful settlement of the Recall request as a result of the positive Recall answer.
- ~~the~~ ~~The~~ [ReturnAccount](#) message can be possibly sent to Creditor Account Owner and/or Debtor Account Owner – if TIPS Actors have configured the floor and ceiling notification and if the related configured thresholds are reached.

The process described below is triggered under the assumption that the schema validation, check of mandatory fields and authentication of the user have already been successfully performed by ESMIG.

Besides it's important to keep in mind that when the Assigner or Assignee BIC contain a BIC8 instead of a BIC11, the message is accepted and the string is completed by appending "XXX" at the end of the BIC8 for further processing. All the steps are described considering BIC11 only.

[Figure 52 – Recall flow](#) shows the general flow for Recalls processing and contains message events and involved actors. The details of each step are provided in the following [Table 23 – Recall steps](#).

Figure 52 – Recall flow




Table 23 – Recall steps

Step	Involved messages	Involved actors	Description
1	FIToFIPaymentCancellationRequest	Recall Assigner as sender TIPS as receiver	TIPS receives an incoming Recall request from the Recall Assigner. Schema validation, check of mandatory fields and authentication checks have already been successfully executed by the ESMIG .
2		TIPS	TIPS successfully executes the following checks: <ul style="list-style-type: none"> - Access Rights check; - Instructing Party authorised; - Originator Account or CMB existence. See 4.1- Business Rules for details.
2e	FIToFIPaymentStatusReport	TIPS as sender Recall Assigner as receiver	TIPS unsuccessfully executes one of the checks listed in step 2. At the first negative check the system stops and sends a message to the Recall Assigner – same DN of the Sender in step 1 – containing the proper error code.
3		TIPS	The DN of the Recall Assignee is identified in the "Outbound DN-BIC Routing" mapping table from the field Assignee (FIToFIPaymentCancellationRequest).
4	FIToFIPaymentCancellationRequest	TIPS as sender Recall Assignee as receiver	TIPS forwards the received Recall request to the Recall Assignee DN.
5n	ResolutionOfInvestigation	Recall Assignee as sender TIPS as receiver	The Recall Assignee sends a negative response and it is successfully delivered to TIPS. Schema validation, check of mandatory fields and authentication checks have already been successfully executed.

Step	Involved messages	Involved actors	Description
6n		TIPS	TIPS successfully executes the checks: - Access Rights check ; - Instructing Party authorised – creditor side . See 4.1- Business Rules for details.
5e	FIToFIPaymentStatusReport	TIPS as sender Recall Assignee as receiver	TIPS unsuccessfully executes the checks listed in step 6n. At the first negative check the system stops and sends a message to the Recall Assignee - same DN of the Sender – containing the proper error code. See 4.1- Business Rules for details.
7n		TIPS	The DN of the Recall Assigner is identified in the "Outbound DN-BIC Routing" mapping table from the field Assignee (ResolutionOfInvestigation).
8n	ResolutionOfInvestigation	TIPS as sender Recall Assigner as receiver	TIPS forwards the negative response received to the Recall Assigner DN.
5p	PaymentReturn	Recall Assignee as sender TIPS as receiver	The Recall Assignee sends a positive response and it is successfully delivered to TIPS. Schema validation, check of mandatory fields and authentication checks have already been successfully executed.
6p		TIPS	TIPS successfully executes the checks: - Access Rights check ; - Instructing Party authorised – creditor side ; - Originator Account or CMB existence ; - Beneficiary Account or CMB existence ; - Maximum Amount not exceeded for Returned Amount . See 4.1- Business Rules for details.

Step	Involved messages	Involved actors	Description
6e	FIToFIPaymentStatusReport	TIPS as sender Recall Assignee as receiver	TIPS unsuccessfully executes the checks listed in step 6p. At the first negative check the system stops and sends a message to the Recall Assignee - same DN of the Sender – containing the proper error code. See 4.1- Business Rules for details.
7p		TIPS	TIPS successfully executes the check: - Duplicate check for positive Recall Answer . See 4.1- Business Rules for details.
7e	FIToFIPaymentStatusReport	TIPS as sender Recall Assignee as receiver	TIPS unsuccessfully executes the check in step 7p. The system stops and sends a message to the Recall Assignee – same DN of the sender – containing the proper error code. See 4.1- Business Rules for details.
8p		TIPS	TIPS combines the information embedded in the PaymentReturn message to determine a payment transaction dataset to send to the Check and Execute Instruction process. The status of the Recall Answer is set to “Validated”.
9p		TIPS	The Amount to be settled (AT046 – DS06) is retrieved and saved as information related to the transaction dataset. From now on, this amount is referred to as “Settlement Amount”. The Settlement date for the positive answer to the Recall (R7 – DS06) is retrieved and saved as information related to the transaction dataset. From now on, this amount-date is referred to as “Settlement Date”. The Recall Reference of the bank initiating the Recall (R6 – DS06) is retrieved and saved as information related to the transaction dataset. From now on, this amount-reference is referred to as “Transaction Identification”

Step	Involved messages	Involved actors	Description
10p		TIPS	<p>Because <u>Given the fact that</u> the original Beneficiary Participant (field AT-23 in DS-02, subset of DS-06) has to be interpreted as the new Originator Participant for the reversed cash flow, TIPS determines the account or CMB to be debited from the configured accounts information, the Beneficiary BIC and the currency within the PaymentReturn message.</p> <p>In details:</p> <ul style="list-style-type: none"> - the <u>The</u> system verifies that an account, of type "TIPS Account", exists and is linked to the Beneficiary Participant (field "Beneficiary BIC") as authorised user and has a currency equal to the one defined in the Returned Amount. - if <u>If</u> no Account is linked to the Beneficiary Participant, the system looks for a CMB linked to the Beneficiary (field "Beneficiary BIC") as user; - the <u>The</u> system selects the TIPS Account linked to the CMB; the account related to the CMB must have a currency equal to the one defined in the Returned Amount. <p>From now on, the account is referred to as "Originator Account" and the possible CMB as "Debiting CMB".</p>
11p		TIPS	<p><u>Given the fact that</u> Because the original Originator Participant (field AT-06 in DS-02, which is part of DS-06) has to be interpreted as the new Beneficiary Participant for the reversed cash, TIPS determines the account or CMB to be credited from the configured accounts information, the Originator BIC and the currency within the PaymentReturn message.</p> <p>In details:</p> <ul style="list-style-type: none"> - the <u>The</u> system verifies that an account, of type "TIPS Account", exists and is linked to the Originator Participant (field "Originator BIC") as authorised user and has a currency equal to the one defined in the Returned Amount. - if <u>If</u> no Account is linked to the Originator Participant, the system looks for a CMB linked to the Originator (field "Originator BIC") as user; - the <u>The</u> system selects the TIPS Account linked to the CMB; the account related to the CMB must have a currency equal to the one defined in the Returned Amount. <p>From now on, the account is referred to as "Beneficiary Account" and the possible CMB as "Crediting CMB".</p>

Step	Involved messages	Involved actors	Description
12p		TIPS	<p>TIPS successfully executes the checks:</p> <ul style="list-style-type: none"> - Originator Account not blocked; - Beneficiary Account not blocked; - Available amount not exceeded. <p>See 4.1- Business Rules for details.</p>
12e	FltoFIPaymentStatusReport	TIPS as sender Recall Assignee as receiver	<p>TIPS unsuccessfully executes the checks listed in step 12p. At the first negative check the system stops and sends a message to the Recall Assignee (the new Originator DN) containing the proper error code. TIPS sets the Recall Answer status to "Failed".</p> <p><u>The status of the Recall Answer is set to "Failed"</u></p> <p>See 4.1- Business Rules for details.</p>
13p		TIPS	<p>The Settlement Core component settles the full amount of the payment transaction, debiting the Originator Account and adding the same positive amount to the Beneficiary Account. If a Debiting/Crediting CMB is involved, the system decreases/increase_s its Headroom by the same amount. TIPS sets the Recall Answer status to "Settled".</p>
14p	PaymentReturn	TIPS as sender Recall Assigner as receiver	<p>TIPS forwards the positive response received from the Recall Assignee to the Recall Assigner (the new Beneficiary DN).</p>
15p	FltoFIPaymentStatusReport	TIPS as sender Recall Assignee as receiver	<p>TIPS generates a positive Payment status report and send it to the Recall Assignee (the new Originator DN).</p>

Step	Involved messages	Involved actors	Description
16p	ReturnAccount	TIPS as sender Debited Account and/or CMB Owner	<p>TIPS checks the "Floor notification amount" configured for the involved Originator Account or Debiting CMB. If the account balance or the CMB headroom after settlement is confirmed is lower than the "floor notification amount", TIPS sends a ReturnAccount to the Account and/or CMB owners involved in the transaction.</p> <p>The message is sent to the default DN of the Account Owner and/or CMB Owner identified in the "Outbound DN-BIC Routing" mapping table. The message contains the - Originator Account Number or the Debiting CMB Number.</p>
17p	ReturnAccount	TIPS as sender Credited Account and/or CMB Owner	<p>TIPS checks the "Ceiling notification amount" configured for the involved Beneficiary Account or Crediting CMB. If the account balance or the CMB headroom after the confirmed settlement is greater than the "ceiling notification amount", TIPS sends a ReturnAccount to the Account and/or CMB owners involved in the transaction.</p> <p>The message is sent to the default DN of the Account Owner and/or CMB Owner identified in the entity "Outbound DN-BIC Routing". The message contains :</p> <ul style="list-style-type: none"> -the Transaction ID; -the the Beneficiary Account Number or the crediting CMB Number.

2.3.1. Examples

This sub-section presents examples of different scenarios related to the Recall process. The first- and the second ones describe successful scenarios where a positive and a negative Recall Answer are provided by the Recall Assignee respectively; ~~The~~the last one outlines the rejection of a positive Recall Answer which failed the Duplicate check.

The below table summarises, for each reference data object mentioned in the following examples, the related configuration.

Figure 53 – Recall examples: data constellation

CASH ACCOUNT					
ACCOUNT	TIPS PARTICIPANT	VALID FROM	VALID TO	FLOOR AMOUNT	CEILING AMOUNT
ACCOUNT1	PRTYABMMXXX	01/12/2017	31/12/9999	100€	1.050.000€
ACCOUNT2	PRTYBCMMXXX	01/12/2017	31/12/9999	200€	1.000.000€

CRDM – STATIC DATA		AUTHORIZED ACCOUNT USER	
DN	PARENT BIC – PARTY BIC	ACCOUNT	ACTOR
<ou=dept_123, o=prtyabmmxxx, o=a2anet>	NCBOEURIXXX - PRTYABMMXXX	ACCOUNT1	PRTYABMMXXX
<ou=dept_abc, o=prtybcmxxx, o=a2anet>	NCBOEURIXXX - PRTYBCMMXXX	ACCOUNT2	PRTYBCMMXXX


Inbound DN BIC ROUTING		Outbound DN BIC ROUTING	
DN	ACTOR	DN	ACTOR
<ou=dept_123, o=prtyabmmxxx, o=a2anet>	PRTYABMMXXX	<ou=dept_123, o=prtyabmmxxx, o=a2anet>	PRTYABMMXXX
<ou=dept_abc, o=prtybcmxxx, o=a2anet>	PRTYBCMMXXX	<ou=dept_abc, o=prtybcmxxx, o=a2anet>	PRTYBCMMXXX

2.3.1.1. Successful scenario – Positive Recall Answer

In this scenario:

- The current business date is 28/12/2017;
- A TIPS ~~P~~participant (PRTYABMMXXX) sends a [FIToFIPaymentCancellationRequest](#) message to TIPS in order to request the cancellation of an Instant Payment transaction (OrigID1) previously settled on 25/12/2017;

Figure 54 – Recall successful scenario: positive answer – FItoFIPaymentCancellationRequest




- TIPS, after performing the expected checks successfully:
 - o It identifies the DN of the Assignee (<ou=dept_123, o=prtybcmxxx, o=a2anet>);
 - o It forwards the FIToFIPaymentCancellationRequest message to the Recall Assignee DN.
- The Recall Assignee (PRTYBCMMXXX) accepts the request by sending to TIPS the following PaymentReturn message:

Figure 55 – Recall successful scenario: positive answer – PaymentReturn




- TIPS successfully proceeds with the required validation in the context of Access rights and Duplicate check;
- TIPS determines the payment transaction dataset which reverses the direction of the cash flow from the original payment transaction that is recalled.

Figure 56 – Recall successful scenario: positive answer – Recall Dataset



- The system:
 - o ~~it~~ identifies the Originator Account (Account2) from the Originator BIC;
 - o ~~i~~t identifies the Beneficiary Account (Account1) from the Beneficiary BIC;
 - o ~~it~~ settles the full amount of the payment transaction—_debiting the Originator Account of 100.00 EUR and adding the same positive amount to the Beneficiary Account;

Figure 57 – Recall successful scenario: positive answer – Settlement Process




- TIPS identifies the Beneficiary DN and Originator DN from the “Outbound DN-BIC Routing” (<ou=dept_abc, o=prtyabmmxxx, o=a2anet> / <ou=dept_abc, o=prtybcmmmxxx, o=a2anet>);
- The system forwards the PaymentReturn message to the Beneficiary Participant (the Recall Assigner) and sends a [FItoFIPaymentStatusReport](#) message to the Originator DN (the Recall Assignee) after settlement of the recall took place.

2.3.1.2. Successful scenario – Negative Recall Answer

In this scenario:


- The current business date is 28/12/2017;
- A TIPS participant (PRTYABMMXXX) sends a [FIToFIPaymentCancellationRequest](#) message to TIPS in order to request the cancellation of a Payment transaction (OrigID1) previously settled on 25/12/2017;

Figure 58 – Recall successful scenario: negative answer – FItoFIPaymentCancellationRequest



- TIPS, after performing the expected checks successfully:
 - o It identifies the DN of the Assignee (<ou=dept_123, o=prtybcmmmxxx, o=a2anet>);
 - o It forwards the FItoFIPaymentCancellationRequest message to the Recall Assignee DN.
- The Recall Assignee (PRTYBCMXXX) rejects the request by sending to TIPS the following ResolutionOfInvestigation message:

Figure 59 – Recall successful scenario: negative answer – ResolutionOfInvestigation




- TIPS successfully proceeds with the required checks
- TIPS identifies the DN of the Assignee (<ou=dept_123, o=prtyabmmxxx, o=a2anet>) and forwards the ResolutionOfInvestigation message to the Assignee DN.

2.3.1.3. Unsuccessful scenario – Recall Answer Duplicate check failed

In this scenario:

- The current business date is 28/12/2017;
- A TIPS participant (PRTYABMMXXX) sends a [FIToFIPaymentCancellationRequest](#) message to TIPS in order to request the cancellation of a Payment transaction (OrigID1) previously settled on 25/12/2017;

Figure 60 – Recall unsuccessful scenario: Duplicate check failed – FIToFIPaymentCancellationRequest




- TIPS, after performing the expected checks successfully:
 - o It identifies the DN of the Assignee (<ou=dept_123, o=prtybcmxxx, o=a2anet>);
 - o It forwards the FIToFIPaymentCancellationRequest message to the Recall Assignee DN.
- The Recall Assignee (PRTYBCMMXXX) accepts the request by sending to TIPS the following PaymentReturn message:

Figure 61 – Recall unsuccessful scenario: Duplicate check failed – PaymentReturn




- TIPS proceeds with the required validation in the context of Access rights and Duplicate check and detects a duplicate submission: the couple Recall Reference of the bank initiating the Recall (AT-R6 DS06) and Beneficiary BIC (AT-23 DS-02 subset of DS06) embedded within the PaymentReturn message already exists as a couple Transaction Identification/Originator BIC in the list of transactions of the last X days, where X is equal to the system parameter "Retention Period".

Figure 62 – Recall unsuccessful scenario: Duplicate check failed – Duplicate submission



- The following FIToFIPaymentStatusReport message is sent by TIPS to the Recall Assignee – same DN of the sender – to reject the Recall Answer.

Figure 63 – Recall unsuccessful scenario: Duplicate check failed – FIToFIPaymentStatusReport



2.4. Investigation

This section focuses on the processing of an Investigation Request, with the description of the full scenario and its steps.

The transaction status investigation process can be initiated by Participants or Instructing Parties acting on behalf ~~or~~ of Participants or Reachable Parties on the originator side using the transaction status inquiry message, allowing the TIPS Actors to retrieve the last generated payment transaction status advice. If no payment transaction status advice is present, an error is returned.

TIPS answers to an investigation request only if the following conditions are satisfied:

- The Payment transaction did not cross its retention period;
- The investigation request is received only when there is the certainty that the Instant Payment transaction is in a final state (Investigation Offset + SCT^{Inst} Timestamp Timeout), as indicated in the SCT^{Inst} scheme rulebook.

Involved actors and messages are:

- The Participant or Instructing Party sending the Investigation Request;
- [FIToFIPaymentStatusRequest](#) message in order to instruct Investigation;
- [FIToFIPaymentStatusReport](#) message in order to receive last generated payment transaction status advice.

All the described scenarios are triggered under the assumption that the schema validation, check of mandatory fields and authentication of the user have already been successfully performed by ESMIG.

It is important to keep in mind that when the [FIToFIPaymentStatusRequest](#) message contains a BIC8 instead of a BIC11, the message is accepted and the string is completed appending “XXX” at the end of the BIC8 for further processing. All the steps are described considering BIC11 only.

This is the diagram describing the process and the involved actors. The details of the steps are described in the following table.

Figure 64 – Investigation Flow




Table 24 – Investigation steps

Step	Involved messages	Involved actors	Description
1	FIToFIPaymentStatusRequest	Participant or Instructing Party as Sender TIPS as receiver	TIPS receives an incoming Investigation request from the Participant or Instructing Party. Schema validation, check of mandatory fields and authentication checks have already been successfully executed.
2		TIPS	TIPS successfully executes the checks: - Access Rights check ; - Instructing Party authorised . See 4.1- Business Rules for details.
2e	FIToFIPaymentStatusReport	TIPS as sender Participant or Instructing Party as receiver	TIPS unsuccessfully executes one of the checks of step 2. At the first negative check the system stops and sends a message to the Participant or Instructing Party - same DN of the Sender --- containing the error.

Step	Involved messages	Involved actors	Description
3		TIPS	<p><u>TIPS successfully executes the check:</u> - Payment Transaction existence check-</p> <p>TIPS checks that:</p> <ul style="list-style-type: none"> - an-An item related to the Transaction Identification and to the Originator BIC exists in the transactional entity "Instant Payment" - the-The TIPS actor is the Originator of the interested Payment transaction or the Instructing party acting on behalf of Participants or Reachable Parties on the originator side. <p>See 4.1- Business Rules for details.</p>
3e	FIToFIPaymentStatusReport	TIPS as sender Participant or Instructing Party as receiver	TIPS unsuccessfully executes the check of step 3. In the case of a negative check the system stops and sends a message to the Participant or Instructing Party – same DN of the Sender – containing the error.
4		TIPS	<p>TIPS successfully executes the check: - Investigation allowed.</p> <p>TIPS checks that the-if the Investigation request has been received only after the SCT^{Inst} Timestamp Timeout + Investigation Offset.</p> <p>See 4.1- Business Rules for details.</p>
4e	FIToFIPaymentStatusReport	TIPS as sender Participant or Instructing Party as receiver	TIPS unsuccessfully executes the check of step 4. In the case of a negative check the system stops and sends a message to the Participant or Instructing Party – same DN of the Sender – containing the error.
5	FIToFIPaymentStatusReport	TIPS	TIPS retrieves the last FIToFIPaymentStatusReport sent to the Participant initiating the investigation
6	FIToFIPaymentStatusReport	TIPS as sender Participant or Instructing Party as receiver	The system sends the last FIToFIPaymentStatusReport to the Participant or Instructing Party – same DN of the query Sender.


2.4.1. Examples

This sub-section presents two examples of the possible scenarios related to the transaction status investigation. Scenarios and examples are not exhaustive.

The first one provides the example of a non-empty answer to a transaction status investigation request. The second one describes an example of a TIPS rejection for a transaction status investigation request.

The below table summarises, for each reference data object mentioned in the following examples, the related configuration.

Figure 65 – Transaction status investigation examples: data constellation




2.4.1.1. Successful scenario – Transaction status investigation

In this scenario:


- A TIPS participant (PRTYABMMXXX) sent a [FIToFIPaymentStatusRequest](#) message to TIPS to investigate about the a Payment transaction (OrigID2). The timestamp of the [FIToFIPaymentStatusRequest](#) is 30/12/2017 12:01:12.
- Payment transaction OrigID2 is present in TIPS for the Originator BIC PRTYABMMXXX, and it has been successfully settled. The instruction OrigID2 has 30/12/2017 12:00:01 as acceptance timestamp.

Figure 66 – Successful FIToFIPaymentStatusRequest



- TIPS identifies:
 - o **T**he DN of sender – i.e. the TIPS participant or instructing party (<ou=dept_123, o=prtyabmmxxx, o=a2anet>);
 - o **T**he **Instant** Payment transaction (OrigID2 for the Originator Participant (PRTYABMMXXX) with acceptance timestamp 30/12/2017 12:00:01);
 - o **T**he TIPS actor instructing the [FIToFIPaymentStatusRequest](#) (PRTYABMMXXX).
- The Investigation request has been received after the **Instant** Payment transaction SCT^{Inst} Timestamp Timeout + Investigation Offset: TIPS retrieves the last generated [FIToFIPaymentStatusReport](#) for the Originator;
- TIPS sends the [FIToFIPaymentStatusReport](#) to the same DN of the query Sender.

Figure 67 – Successful FIToFIPaymentStatusReport




2.4.1.2. Unsuccessful scenario – Transaction status investigation

In this scenario:

- A TIPS participant (PRTYBCMMXXX) sent a [FIToFIPaymentStatusRequest](#) message to TIPS to receive information about an **Instant** Payment transaction (OrigID2); The timestamp of the [FIToFIPaymentStatusRequest](#) is 30/12/2017 12:00:10.
- **Instant** Payment transaction OrigID2 is present in TIPS for the Originator BIC PRTYABMMXXX, with acceptance timestamp 30/12/2017 12:00:01.

Figure 68 – Unsuccessful FIToFIPaymentStatusRequest




- TIPS identifies:

- o ~~The~~ DN of sender – i.e. the TIPS participant or instructing party (<ou=dept_123, o=prtyabmmxxx, o=a2anet>);
- o ~~the~~ ~~The~~ TIPS actor instructing the [FIToFIPaymentStatusRequest](#) (PRTYABMMXXX).
- o ~~the~~ ~~The~~ Instant Payment transaction (OrigID2) for the Originator Participant Party (PRTYABMMXXX), with acceptance timestamp 30/12/2017 12:00:01.

Since SCT^{Inst} Timestamp Timeout is not expired for the Instant Payment transaction when the investigation request arrived, it cannot be satisfied.

— A [FIToFIPaymentStatusReport](#) message is sent by TIPS to the same DN of the query Sender, containing the error.

Figure 69 – Unsuccessful FIToFIPaymentStatusReport



2.5. Inbound/Outbound Liquidity Transfers

TIPS supports Central Bank Money transfers between accounts denominated in the same currency from TIPS to an RTGS System or vice versa from an RTGS System to TIPS.

Liquidity Transfer from a TIPS Account to an RTGS Account starts with the request sent by the TIPS Participant owner of the TIPS Account or by an Instructing Party on behalf of the TIPS Participant.

The Liquidity Transfer shall be initiated in TIPS in Application-to-Application mode (A2A) using the [Liquidity Credit Transfer](#) message or in User-to-Application mode (U2A) through a Graphic User Interface (GUI) and it is executed immediately.

For Liquidity Transfers from RTGS Accounts to TIPS Accounts, transfers must be initiated in the RTGS System by the RTGS holder of the debited RTGS Account; the Liquidity Transfer is then forwarded by the RTGS System to TIPS through the A2A interface.

Provided that both the RTGS Account and the TIPS Account are denominated in the same currency and that the RTGS System is connected to TIPS (and known to TIPS), it is possible to transfer from any RTGS Account to any TIPS Account.

2.5.1. Inbound Liquidity Transfer

This section describes the processing of an Inbound Liquidity Transfer received in TIPS via [Liquidity Credit Transfer](#) message. Inbound Liquidity Transfer has to be initiated by the RTGS account holder (or any authorised third party) in the relevant RTGS System (i.e. Inbound Liquidity Transfers cannot be triggered in TIPS). Indeed, the following section doesn't cover the starting part of the scenario where the RTGS Participant requests to transfer the liquidity from the RTGS Account to a TIPS Account as it is out of the scope of TIPS. Examples of possible scenarios are described in the following sub-section.

The following Actors are involved in the processing of an Inbound Liquidity Transfer:

- The RTGS System that sends to TIPS the liquidity transfer order;
- TIPS that receives and confirms the request to the RTGS System;
- TIPS Account owner (or the default DN configured as receiver) which is duly informed if the account is credited ~~and-or~~ if its balance ~~goes-exceeds up~~ the configured threshold.


The following messages are involved in the Inbound Liquidity Transfer process:

- [LiquidityCreditTransfer](#): the message with which the RTGS System instructs the transfer of a cash amount from an RTGS Account to a TIPS Account denominated in the same currency;
- [Receipt](#): the message sent by TIPS to the RTGS System to confirm/reject the execution of a Liquidity Transfer;
- [BankToCustomerDebitCreditNotification](#): the message sent by TIPS to report the settlement of a liquidity transfers to the TIPS Account owner (or the default DN configured as receiver). The notification is sent out only if previously configured by the Account owner.

— **ReturnAccount**: the message sent by TIPS to notify the owner of the credited TIPS Account that the ceiling threshold is exceeded. The notification is generated for the Account owner only if the ceiling threshold is configured.

The process is graphically described in the following flow.

Figure 70 – Inbound Liquidity Transfer Order flow



The details on the single steps are described in the following table.

Table 25 – Inbound Liquidity Transfer Order steps

Step	Involved messages	Involved actors	Description
1	LiquidityCreditTransfer	RTGS System as Sender TIPS as receiver	TIPS receives an incoming Liquidity transfer request from the RTGS System. Schema validation, check of mandatory fields and authentication checks have already been successfully executed.
2		TIPS	TIPS successfully executes the following checks: <ul style="list-style-type: none"> - RTGS Access Rights Check; - Currency Check; - Creditor and Creditor Account existence; - Creditor and Creditor Account not blocked; - LT Amount Check. <p>From now on, the Creditor account indicated in the Liquidity Transfer Order, is referred to as "Account To be Credited".</p> <p>See 4.1- Business Rules for details.</p>
2e	Receipt	TIPS as Sender RTGS System as receiver	TIPS unsuccessfully executes one of the checks of step 2. At the first negative check the system stops and sends a message to the RTGS System – same DN of the Sender – containing the proper error code. The status of the Inbound Liquidity Transfer Order is set to "Failed".
3		TIPS	The system selects the Transit Account to be debited from the Transferred Amount as follows: <ul style="list-style-type: none"> - It retrieves from the table "Accounts" the row related to the one and only oneunique Account, with type "Transit Account", that in table "Accounts" has the currency equal to the one defined in the Transferred Amount and is open for the current Business Date. <p>From now on, the identified Account is referred to as "Account to be Debited":</p>

Step	Involved messages	Involved actors	Description
4		TIPS	TIPS successfully completes the execution of the following checks: - LT Duplicate Check . See 4.1- Business Rules for details.
4e	Receipt	TIPS as sender TIPS Participant or Instructing Party as receiver	TIPS unsuccessfully executes the check of step 4. The system stops and sends a message to the RTGS System --- <u>same DN of the Sender</u> --- containing the proper error code. The status of the Inbound Liquidity Transfer Order is set to "Failed". See 4.1- Business Rules for details. The status of the Inbound Liquidity Transfer Order is set to "Failed".
5		TIPS	The instruction is logged and sent to the Check and Execute Instruction process. The status of the Inbound Liquidity Transfer Order is set to "Validated".
6		TIPS	The Settlement Core component settles the full amount of the Liquidity Transfer Order, debiting the Account to be Debited and crediting the Account To <u>to</u> be Credited. The status of the Inbound Liquidity Transfer is set to "Settled".
7	Receipt	TIPS as Sender RTGS System as receiver	The RTGS System is notified by the Output Dispatcher component of the status of the operation.
8	BankToCustomerDebitCreditNotification	TIPS as sender TIPS Account Owner as receiver	TIPS sends a notification to the TIPS Account owner in order to report the settlement of the liquidity transfer. The message is sent to the default DN of the Account owner identified in the "Outbound DN-BIC Routing" mapping table.

Step	Involved messages	Involved actors	Description
9	ReturnAccount	TIPS as sender TIPS Account owner as receiver	TIPS checks the "Ceiling notification amount" configured for the credited account. If the account balance after settlement is higher than the "Ceiling notification amount", TIPS sends a ReturnAccount to the Account owner. The message is sent to the default DN of the Account Owner identified in the "Outbound DN-BIC Routing" mapping table.

2.5.1.1. Examples

This sub-section provides an overview of the Inbound Liquidity Transfers process by describing different examples of the possible scenarios: the first one provides the case where the Liquidity Transfer order is processed smoothly with no rejection by the system and [Bank To Customer Debit Credit Notification](#) message is properly configured by the TIPS Account owner; the second one deals with the rejection of the Liquidity Transfer order due to the failure of the LT Duplicate Check.

The below table summarises, for each reference data object mentioned in the following examples, the related configuration.

Figure 71 – Inbound Liquidity Transfer Order examples – data constellation

RTGS SYSTEM		ACTOR	
RTGS system	T2	BIC	PRTYABMMXXX
Currency	EUR	Type	Participant
DN	<ou=dept_123, o=trgtxepmxxx, o=a2anet>	Blocking Status	Unblocked
		Opening Date	2017-08-16
		Closing Date	9999-12-31
Outbound DN BIC ROUTING			
DN	ACTOR		
<ou=dept_123, o=prtyabmmxxx, o=a2anet>	PRTYABMMXXX		

ACCOUNT			
Account number	TRANSACC - EUR	Account number	ACCOUNT1
Type	Transit Account	Type	TIPS Account
Currency	EUR	Currency	EUR
Owner	ECBOEURDXXX	Owner	PRTYABMMXXX
Status	Unblocked	Status	Unblocked
...	...	Credit Notification Flag	True
		Ceiling Notification Amount	1,800.00


ACCOUNT			
Account number	TRANSACC - EUR	Account number	ACCOUNT1
Type	Transit Account	Type	TIPS Account
Currency	EUR	Currency	EUR
Owner	ECBOEURDXXX	Owner	PRTYABMMXXX
Status	Unblocked	Status	Unblocked
...	...	Credit Notification Flag	True
		Ceiling Notification Amount	1,800.00

2.5.1.1.1 Successful scenario — Inbound Liquidity Transfer order is settled in TIPS

In this scenario:


- The current business date is ~~3027/12/2017~~ 2018;
- The RTGS Account owner and the TIPS Account owner are the same entity (PRTYABMMXXX);
- The TIPS Account balance is 1,000.00 EUR;
- The RTGS System sends a [Liquidity Credit Transfer](#) message in order to move liquidity from an RTGS Account (RTGSACCOUNT1) -to a TIPS Account (ACCOUNT1);

Figure 72 – Successful Inbound Liquidity Transfer order: liquidity credit transfer



- TIPS receives the request and identifies:
 - o The Account to be ~~Credited~~credited (ACCOUNT1) from the Creditor Account;
 - o The Account to be ~~Debited~~debited (TRANSACC – EUR) from the Transferred Amount/Currency;
- TIPS settles the full amount of the Liquidity Transfer Instruction. The Inbound Liquidity Transfer Order is set to **"Settled"**.

Figure 73 – Successful Inbound Liquidity Transfer order settlement




- The [Receipt](#) message is sent by TIPS to the RTGS System – same DN of the sender of the [Liquidity Credit Transfer](#) message – to confirm the execution of the order.

Figure 74 – Successful Inbound Liquidity Transfer order Receipt



- The system verifies if in table “Accounts”, the Credit Notification Flag related to the Account to be credited is set to “True”; if so, it retrieves the Account Owner DN from the “Outbound DN-BIC Routing” (<ou=dept_123, o=prtyabmmxxx, o=a2anet>) and it is notified with a positive message ([Bank To Customer Debit Credit Notification](#)) by the Output Dispatcher component.

Figure 75 – Successful Inbound Liquidity Transfer order credit notification



2.5.1.1.2 Unsuccessful scenario: Inbound LT order is rejected because LT duplicate check failed

In this scenario:


- The current business date is ~~3027/12/2017~~2018;
- The RTGS Account owner and the TIPS Account owner are the same entity (PRTYABMMXXX);
- The RTGS System sends a [Liquidity Credit Transfer](#) message in order to move liquidity from an RTGS Account (RTGSACCOUNT1) -to a TIPS Account (ACCOUNT1);

Figure 76 – Unsuccessful Inbound Liquidity Transfer order: Liquidity credit transfer



- TIPS receives the message and identifies:
 - o The Account to be Credited (ACCOUNT1) from the Creditor Account;
 - o The Account to be Debited (TRANSACC – EUR) from the Transferred Amount/Currency;
- TIPS detects a duplicate submission: the Liquidity Credit Transfer message has the same Instruction Identification (LT1ID), ~~refers to the same Debtor Account (RTGSACCOUNT1) and Creditor Account (ACCOUNT1) Debtor (PRTYABMMXXX) and has the same Transferred Amount (100.00 EUR)~~ as another Liquidity Credit Transfer message received from the same RTGS in the last X days (where X is equal to the system parameter "~~data+rRetention periodPeriod~~").


Figure 77 – Unsuccessful Inbound Liquidity Transfer order: duplicate submission



Instruction Identification: LT1ID ✘
 Creditor: PRTYABMMXXX
 Creditor Account: ACCOUNT1
 Transferred Amount 100 EUR
 Debtor: PRTYABMMXXX ✘
 Debtor Account: RTGSACCOUNT1
 Settlement Date: 27/12/2018

- The following Receipt message is sent by TIPS to the RTGS System to reject the Liquidity Transfer order.

Figure 78 – Unsuccessful Inbound Liquidity Transfer order Receipt



2.5.2. Outbound Liquidity Transfer

This section describes the processing of a Liquidity Transfer order sent by a Participant or **instructing Instructing party-Party** acting on behalf of the Participant in order to transfer liquidity from a TIPS Account to an RTGS Account.

Dedicated sub-sections are included with the aim to provide some examples and to illustrate the scenario in which the system notifies to the TIPS Operator about a missing answer from the RTGS.

The following Actors are involved in the Outbound liquidity transfer business process:

- The **Central Bank, the** TIPS Participant or Instructing Party as instructor of the Liquidity Transfer;
 - TIPS that receives and confirms the request from the instructor;
 - The RTGS System that receives and confirms the request from TIPS.
- TIPS Account owner (**or the default DN configured as receiver**) which is duly informed if the account balance goes **under-below** the configured threshold.

-

The following messages are involved in the Outbound Liquidity Transfer business process:

- [Liquidity Credit Transfer](#): the message which enables the sender to instruct the transfer liquidity from the TIPS Account to an RTGS account;
- [Receipt](#): the message sent by TIPS to the TIPS Participant or ~~instructing~~[Instructing party](#) [Party](#) or by the RTGS System to confirm/reject the execution of a Liquidity Transfer;
- ~~ReturnAccount~~: the message sent by TIPS to notify the owner of the debited TIPS Account that the floor threshold is exceeded. The notification is generated for the Account owner only if the floor threshold is configured.


-

Central Banks shall be able to initiate an Outbound Liquidity Transfer even if the closing date of the TIPS Account is exceeded and regardless of the TIPS account's blocking status ~~and regardless of whether the account is open or closed~~.

The process described below is triggered under the assumption that the schema validation, check of mandatory fields and authentication of the user has been already successfully performed by ESMIG.

The following diagram describes the Outbound Liquidity business process.

Figure 79 – Outbound Liquidity Transfer Order flow



The table below describes each single step of the Outbound Liquidity Transfer process.

Table 26 – Outbound Liquidity Transfer Order steps

Step	Involved messages	Involved actors	Description
1	LiquidityCreditTransfer	TIPS Participant or Instructing Party as sender TIPS as receiver	TIPS receives an incoming Liquidity transfer request from the TIPS Participant or instructing party. Schema validation, check of mandatory fields and authentication checks have already been successfully executed by ESMIG.
2		TIPS	TIPS successfully executes the following checks: <ul style="list-style-type: none"> - Access Rights check; - Instructing Party authorised; - LT Amount Check; - Debtor and Debtor Account existence; - Debtor and Debtor Account not blocked; - Currency Check. <p>See 4.1- Business Rules for details.</p>
2e	Receipt	TIPS as sender TIPS Participant or Instructing Party as receiver	TIPS unsuccessfully executes one of the checks of step 2. At the first negative check the system stops and sends a message to the TIPS Participant or instructing party Party — same DN of the Sender — containing the proper error code. The status of the Outbound Liquidity Transfer Order is set to “Failed”.
3		TIPS	From now on, the debit account indicated in the Liquidity Transfer Order, is referred to as "Account to be debited".

4		TIPS	<p>TIPS identifies the RTGS System and the RTGS Transit Account to be credited based on the currency of the Liquidity Transfer Order.</p> <p>In details:</p> <ul style="list-style-type: none"> - the system selects from table "RTGS Systems" the RTGS System which has the currency equal to the Transferred Amount currency. <p>From now on, the identified RTGS System is referred to as "RTGS System".</p> <ul style="list-style-type: none"> - the system selects from table "Accounts" an account, type "Transit Account", that has the currency equal to the Transferred Amount currency. <p>From now on, the identified account is referred to as "Account to be credited";</p>
5		TIPS	<p>TIPS successfully completes the execution of the following check:</p> <ul style="list-style-type: none"> - LT Duplicate Check. <p>See 4.1- Business Rules for details.</p>
5e	Receipt	<p>TIPS as sender</p> <p>TIPS Participant or Instructing Party as receiver</p>	<p>TIPS unsuccessfully executes the check indicated in step 5.</p> <p>The system stops and sends a message to the TIPS Participant or Instructing Party – same DN of the Sender – containing the proper error code.</p> <p>The status of the Outbound Liquidity Transfer Order is set to "Failed".</p> <p>See 4.1- Business Rules for details.</p>
6		TIPS	<p>The order is logged and sent to the Check and Execute Instruction process.</p> <p>The status of the Outbound Liquidity Transfer Order is set to "Validated".</p>

7		TIPS	<p>TIPS successfully completes the execution of the following checks:</p> <ul style="list-style-type: none"> - RTGS opening hours Check; - Funds Check. <p>See 4.1- Business Rules for details.</p>
7e	Receipt	<p>TIPS as sender</p> <p>TIPS Participant or Instructing Party as receiver</p>	<p>TIPS unsuccessfully executes one of the checks of step 7. At the first negative check the system stops and sends a message to the TIPS Participant or Instructing Party – same DN of the Sender – containing the proper error code.</p> <p>The status of the Outbound Liquidity Transfer Order is set to <i>“Failed”</i>.</p>
8		TIPS	<p>The DN of the Sender in step 1 is saved as information related to the transaction. From now on, this DN is referred to as "Debtor DN".</p>
9		TIPS	<p>TIPS settles the full amount of the Liquidity Transfer Instruction, crediting the Account to be credited and debiting the Account to be debited.</p> <p>The status of the Outbound Liquidity Transfer Order is set to <i>“Transient”</i>.</p>
10	LiquidityCreditTransfer	<p>TIPS as sender</p> <p>RTGS as receiver</p>	<p>The TIPS Output dispatcher forwards, through the Message Router, the received Liquidity transfer request to the RTGS DN.</p> <p>TIPS remains waiting for a RTGS Reply.</p>
11p	Receipt	<p>RTGS as sender</p> <p>TIPS as receiver</p>	<p>TIPS receives a Receipt message sent from the RTGS System in order to confirm the transfer;</p>
12p		TIPS	<p>The TIPS Message Router successfully completes the execution of the following check:</p> <ul style="list-style-type: none"> - RTGS Access Rights Check. <p>See 4.1- Business Rules for details.</p>
13p		TIPS	<p>The Input Collector successfully performs the following checks:</p> <ul style="list-style-type: none"> - Invalid status code in RTGS Answer Check; - Pending (Transient) order existing. <p>See 4.1- Business Rules for details.</p>

14p		TIPS	The status of the Outbound Liquidity Transfer Order is set to “ <i>Settled</i> ”.
15p	Receipt	TIPS as sender TIPS Participant or Instructing Party as receiver	The TIPS Output Dispatcher forwards to the “Debtor DN”, through the Message Router, the Receipt message received from the RTGS System.
16p	ReturnAccount	TIPS as sender TIPS Account owner as receiver	Once the status of the Outbound Liquidity Transfer Order is set to “ <i>Settled</i> ”, TIPS checks the "Floor notification amount" configured for the involved Account to be debited. If the account balance is lower than the "floor notification amount", TIPS sends a ReturnAccount to the Account owner (<i>or the default DN configured as receiver</i>) involved in the transaction. The message is sent to the default DN of the Account Owner identified in the "Outbound DN-BIC Routing" mapping table.
12e	Receipt	TIPS as sender RTGS as receiver	TIPS unsuccessfully executes the checks included in steps 12p/13p or 12n/13n. The system stops and sends a message to the RTGS— — containing the proper error code. The status of the Outbound Liquidity Transfer Order is set to “Failed”.
11n	Receipt	RTGS as sender TIPS as receiver	TIPS receives a Receipt message sent from the RTGS System in order to reject the transfer;
12n		TIPS	TIPS successfully completes the execution of the following check: - RTGS Access Rights Check . See 4.1- Business Rules for details.
13n		TIPS	The Input Collector successfully performs the following checks: - Invalid status code in RTGS Answer Check ; - Pending (Transient) order existing . See 4.1- Business Rules for details.
14n		TIPS	TIPS performs an automatic reverse of funds from the original Account to be credited and the original Account to be debited. The transaction is set to " <i>Rejected</i> " status.

15n	Receipt	TIPS as sender TIPS Participant or Instructing Party as receiver	The TIPS Output Dispatcher forwards to the “Debtor DN”, through the Message Router, the Receipt message received from the RTGS System.
-----	-------------------------	--	--

2.5.2.1. Examples

This sub-section presents different examples related to the Outbound Liquidity Transfer process. The first one describes the successful scenario where the Liquidity Transfer order is processed smoothly; the second and third ones deal with the rejection of the Liquidity Transfer order by TIPS for insufficient funds and by the RTGS, respectively.

The below table summarises, for each reference data object mentioned in the following examples, the related configuration.

Figure 80 – Outbound Liquidity Transfer Order examples: data constellation

RTGS SYSTEM		ACTOR	
RTGS system	T2	BIC	PRTYABMMXXX
Currency	EUR	Type	Participant
DN	<ou=dept_123, o=trgtxepmxxx, o=a2anet>	Blocking Status	Unblocked
		Opening Date	2017-08-16
		Closing Date	9999-12-31
Outbound DN BIC ROUTING			
DN	ACTOR		
<ou=dept_123, o=prtyabmmxxx, o=a2anet>	PRTYABMMXXX		
ACCOUNT			
Account number	TRANSACC - EUR	Account number	ACCOUNT1
Type	Transit Account	Type	TIPS Account
Currency	EUR	Currency	EUR
Owner	ECBOEURDXXX	Owner	PRTYABMMXXX
Status	Unblocked	Status	Unblocked
...	...	Credit Notification Flag	True
		Ceiling Notification Amount	1,800.00

2.5.2.1.1 Successful scenario — — Outbound LT order settled in TIPS and RTGS System

In this scenario:

- The current business date is ~~3027/12/2017~~2018;

- A TIPS Participant sends a Liquidity transfer request in order to move liquidity from the TIPS Account (ACCOUNT1) to an RTGS account (RTGSACCOUNT1);

Figure 81 – Successful Outbound Liquidity Transfer order: Liquidity Credit Transfer


LIQUIDITY CREDIT TRANSFER

Sender DN: <ou=dept_123, o=prtyabmmxxx, o=a2anet>
Message Identifier: MsgLTOUT1ID

Instruction Identification: LTOUT1ID
Creditor: PRTYABMMXXX
Creditor Account: RTGSACCOUNT1
Transferred Amount 1000 EUR
Debtor: PRTYABMMXXX
Debtor Account: ACCOUNT1
Settlement Date: 27/12/2018


- TIPS identifies:
 - o The DN of sender – i.e. the TIPS participant or instructing party (<ou=dept_123, o=prtyabmmxxx, o=a2anet>);
 - o The RTGS System and the related DN (<ou=dept_123, o=trgtxepmxxx, o=a2anet>) from the Transferred Amount/Currency;
 - o The Account to be Credited (TRANSACC – EUR) from the Transferred Amount/Currency;
 - o The Debtor (PRTYABMMXXX)
 - o The Account to be Debited (ACCOUNT1) from the Debtor Account;
- The status of the Outbound Liquidity Transfer Order is set to *Validated*.
- TIPS settles the full amount of the Liquidity Transfer Instruction. The Outbound Liquidity Transfer Order is set to *Transient*.

Figure 82 – Successful Outbound Liquidity Transfer order settlement



- The Liquidity transfer request is forwarded to the interested RTGS System for the related settlement.


Figure 83 – Successful Outbound Liquidity Transfer order: Liquidity Credit Transfer



— The following Receipt message is sent by the RTGS System to TIPS to confirm the execution of the liquidity transfer. The status of the Outbound Liquidity Transfer Order is set to **“Settled”**.

-

Figure 84 – Successful Outbound Liquidity Transfer order Receipt received by TIPS



— The TIPS participant or instructing party is notified by the Output Dispatcher component with a positive message (Receipt).

-

Figure 85 – Successful Outbound Liquidity Transfer order Receipt sent by TIPS




2.5.2.1.2 Unsuccessful scenario – Outbound LT order rejected for insufficient funds in TIPS

In this scenario:


- The current business date is ~~3027/12/2017~~2018;
- The TIPS Account balance is 150.00 EUR;
- A TIPS Participant sends a Liquidity transfer request in order to move liquidity from the TIPS Account (ACCOUNT1) to an RTGS account (RTGSACCOUNT1);
-

Figure 86 – Unsuccessful Outbound Liquidity Transfer order: Liquidity Credit Transfer



- The message router component processes the incoming request and performs the relevant checks related to the authorisations of the sending party and several business validations.
- The system identifies:
 - o The DN of sender – i.e. the TIPS participant or instructing party (<ou=dept_123, o=prtyabmmxxx, o=a2anet>);
 - o The RTGS System and the related DN (<ou=dept_123, o=trgtxepmxxx, o=a2anet>) from the Transferred Amount/Currency;
 - o The Account to be Credited (TRANSACC – EUR) from the Transferred Amount/Currency;
 - o The Debtor (PRTYABMMXXX)
 - o The Account to be Debited (ACCOUNT1) from the Debtor Account.;
- The system detects that the resources available on the cash balance involved in the settlement under process, are insufficient.
- The status of the Outbound Liquidity Transfer Order is set to **"Failed"** and a Receipt message is sent by TIPS in order to inform the TIPS Participant.

Figure 87 – Unsuccessful Outbound Liquidity Transfer order Receipt sent by TIPS




2.5.2.1.3 Unsuccessful scenario – Outbound LT order rejected by the RTGS System

In this scenario:


- The current business date is ~~3027/12/2017~~2018;
- A TIPS Participant sends a Liquidity transfer request in order to move liquidity from the TIPS Account (ACCOUNT1) to an RTGS account (RTGSACCOUNT1).

Figure 88 – Outbound Liquidity Transfer order: incoming message




- TIPS receives the message and identifies:
 - o The DN of the sender – i.e. the TIPS participant or instructing party (<ou=dept_123, o=prtyabmmxxx, o=a2anet>);
 - o The RTGS System and the related DN (<ou=dept_123, o=trgtxepmxxx, o=a2anet>) from the couple Transferred Amount and /Currency;
 - o The Account to be Credited (TRANSACC – EUR) from the couple Transferred Amount and /Currency;
 - o The Debtor (PRTYABMMXXX);
 - o The Account to be Debited (ACCOUNT1) from the Debtor Account;
- The status of the Outbound Liquidity Transfer Order is set to "Validated";
- TIPS settles the full amount of the Liquidity Transfer Order. The Outbound Liquidity Transfer Order is set to "Transient";

Figure 89 – Outbound Liquidity Transfer order: settlement in TIPS




—The Liquidity transfer request is forwarded to the interested-pertinent RTGS System for the related-settlement in the related currency.

Figure 90 – Outbound Liquidity Transfer order: forwarding to the RTGS




- The following Receipt message is sent by the RTGS System to TIPS to reject liquidity transfer order.

Figure 91 – Outbound Liquidity Transfer order: negative Receipt sent by the RTGS




- TIPS performs an automatic reverse of funds from the RTGS Transit Account to the TIPS Account originally debited.

Figure 92 – Outbound Liquidity Transfer order: reverse settlement



- The status of the Outbound Liquidity Transfer Order is set to ~~“Rejected”~~ and a Receipt message is sent by TIPS in order to inform the TIPS Participant.

Figure 93 – Outbound Liquidity Transfer order: negative Receipt sent by TIPS



2.5.2.2. RTGS Alert scenario – No reply from RTGS

TIPS Participants can ~~trigger initiate outbound-outbound liquidity-Liquidity~~ transfers in TIPS using a Liquidity Transfer Order message. After having performed the necessary validations, TIPS transfers the requested amount from the TIPS Account to the Transit Account. ~~After that~~ Thereafter, TIPS ~~informs-forwards the liquidity transfer to~~ the corresponding RTGS System ~~about the liquidity transfer~~ and waitswaiting for an answer. The RTGS is expected to reply with either a confirmation or a rejection message within a configurable timeframe.


A specific software component is always acting in background detecting Liquidity Transfer Orders ~~with whose status is Transient and different from Settled, Rejected and Failed~~ for which the lapse of time between the time the order is received in TIPS and the current timestamp is longer than X minutes (X being the “RTGS AlarmAlert” system parameter, see 1.7 “Service configuration”).

In case the RTGS does not ~~give-provide any~~ suitable answer within the ~~aforementioned~~ beve timeframe, TIPS alerts the TIPS Operator ~~which-who~~ can then initiate an appropriate ~~further~~

operational procedure actions (depending on the reason for ~~this-the~~ timeout and the current status of TIPS and the RTGS System).

The following diagram illustrates the process where the Liquidity Transfer Order is successfully processed and forwarded by TIPS to the RTGS System but no proper RTGS answer is received from the RTGS within the configured time window.

Figure 94 – Outbound Liquidity Transfer: Missing RTGS answer flow



All the single steps from 1 to 10 are described in Table 26 – Outbound Liquidity Transfer Order steps. The remaining steps are described in Table 27 – Outbound Liquidity Transfer: Missing RTGS answer steps below.

Table 27 – Outbound Liquidity Transfer: Missing RTGS answer steps

Step	Involved messages	Involved actors	Description
11		TIPS	<p>The specified period of time configured as RTGS Alert has elapsed since the Liquidity Transfer request has been received by TIPS from the TIPS Participant (step 1) and no confirmation or rejection has been received from the RTGS System.</p> <p>TIPS raises an alert to the TIPS Operator.</p>
12		TIPS OPERATOR Operator	<p>Operational procedures are put in place in order to either confirm the Liquidity Transfer and inform the instructingInstructing partyParty, or move back the liquidity from the RTGS Transit Account to the TIPS Participant Account.</p>

2.6. Notifications


The floor and ceiling notification process manages the sending of the notifications whenever, after a successful settlement process, the amount (or headroom) of the account (or the CMB) undercuts the floor amount or exceeds the ceiling amount configured by the account or CMB owner.

TIPS can generate a floor and ceiling notification related to an account after the successful settlement of either an Instant Payment transaction or a Liquidity Transfer.

TIPS can generate a floor and ceiling notification related to a CMB only after the successful settlement of an Instant Payment transaction.

The notifications are generated every time the threshold is undercut (floor) or exceeded (ceiling). TIPS does not generate new notifications if, after trespassing the threshold, the account balance or the CMB headroom remains consistently above the ceiling threshold or below the floor threshold.

Figure 95 – Floor and ceiling notification triggers



The examples below are based on [IP-Instant Payment transaction](#) cases.

2.6.1. Floor notification on account

This positive scenario describes a successful [Instant payment-Payment](#) transaction between two TIPS Accounts that generates a floor notification on the debited account. The scenario described is only an example for the floor notification and how the message is triggered. The scenario is similar when the headroom of the CMB ~~goes-falls~~ below the defined threshold. In this case, the message is generated and sent to the owner of the account linked to the CMB.

This example starts at the end of the [2.2.2.1 “Successful scenario with confirmed order – only accounts involved”](#). The Account 1 has a Floor Amount set to 1,000.00€- EUR. At the end of the settlement phase, the payment is confirmed and the Amount of the account is 900.00€- EUR.

The system recognises that the account ~~goes-falls belowunder~~ the threshold defined by the customer and it starts the notification process.

Figure 969695 – Floor notification settlement






Figure 96 – Floor notification settlement



TIPS selects the owner of the account and its Outbound DN and sends the message as follow.

Figure 97 – Floor notification ReturnAccount



The message is generated when a transaction is successfully settled and the account amount goes under the configured threshold.

~~Since the CMB and the Account have their own and separate floor amount, when settling on a CMB it can happen that both CMB and Account go below their threshold. In this case, the owner of the account receives two separate messages, one notifying about the undercut for CMB and the other notifying undercut for the Account.~~

Since both the CMB and the Account have their own and separate floor amount, when settling on a CMB it can happen that both CMB and Account go below their threshold. In this case, the owner of the account receives two separate messages, one notifying about the current headroom of the CMB and the other notifying the current account balance


2.6.2. Ceiling notification on CMB

This positive scenario describes a successful Instant payment-Payment transaction between two TIPS Actors that generates a ceiling notification on the credited CMB ~~or account~~. The scenario described is only an example for the ceiling notification and how the message is triggered. ~~The scenario is similar when the available amount of an Account exceeds the defined threshold. In this case, the message is generated and sent to the owner of the account.~~

This example starts at the end of the [2.2.2.3 “Successful scenario with confirmed order – Creditor CMB and debtor Account”](#). The CMB2 has a Ceiling Amount set to 400.00 EUR€. At the end of the settlement phase, the payment is confirmed and the headroom of CMB2 is 449.00€ EUR.


The system recognises that the CMB’s headroom has exceeded the threshold configured by the TIPS Actor and it starts-triggers the notification process.

Figure 98 – Ceiling notification settlement



TIPS selects the owner of the account related to the CMB2 and its Outbound DN. Then TIPS sends the message as follow.

Figure 99 – Ceiling notification ReturnAccount



The message is generated when a transaction is successfully settled and the account amount exceeds the configured threshold.

Since both the CMB and the account have their own and separate ceiling amount, when settling on a CMB it can happen that both CMB and account exceed their threshold. In this case, the owner of the account receives two separate messages, one notifying about the current headroom of the CMB and the other notifying the current account balance.

2.7. Queries

This section focuses on the processing of a Query Request, with the description of the full scenario and its steps.

The section covers the scenarios in which a Participant or Instructing Party queries the system in order to obtain information belonging to the balance and the status of an account, to the limit and the status of a CMB, or to one payment transaction. This process is characterized by three different kinds of query:

- Account balance and status query;
- CMB limit and status query;
- Payment transaction status query.
-

~~Basing on the subject affected by queries, they can be grouped into two groups:~~

- ~~— Queries on Accounts/CMB (Account balance and status query and CMB limit and status query);~~
- ~~— Queries on Payment transactions (Payment transaction status query);~~

~~The Payment transaction status query will be available only in AU2A mode and it will be described in the relevant section of the UHB (see TARGET Instant Payment Settlement User Handbook).~~

~~This subdivision is reflected into the following two sub-sections of this chapter, each one. The remaining part of this chapter containing contains the steps of the general flow and examples of possible scenarios for the Account balance and status query and CMB limit and status query, with a focus on possible failing ones. Each-Each example shows the relevant messages and how the main fields are filled.~~

TIPS shall take into account all access rights while processing queries and only return results if the queried data are part of the TIPS Actor data scope, as defined in the following table:

Table 28 – Query permissions

Actor	Account Balance and Status Query	CMB Limit and Status Query
Central Bank	Accounts under the CB's responsibility	CMBs under the CB's responsibility
Participant	Accounts for which the Participant is owner	CMB for which the Participant is owner
Reachable party	No	No
Instructing party Party on behalf of a Participant	Accounts for which the Participant's BIC is set as authorized user owner	CMBs for which their Participant's BIC is set as authorized user owner

Actor	Account Balance and Status Query	CMB Limit and Status Query
Instructing party Party on behalf of a Reachable Party	Accounts for which the Reachable Party's BIC is set as authorized-authorized user	CMBs for which their Reachable Party's BIC is set as authorized-authorized user
RTGS System	Accounts denominated in their currency	CMBs denominated in their currency

If the queried data do not fall under the TIPS Actor data scope, an error is returned.

~~Furthermore, an authorized-authorized TIPS actor can query only Instant Payment Transaction data which have not exceeded their retention period.~~

~~Queries on Account/CMB~~

~~Regarding the Account balance and status query and the CMB limit and status query the involved actors and messages are in Account balance and status query and the CMB limit and status query are:~~

- The Participant or Instructing Party sending the query;
- [GetAccount](#) message in order to instruct query;
- ~~[ReturnAccount](#)~~ message in order to receive the query response.
-

The Account balance and status query allows the authorised actor to get the detailed information for one account, specifying the TIPS account identifier.






Returned data are:-

- TIPS participant identifier;
- TIPS account identifier;
- Current account balance;
- Currency linked to the account;
- ~~Account status;~~
-
- ~~Timestamp of the query.~~
-

The CMB limit and status query allows the authorised actor to get the detailed information for one CMB, specifying as input parameter the TIPS CMB identifier.

Returned data are:

- ~~•~~ TIPS participant identifier;
- ~~•~~ TIPS account identifier for the account linked to the CMB;
- ~~•~~ TIPS CMB identifier;
- ~~•~~ CMB limit;


-  CMB headroom;
-  Currency of the account to which the CMB is linked;
-  CMB status;
- 
-  Timestamp of the query.
-

All the described scenarios are triggered under the assumption that the schema validation, check of mandatory fields and authentication of the user have already been successfully performed by ESMIG.

It is important to keep in mind that when the Get Account message contains a BIC8 instead of a BIC11, the message is accepted and the string is completed appending "XXX" at the end of the BIC8 for further processing. All the steps are described considering BIC11 only.

The diagram below describes the process and the involved actors.

Figure 100 – Account Balance Status query flow



The details of the steps are described in the following table.

Table 29 – Account Balance Status query steps

Step	Involved messages	Involved actors	Description
1	GetAccount	Participant or Instructing Party as Sender TIPS as receiver	TIPS receives an incoming Query from the Participant or Instructing Party. Schema validation, check of mandatory fields and authentication checks have already been successfully executed.
2		TIPS	TIPS successfully executes the checks: - Access Rights check ; - Instructing Party authorised for queries . See 4.1- Business Rules for details.
2e	ReturnAccount	TIPS as sender Participant or Instructing Party as receiver	TIPS unsuccessfully executes one of the checks of step 2. At the first negative check the system stops and sends a message to the Participant or Instructing Party – same DN of the Sender – containing the proper error code.
3		TIPS	TIPS perform the following checks on the value of the field “Account or CMB Identifier” of the GetAccount message (Account/CMB existence) : - for Account balance and status query, TIPS verifies that the value corresponds to an account type "TIPS Account" in the table "Cash Accounts" and if the Participant or Instructing Party is authorised to query on it based on the query permission (see Query permissions table). - for CMB limit and status query, TIPS verifies that the value corresponds to a CMB in the table "CMB" and if the Participant or Instructing Party is authorised to query on it based on the query permission (see Query permissions table). The system selects also the TIPS Account linked to the CMB; See 4.1- Business Rules for details.

Step	Involved messages	Involved actors	Description
3e	ReturnAccount	TIPS as sender Participant or Instructing Party as receiver	TIPS unsuccessfully executes one of the checks of step 3. At the first negative check the system stops and sends a message to the Participant or Instructing Party – same DN of the Sender – containing the proper error code.
4		TIPS	TIPS retrieves the data corresponding to the submitted query and its input parameters.
5	ReturnAccount	TIPS as sender Participant or Instructing Party as receiver	The system sends a message to the Participant or Instructing Party – same DN of the query Sender – containing the query results.

2.7.1. Examples

This sub-section presents different examples of the possible different scenarios related to the queries on Account/CMB. Scenarios and examples are not exhaustive.


The first one provides the example of a non-empty answer to an Account balance and status query.

The second one describes a non-empty answer to a CMB limit and status query.

The last one provides an example of a TIPS rejection for the TIPS Account/CMB not found.

The below table summarises, for each reference data object mentioned in the following examples, the related configuration.

Figure 101 – Queries examples: data constellation




2.7.1.1. Successful scenario – Account balance and status query

In this scenario:

- **a-TIPS** participant (PRTYABMMXXX) sent a [GetAccount](#) message to TIPS to query the balance and the status an account (ACCOUNT1);


- ~~the-The~~ TIPS Account balance for ACCOUNT1 is 10,000.00 EUR;
- ~~The~~ TIPS Account is active and opened.

Figure 102 – Successful Get Account



- TIPS identifies:
 - o ~~The~~ DN of sender – i.e. the TIPS ~~Pp~~participant or ~~instructing-Instructing_party-Party~~ (<ou=dept_123, o=prtyabmmxxx, o=a2anet>);
 - o ~~the-The~~ Account (ACCOUNT1);
 - o ~~o~~
 - o ~~the-The Account~~ Owner (PRTYABMMXXX).
- TIPS selects the actual balance of the Account;
- ~~A~~ ReturnAccount message is sent by TIPS to the same DN of the query Sender, containing the query results.

Figure 103 – Successful ReturnAccount




~~2.7.1.2. Successful scenario – CMB limit and status query~~

~~2.7.1.3. 2.7.1.2. Successful scenario – CMB limit and status query~~

In this scenario:


- ~~a~~A TIPS Participant (PRTYABMMXXX) sent a [GetAccount](#) message to TIPS to query the status of a CMB (CMB01), linked to a TIPS Account (ACCOUNT1), used by the Reachable Party;
- ~~the~~The TIPS CMB limit for CMB01 is 6,000.00 EUR;
- ~~the~~The TIPS CMB ~~utilization~~utilisation for CMB01 is 5,200.00 EUR;
- ~~the~~The TIPS CMB Headroom for CMB01 is 800.00 EUR;
- ~~the~~The CMB is active and opened.

Figure 104 – Successful Get Account



- TIPS identifies:
 - o ~~the~~The DN of sender – i.e. the TIPS ~~i~~nstructing ~~party~~Party (<ou=dept_123, o=prtyabmmxxx, o=a2anet>);
 - o ~~the~~The CMB (CMB01);
 - o The Account (ACCOUNT1);
 - o ~~the~~The Account Owner (PRTYABMMXXX).
- TIPS identifies the actual balance of the Account
- ~~A~~A [ReturnAccount](#) message is sent by TIPS to the same DN of the query Sender, containing the query results.

Figure 105 – Successful ReturnAccount




2.7.1.4.2.7.1.3. Unsuccessful scenario – TIPS Account/CMB not found

In this scenario:

- ~~a~~A TIPS participant (PRTYABMMXXX) sent a [GetAccount](#) message to TIPS to query the balance and the status of an account (ACCOUNT2);
- ~~ACCOUNT2 is not a TIPS Account.~~

Figure 106 – Unsuccessful GetAccount



~~TIPS does not identify ACCOUNT2 as TIPS Account/CMB.~~

Message Identifier: MsID003
 Query Name: Query003
 Account or CMB Identifier: ACCOUNT2 ❌
 Account User: PRTYABMMXXX

- TIPS does not identify ACCOUNT2 as TIPS Account/CMB.

Figure 107 – Unsuccessful GetAccount: account retrieval failure

```

Message Identifier: MsID003
Query Name: Query003
Account or CMB Identifier: ACCOUNT2 ❌
Account User: PRTYABMMXXX
  
```

- A ReturnAccount message is sent by TIPS to the same DN of the query Sender, containing the error code and description.

Figure 108 – Unsuccessful ReturnAccount

```

ReturnAccount
Sender DN: <ou=dept_123, o=tipsxepmxxx, o=a2anet>

Timestamp of the Query: 30/12/2017 12:30:12
Original Query Message Identifier: MsID003
Query Name: Query003
Business Error: RJCT
Business Error Description: DNOR
  
```

2.7.2. Queries on Payment transactions.

Regarding the Payment transaction status query the involved actors and messages are:

- The Participant or Instructing Party sending the query;
-
- message in order to receive the query response.

The Payment transaction status query allows the authorised actor to get the detailed information for one Instant Payment transaction (which not expired its retention period) specified identified by the Payment transaction reference and the Originator BIC;

Returned data are :

- Originator BIC of the Instant Payment transaction;
- Beneficiary BIC of the Instant Payment transaction;
- Instant Payment transaction reference;
- Instant Payment transaction status;
- Amount of the Instant Payment transaction;
- Settlement timestamp, for a settled Instant Payment transaction.

All the described scenarios are triggered under the assumption that the schema validation, check of mandatory fields and authentication of the user have already been successfully performed by ESMIG. It is important to keep in mind that when the FIToFIPaymentStatusRequest message contains a BIC8 instead of a BIC11, the message is accepted and the string is completed appending "XXX" at the end of the BIC8 for further processing. All the steps are described considering BIC11 only.

The settlement timestamp is the calendar date when an Instant Payment transaction has been settled.
This is the diagram describing the process and the involved actors. The details of the steps are described in the following table.

Figure 108108108107 — Payment Transaction Queries Query Flow




Table 2926 — Payment Transaction Queries Query steps

Step	Involved messages	Involved actors	Description
4		Participant or Instructing Party as Sender TIPS as receiver	TIPS receives an incoming Query from the Participant or Instructing Party. Schema validation, check of mandatory fields and authentication checks have already been successfully executed.
2	-	TIPS	TIPS successfully executes the checks: - Access Rights check; - Instructing Party authorized <u>authorised</u> ; See <u>Business Rules</u> for details.
2e		TIPS as sender Participant or Instructing Party as receiver	TIPS unsuccessfully executes one of the checks of step 2. At the first negative check the system stops and sends a message to the Participant or Instructing Party <u>same DN of the Sender</u> <u>containing the proper error code</u> .
3	-	TIPS	Payment Transaction existence check for Payment transaction status query: the system checks that an item related to the Transaction Identification and to the Originator BIC exists in the transactional entity "Instant Payment" and if the Participant or Instructing Party (field Query Sender) is authorized <u>authorised</u> to query the transaction basing on the query permission (see table). See <u>Business Rules</u> for details.
3e		TIPS as sender Participant or Instructing Party as receiver	TIPS unsuccessfully executes the check of step 3. In the case of a negative check the system stops and sends a message to the Participant or Instructing Party <u>same DN of the Sender</u> <u>containing the proper error code</u> .

Step	Involved messages	Involved actors	Description
4	-	TIPS	TIPS retrieves the data corresponding to the required Payment transaction.
5		TIPS as sender Participant or Instructing Party as receiver	The system sends a message to the Participant or Instructing Party with the same DN of the query Sender containing the query results.

2.7.2.1. Examples


This sub-section presents two examples of the possible scenarios related to the Payment transaction status query on Payment transaction. Scenarios and examples are not exhaustive.

The first one provides the example of a non-empty answer to a Payment transaction status query.

The second one describes an example of a TIPS rejection for an Instant Payment transaction not found.

The below table summarises, for each reference data object mentioned in the following examples, the related configuration.

Figure 109109109108 — Queries examples : data constellation




2.7.2.1.1 Successful scenario — ~~Payment transaction status query~~

2.7.2.1.2

In this scenario:

- ~~— A TIPS participant (PRTYBCMMXXX) sent a message to TIPS to receive information about a Payment transaction (OrigID1).~~
- ~~— Payment transaction OrigID1 is present in TIPS for the Originator BIC PRTYABMMXXX, and it has been successfully settled.~~


Figure ~~110110110109~~ — Successful FIToFIPaymentStatusRequest



- ~~— TIPS identifies:

 - ~~○ the DN of sender i.e. the TIPS participant Participant or Instructing party Party (<ou=dept_abc, o=prtybcmxxx, o=a2anet>);~~
 - ~~○ the Payment transaction (OrigID1 for the Originator Participant/Reachable Party (PRTYABMMXXX));~~
 - ~~○ the TIPS actor instructing the (PRTYBCMMXXX).~~~~
- ~~— TIPS selects information related to the Payment transaction;~~
- ~~— A message is sent by TIPS to the same DN of the query Sender, containing the query results.~~

Figure 111 Successful FIToFIPaymentStatusReport




2.7.2.1.3 Unsuccessful scenario — Instant Payment transaction not found

In this scenario:

- A TIPS participant (PRTYBCMMXXX) sent a message to TIPS to receive information about an Instant Payment transaction (OrigID12);
- The underlying Instant Payment transaction OrigID12 is not present in TIPS for the Originator BIC PRTYABMMXXX.

Figure 112 Unsuccessful FIToFIPaymentStatusRequest



- TIPS identifies:

- ~~the The DN of sender — i.e. the TIPS pParticipant or instructing Instructing party Party (<ou=dept_abc, o=prtybcmxxx, o=a2anet>);~~
- ~~the The TIPS actor instructing the (PRTYBCMXXX).~~
- ~~TIPS does not find the underlying Instant Payment transaction (OrigID12) for the Originator Participant/Reachable Party (PRTYABMMXXX);~~

Figure 113 ~~Unsuccessful FIToFIPaymentStatusRequest: payment retrieval failure~~

```

Message Identifier: MsID007
Creation Date Time: 30/12/2017 12:10:08
Query Sender: PRTYBCMXXX
Original Message Name Identification: pacs.008.001.02
Original Transaction Identification : OrigID12 ❌
Originator BIC: PRTYABMMXXX ❌
  
```

- ~~A message is sent by TIPS to the same DN of the query Query Sender, containing the query error.~~

Figure 113 ~~Unsuccessful FIToFIPaymentStatusReport~~

```

FIToFIPaymentStatusReport
Sender DN: <ou=dept_123, o=tipsxepmxxx, o=a2anet>

Message Identifier: MsID008
Creation Date Time: 30/12/2017 12:10:09
Original Query Identifier: MsID007
Original Message Name Identification: pacs.028.001.01
Originator BIC: PRTYABMMXXX
Beneficiary BIC: PRTYBCMXXX
Payment Transaction Reference: OrigID12
Status: RJCT
Reason: AG09
  
```

2.8. Reports

This section describes the processing steps for the creation of reports available in TIPS and their sending out from TIPS to the TIPS Actors who subscribe them.

TIPS provides the following report types:

- Statement of Account Turnover;
- Statement of Accounts.

The above reports are generated using the data available at the time scheduled in the report subscription or at the end of day of the corresponding RTGS System.

TIPS provides TIPS actors with reports on their accounts based on the permissions listed in the following table.

Table 30 – Report permissions and data scope

Actor	Statement of Account Turnover	Statement of Accounts
Central Bank	No	No
Participant	Own accounts	Own accounts ¹²
Reachable party	No	No
Instructing Party on behalf of a Participant	Accounts of the Participant on behalf of which the Instructing Party is operating	Accounts of the Participant on behalf of which the Instructing Party is operating
Instructing Party on behalf of a Reachable Party	No	No

2.8.1. Statement of Account Turnover

The Statement of Account Turnover report provides the following information for all the TIPS accounts in the data scope of the Recipient actor:

- RTGS business date for which the information is retrieved;
- TIPS participant identifier;
- TIPS account identifier;
- Currency of the TIPS account;
- Opening balance at start of RTGS business day;
- Closing balance at end of RTGS business day;
- Sum of debits for the TIPS account;
- Sum of credits for the TIPS account.

TIPS provides the Statement of Account Turnover in a complete version only (Full mode) and covers the time between start and end of RTGS business day¹³.

Reserved amounts are included in the calculation of the Opening balance at start of RTGS business day and the Closing balance at end of RTGS business day.

The involved actors and messages are:

- The Recipient: The subscribing Participant who receives the report;


¹² The Statement of Accounts contains settled transactions on CMBs linked to the Participant's accounts as well.

¹³ Because Scheduled Frequency is an irrelevant report subscription parameter for full reports, the trigger could be only an RTGS business day change.

— [BankToCustomerAccountReport](#) message sent from TIPS to the Recipient in order to provide the Statement of Account Turnover report.

The following diagram displays the Statement of Account Turnover generation process which is triggered in TIPS.

Figure 109 – Statement of Account Turnover flow



The details of the steps are described in the following table.

Table 31 – Statement of Account Turnover steps

Step	Involved messages	Involved actors	Description
1		TIPS	Following the change of the business date of the relevant RTGS system, TIPS triggers the Statement of Account Turnover generation process.
2		TIPS	The whole set of balances in TIPS is saved by means of a “snapshot” operation, TIPS processes all data from the snapshot necessary for the report generation in accordance with the relevant configuration, adding transactional data and enriching it with reference data. Subsequently, the report data is grouped and formatted. The Statement of Account Turnover is created.
3	BankToCustomerAccountReport	TIPS as sender Recipient as receiver	TIPS sends the Statement of Account Turnover to the previously defined Recipient.

The following example shows how the Statement of Account Turnover creation process takes place in accordance to the following report configuration.

Figure 110 – Statement of Account Turnover example: report subscription

Report Subscription	
Report Subscription Identifier	SoAT_PRTYABMXXX
Report	Statement of Account Turnover
Recipients	PRTYABMXXX
Mode	Full Mode
Scheduled Frequency	
Subscription Valid From	15/12/2017
Subscription Valid To	31/12/9999

This representative case is based on the data constellation provided hereunder.

Figure 111 – Statement of Account Turnover example: data constellation

CASH ACCOUNT			
ACCOUNT	TIPS PARTICIPANT	VALID FROM	VALID TO
ACCOUNT1	PRTYABMXXX	01/12/2017	31/12/9999

CMBs				
CMB	ACCOUNT	TIPS PARTICIPANT	VALID FROM	VALID TO
CMB1	ACCOUNT1	PRTYABMM234	01/12/2017	31/12/9999

Outbound DN BIC ROUTING	
DN	ACTOR
<ou=dept_123, o=prtyabmmxxx, o=a2anet>	PRTYABMXXX
<ou=dept_123, o=prtyabmm234, o=a2anet>	PRTYABMM234


Inbound DN BIC ROUTING	
DN	ACTOR
<ou=dept_123, o=prtyabmmxxx, o=a2anet>	PRTYABMXXX
<ou=dept_234, o=prtyabmmxxx, o=a2anet>	PRTYABMXXX
<ou=dept_123, o=prtyabmmxxx, o=a2anet>	PRTYABMM234
<ou=dept_123, o=prtyabmm234, o=a2anet>	PRTYABMM234

2.8.1.1.1 Statement of Account Turnover – Full mode

For the sake of this example, it is assumed that: i) the opening balance at the start of RTGS business day (15/12/2017) for the ACCOUNT1 is 500.00 EUR; ii) the RTGS system open at 7 a.m. and close at 6 p.m.; no interruption of the service or disruptive event would occur.

- The following payment transactions are received and settled in TIPS during the current RTGS business date (15/12/2017).

Figure 112 – Statement of Account Turnover example: list of transactions



- On receipt of the notification made by the relevant RTGS system, the RTGS business date parameter is updated accordingly in TIPS (16/12/2017);
- The snapshot of in-memory balances is taken as it is needed to produce the report;
- The Basic Report component retrieves the data to be included in the Statement of Account Turnover;
- The system identifies the Recipient DN from the “Outbound DN-BIC Routing” (<ou=dept_abc, o=prtyabmmxxx, o=a2anet>);
- The Message Router component sends the following [BankToCustomerAccountReport](#) message to the Recipient.

Figure 113 – Statement of Account Turnover example: BankToCustomerAccountReport

Bank To Customer Account Report	
Sender DN: <ou=dept_123, o=tipsxepmxxx, o=a2anet>	
Message Identifier: MsgIDRptSoAT151217	
Report Identifier: IDRptSoAT151217	

Account Identification: ACCOUNT1	
Account Currency: EUR	
Account Owner: PRTYABMMXXX	
Balance Type: OPBL Amount: 500 EUR Credit/Debit Indicator: CRDT RTGS Business date: 15/12/2017	Balance Type: SMDB Amount: 125 EUR Credit/Debit Indicator: DBIT RTGS Business date: 15/12/2017
-----	-----
Balance Type: CLBL Amount: 975 EUR Credit/Debit Indicator: CRDT RTGS Business date: 15/12/2017	Balance Type: SMCR Amount: 400 EUR Credit/Debit Indicator: CRDT RTGS Business date: 15/12/2017

2.8.2. Statement of Accounts

The Statement of Accounts report provides detailed information on the activities recorded for all the TIPS accounts in the data scope of the Recipient actor.

The report contains:

- RTGS business date for which the information is retrieved;
- TIPS participant identifier;
- TIPS account identifier;
- Currency of the TIPS account;
- Account Balance (based on the latest data available);
- Start Timestamp for which the account statement is issued;
- End Timestamp for which the account statement is issued;

For all the transactions settled¹⁴ on the reported TIPS Accounts, TIPS provides the following details:

- Payment transaction reference;
- BIC of the Originator Participant of the transaction;
- Payment transaction Amount;
- Bank transaction code of the transaction;
- Initial balance before the execution of the payment transaction;

¹⁴ [These transactions are payment transactions or liquidity transfers.](#)

- Final balance after the execution of the payment transaction;
- Settlement timestamp.

TIPS provides the Statement of Accounts in Full or Delta mode.

Delta report covers the time between the last report trigger and the trigger time scheduled in the report subscription. When subscribing for a report in Delta mode, the end of day of the relevant RTGS System triggers in any case a last report generation for the business day which contains all the data remaining between the trigger itself and the last report produced for the interested Actor.


Full report covers the time since the start RTGS business day and the end of RTGS business day¹⁵.

The involved actors and messages are:

- The Recipient: The subscribing Participant who receives the report;
- BankToCustomerStatement message sent from TIPS to the Recipient in order to provide the Statement of Accounts report.

The following diagram displays the Statement of Accounts generation process which is triggered in TIPS.

Figure 114 – Statement of Accounts flow



¹⁵ Because Scheduled Frequency is an irrelevant report subscription parameter for full reports, the trigger could be only an RTGS business day change.

The details of the steps are described in the following table.

Table 32 — Statement of Accounts steps

Step	Involved messages	Involved actors	Description
1		TIPS	Following the change of the business date of the relevant RTGS system or when the scheduled time is reached, TIPS triggers the Statement of Accounts generation process.
2		TIPS	The whole set of balances in TIPS is saved by means of a “snapshot” operation, TIPS processes all data from the snapshot necessary for the report generation in accordance with the relevant configuration, adding transactional data and enriching it with reference data. Subsequently, the report data is grouped and formatted. The Statement of Accounts is created.
3	BankToCustomerStatement	TIPS as sender Recipient as receiver	TIPS sends the Statement of Accounts to the previously defined Recipient.

2.8.2.1. Examples

The following examples show how the Statement of Accounts creation process takes place in accordance to the following report configurations.

Figure 115 and Figure 116 show the report subscription underlying the first and second example respectively.

Figure 115 – Statement of Accounts example: report subscription (full mode)

Report Subscription	
Report Subscription Identifier	SoA_PRTYABMXXX
Report	Statement of Accounts
Recipients	PRTYABMXXX
Mode	Full Mode
Scheduled Frequency	
Subscription Valid From	15/12/2017
Subscription Valid To	31/12/9999

Figure 116 – Statement of Accounts example: report subscription (delta mode)

Report Subscription	
Report Subscription Identifier	SoA_PRTYABMXXX
Report	Statement of Accounts
Recipients	PRTYABMXXX
Mode	Delta Mode
Scheduled Frequency	3 hours
Subscription Valid From	15/12/2017
Subscription Valid To	31/12/9999

Figure 117 shows the details of the reference data setup for both the examples.

Figure 117 – Statement of Accounts example: data constellation

CASH ACCOUNT			
ACCOUNT	TIPS PARTICIPANT	VALID FROM	VALID TO
ACCOUNT1	PRTYABMXXX	01/12/2017	31/12/9999

CMBs				
CMB	ACCOUNT	TIPS PARTICIPANT	VALID FROM	VALID TO
CMB1	ACCOUNT1	PRTYABMM234	01/12/2017	31/12/9999

Outbound DN BIC ROUTING	
DN	ACTOR
<ou=dept_123, o=prtyabmmxxx, o=a2anet>	PRTYABMXXX
<ou=dept_123, o=prtyabmm234, o=a2anet>	PRTYABMM234


Inbound DN BIC ROUTING	
DN	ACTOR
<ou=dept_123, o=prtyabmmxxx, o=a2anet>	PRTYABMXXX
<ou=dept_234, o=prtyabmmxxx, o=a2anet>	PRTYABMXXX
<ou=dept_123, o=prtyabmmxxx, o=a2anet>	PRTYABMM234
<ou=dept_123, o=prtyabmm234, o=a2anet>	PRTYABMM234

2.8.2.1.1 Statement of Accounts – Full mode

The underlying assumptions for this representative case are the following: i) the opening balance at the start of RTGS business day (15/12/2017) for the ACCOUNT1 is 500.00 EUR; ii) the RTGS system open at 7 a.m. and close at 6 p.m.; no interruption of the service or disruptive event would occur.

- The following payment transactions are received and settled in TIPS during the current RTGS business date (15/12/2017).

Figure 118 – Statement of Accounts example: list of transactions (full mode)



- On receipt of the notification made by the relevant RTGS system, the RTGS business date parameter is updated accordingly in TIPS (16/12/2017);
- The system takes the snapshot of in-memory balances and downloads transaction data from the database;
- The Basic Report component retrieves the data to be included in the Statement of Accounts;
- The system identifies the Recipient DN from the “Outbound DN-BIC Routing” (<ou=dept_abc, o=prtyabmmxxx, o=a2anet>);
- The Message Router component sends the following [BankToCustomerStatement](#) message to the Recipient.

Figure 119 – Statement of Accounts example: BankToCustomerStatement


Bank To Customer Statement		Statement Identifier: 1	Balance Type: FINL Amount: 720 EUR Credit/Debit Indicator: CRDT RTGS Business date: 15/12/2017
Sender DN: <ou=dept_123, o=tipsxepmxxx, o=a2anet> Message Identifier: MsgIDRptSoA151217 Creation DateTime: 2017-12-15T18:00:00:000Z		Account Identification: ACCOUNT1 Account Currency: EUR Account Owner: PRTYABMMXXX	
Transaction Reference: OrigID1 Transaction Amount: 200 EUR Transaction Credit/Debit Indicator: DBIT Transaction Status: ACCP Settlement timestamp: 15/12/2017 09:20:05 Bank Transaction Code: IPTR ----- Transaction Account Balance: 500 EUR Transaction Account Balance Type: BFTS ----- Transaction Account Balance: 300 EUR Transaction Account Balance Type: FTTS ----- Transaction Amount: 200 EUR Transaction Credit/Debit Indicator: DBIT Transaction Originator BIC: PRTYABMMXXX	Transaction Reference: LT1ID Transaction Amount: 300 EUR Transaction Credit/Debit Indicator: CRDT Transaction Status: ACCP Settlement timestamp: 15/12/2017 10:20:00 Bank Transaction Code: LQTO ----- Transaction Account Balance: 300 EUR Transaction Account Balance Type: BFTS ----- Transaction Account Balance: 600 EUR Transaction Account Balance Type: FTTS ----- Transaction Amount: 300 EUR Transaction Credit/Debit Indicator: CRDT Transaction Originator BIC: PRTYABMMXXX	Transaction Reference: LT2ID Transaction Amount: 100 EUR Transaction Credit/Debit Indicator: CRDT Transaction Status: ACCP Settlement timestamp: 15/12/2017 11:00:00 Bank Transaction Code: LQTO ----- Transaction Account Balance: 600 EUR Transaction Account Balance Type: BFTS ----- Transaction Account Balance: 700 EUR Transaction Account Balance Type: FTTS ----- Transaction Amount: 100 EUR Transaction Credit/Debit Indicator: CRDT Transaction Originator BIC: PRTYABMMXXX	
Transaction Reference: LT3ID Transaction Amount: 50 EUR Transaction Credit/Debit Indicator: DBIT Transaction Status: ACCP Settlement timestamp: 15/12/2017 14:00:00 Bank Transaction Code: LQTO ----- Transaction Account Balance: 700 EUR Transaction Account Balance Type: BFTS ----- Transaction Account Balance: 650 EUR Transaction Account Balance Type: FTTS ----- Transaction Amount: 50 EUR Transaction Credit/Debit Indicator: DBIT Transaction Originator BIC: PRTYABMMXXX	Transaction Reference: OrigID2 Transaction Amount: 50 EUR Transaction Credit/Debit Indicator: DBIT Transaction Status: ACCP Settlement timestamp: 15/12/2017 16:30:05 Bank Transaction Code: IPTR ----- Transaction Account Balance: 650 EUR Transaction Account Balance Type: BFTS ----- Transaction Account Balance: 600 EUR Transaction Account Balance Type: FTTS ----- Transaction Amount: 50 EUR Transaction Credit/Debit Indicator: DBIT Transaction Originator BIC: PRTYABMM234	Transaction Reference: OrigID3 Transaction Amount: 120 EUR Transaction Credit/Debit Indicator: CRDT Transaction Status: ACCP Settlement timestamp: 15/12/2017 16:35:05 Bank Transaction Code: IPTR ----- Transaction Account Balance: 600 EUR Transaction Account Balance Type: BFTS ----- Transaction Account Balance: 720 EUR Transaction Account Balance Type: FTTS ----- Transaction Amount: 120 EUR Transaction Credit/Debit Indicator: CRDT Transaction Originator BIC: PRTYDEMMXXX	

2.8.2.1.2 Statement of Accounts – Delta mode

The same assumptions are used in this example as in the above example illustrating the creation of a Statement of Accounts in Full mode.

- The following payment transactions are received and settled in TIPS during the current RTGS business date (15/12/2017).

Figure 120 – Statement of Accounts example: list of transaction (delta mode)



- The period of time configured in the report subscription (scheduled frequency: 3 hours) is elapsed from the last change of RTGS business date (15/12/2017);
- The system takes the snapshot of in-memory balances and downloads transaction data from the database;
- The Basic Report component retrieves the data to be included in the Statement of Accounts.
- The system identifies the Recipient DN from the “Outbound DN-BIC Routing”
(<ou=dept_abc, o=prtyabmmxxx, o=a2anet>);
- The Message Router component sends the following [BankToCustomerStatement](#) message to the Recipient.

Figure 121 – Statement of Accounts example: scheduled frequency n.1

Bank To Customer Statement

Sender DN: <ou=dept_123, o=tipsxepmxxx, o=a2anet>
 Message Identifier: MsgIDRptSoA15121710
 Creation Date Time: 2017-12-15T10:01:00:00Z

Statement Identifier: 1 ----- Account Identification: ACCOUNT1 Account Currency: EUR Account Owner: PRTYABMMXXX	Transaction Reference: OrigID1 Transaction Amount: 200 EUR Transaction Credit/Debit Indicator: DBIT Transaction Status: ACCP Settlement timestamp: 15/12/2017 09:20:05 Bank Transaction Code: IPTR ----- Transaction Account Balance: 500 EUR Transaction Account Balance Type: BFTS ----- Transaction Account Balance: 300 EUR Transaction Account Balance Type: FTTS ----- Transaction Amount: 200 EUR Transaction Credit/Debit Indicator: DBIT Transaction Originator BIC: PRTYABMMXXX
Balance Type: FINL Amount: 300 EUR Credit/Debit Indicator: CRDT RTGS Business date: 15/12/2017	

- As shown in Figure 120, the creation of the report is triggered other three times throughout the current RTGS business day. The last generation is activated by the RTGS business date update in TIPS (16/12/2017). The following messages are sent in chronological order by the Message Router to the Recipient.

Figure 122 – Statement of Accounts example: scheduled frequency n.2

Bank To Customer Statement

Sender DN: <ou=dept_123, o=tipsxepmxxx, o=a2anet>
 Message Identifier: MsgIDRptSoA15121713
 Creation Date Time: 2017-12-15T13:01:00:00Z

Statement Identifier: 1 ----- Account Identification: ACCOUNT1 Account Currency: EUR Account Owner: PRTYABMMXXX	Transaction Reference: LT1ID Transaction Amount: 300 EUR Transaction Credit/Debit Indicator: CRDT Transaction Status: ACCP Settlement timestamp: 15/12/2017 10:20:00 Bank Transaction Code: LQTO ----- Transaction Account Balance: 300 EUR Transaction Account Balance Type: BFTS ----- Transaction Account Balance: 600 EUR Transaction Account Balance Type: FTTS ----- Transaction Amount: 300 EUR Transaction Credit/Debit Indicator: CRDT Transaction Originator BIC: PRTYABMMXXX	Transaction Reference: LT2ID Transaction Amount: 100 EUR Transaction Credit/Debit Indicator: CRDT Transaction Status: ACCP Settlement timestamp: 15/12/2017 11:00:00 Bank Transaction Code: LQTO ----- Transaction Account Balance: 600 EUR Transaction Account Balance Type: BFTS ----- Transaction Account Balance: 700 EUR Transaction Account Balance Type: FTTS ----- Transaction Amount: 100 EUR Transaction Credit/Debit Indicator: CRDT Transaction Originator BIC: PRTYABMMXXX
Balance Type: FINL Amount: 700 EUR Credit/Debit Indicator: CRDT RTGS Business date: 15/12/2017		

Figure 123 – Statement of Accounts example: scheduled frequency n.3

Bank To Customer Statement	
Sender DN: <ou=dept_123, o=tipsxepmxxx, o=a2anet> Message Identifier: MsgIDRptSoA15121716 Creation Date Time: 2017-12-15T16:01:00:00Z	
Statement Identifier: 1 ----- Account Identification: ACCOUNT1 Account Currency: EUR Account Owner: PRTYABMMXXX	Transaction Reference: LT3ID Transaction Amount: 50 EUR Transaction Credit/Debit Indicator: DBIT Transaction Status: ACCP Settlement timestamp: 15/12/2017 14:00:00 Bank Transaction Code: LQTO ----- Transaction Account Balance: 700 EUR Transaction Account Balance Type: BFTS ----- Transaction Account Balance: 650 EUR Transaction Account Balance Type: FTTS ----- Transaction Amount: 50 EUR Transaction Credit/Debit Indicator: DBIT Transaction Originator BIC: PRTYABMMXXX
Balance Type: FINL Amount: 650 EUR Credit/Debit Indicator: CRDT RTGS Business date: 15/12/2017	

Figure 124 – Statement of Accounts example: scheduled frequency n.4

Bank To Customer Statement		
Sender DN: <ou=dept_123, o=tipsxepmxxx, o=a2anet> Message Identifier: MsgIDRptSoA15121719 Creation Date Time: 2017-12-15T19:01:00:00Z		
Statement Identifier: 1 ----- Account Identification: ACCOUNT1 Account Currency: EUR Account Owner: PRTYABMMXXX	Transaction Reference: OrigID2 Transaction Amount: 50 EUR Transaction Credit/Debit Indicator: DBIT Transaction Status: ACCP Settlement timestamp: 15/12/2017 16:30:05 Bank Transaction Code: IPTR ----- Transaction Account Balance: 650 EUR Transaction Account Balance Type: BFTS ----- Transaction Account Balance: 600 EUR Transaction Account Balance Type: FTTS ----- Transaction Amount: 50 EUR Transaction Credit/Debit Indicator: DBIT Transaction Originator BIC: PRTYABMM234	Transaction Reference: OrigID3 Transaction Amount: 120 EUR Transaction Credit/Debit Indicator: CRDT Transaction Status: ACCP Settlement timestamp: 15/12/2017 16:35:05 Bank Transaction Code: IPTR ----- Transaction Account Balance: 600 EUR Transaction Account Balance Type: BFTS ----- Transaction Account Balance: 720 EUR Transaction Account Balance Type: FTTS ----- Transaction Amount: 120 EUR Transaction Credit/Debit Indicator: CRDT Transaction Originator BIC: PRTYDEMMXXX
Balance Type: FINL Amount: 720 EUR Credit/Debit Indicator: CRDT RTGS Business date: 15/12/2017		

2.9. Reference data management

This section focuses on the management of the pieces of information that the user can amend with the functionalities available in TIPS (see Table 15 – Reference data management functions available in TIPS for references). Only the A2A aspects of these operations are described. The U2A details are described in the TIPS User Handbook.

The introductory part of the section presents the general flow, including all the steps, for the single possible operations (block/unblock of TIPS Participant, Account or CMB, update of a CMB Limit).

All the remaining sub-sections contain examples of the possible scenarios for each operation, starting from a successful one and detailing possible failure scenarios. Each example shows the relevant messages and how the main fields are filled.

Block/unblock of TIPS Participant

The process covers the scenarios in which a Central Bank instructs the system in order to immediately block/unblock a TIPS Participant for debiting and/or crediting operations. The involved actor is:

- The Central Bank starting the scenario and receiving the answer.

The involved messages are:

- ~~the~~ [The PartyModificationRequest](#) message in order to request the block/unblock of the TIPS Participant;
- ~~the~~ [The PartyStatusAdvice](#) message in order to report the successful or unsuccessful execution of the requested block/unblock operation.

Block/unblock of Account/CMB

The process covers the scenarios in which a Central Bank instructs the system in order to immediately block/unblock an Account/CMB for debiting and/or crediting operations or a TIPS Participant (possibly through its Instructing Party) instructs the system in order to immediately block/unblock a CMB for debiting and/or crediting operations. The involved actors are:

- ~~the~~ The Central Bank or the TIPS Participant (and possibly its Instructing Party) starting the scenario and receiving the answer.

-

The involved messages are:

- ~~the~~ [AccountExcludedMandateMaintenanceRequest](#) message in order to request the block/unblock of the Account or CMB;
- ~~the~~ [AccountRequestAcknowledgement](#) message in order to report the successful block/unblock operation;
- ~~the~~ [AccountRequestRejection](#) message in order to report the unsuccessful block/unblock operation.

Update of a CMB Limit

The process covers the scenarios in which a TIPS Participant (possibly through its Instructing Party) or a Central Bank instructs the system in order to immediately update a CMB Limit, increasing or decreasing it. The involved actors are:

- The Central Bank or the TIPS Participant (and possibly its Instructing Party) starting the scenario and receiving the answer.

The involved messages are:

- ~~the~~ [ModifyLimit](#) message in order to request the amendment of the CMB Limit;
- ~~the~~ [Receipt](#) message in order to report the successful or unsuccessful execution of the requested [block/unblock/update limit](#) operation.

All the described scenarios are triggered under the assumption that the schema validation, check of mandatory fields and authentication of the user have already been successfully performed by ESMIG.

Below is the diagram describing the process and the involved actors. The details of the steps are described in the following [Table 33 – Block/unblock Participant steps](#), [Table 34 – Block/unblock Account/CMB steps](#) and [Table 35 – Update of a CMB Limit steps](#).

Figure 125 – Reference Data Messages flow




Table 33 – Block/unblock Participant steps

Step	Involved messages	Involved actors	Description
1	PartyModificationRequest	Central Bank as Sender TIPS as receiver	TIPS receives an incoming request for the amendment of a Party (block/unblock Participant for debit/credit or both) from the National Central Bank. Schema validation, check of mandatory fields and authentication checks have already been successfully executed.
2		TIPS	TIPS successfully executes the checks: - Access Rights check ; See 4.1- Business Rules for details.
2e	PartyStatusAdvice	TIPS as sender Central Bank as receiver	TIPS unsuccessfully executes the check of step 2. The system stops and sends a message to the Central Bank – same DN of the Sender – containing the proper error code.
3		TIPS	TIPS successfully executes the checks: - TIPS Participant block/unblock type allowed ; - Party existence ; - Party type allowed . See 4.1- Business Rules for details.
3e	PartyStatusAdvice	TIPS as sender Central Bank as receiver	TIPS unsuccessfully executes one of the checks of step 3. At the first negative check the system stops and sends a message to the Central Bank – same DN of the Sender – containing the proper error code. See 4.1- Business Rules for details.

Step	Involved messages	Involved actors	Description
4		TIPS	<p>TIPS executes the requested operation.</p> <p>If the received message requests to insert a restriction, then:</p> <ul style="list-style-type: none"> - if <u>if</u> the specified Restriction Type is “Block for credit”, the system sets the blocking status to “Blocked for credit” on the specified TIPS Participant data; - if <u>if</u> the specified Restriction Type is “Block for debit”, the system sets the blocking status to “Blocked for debit” on the specified TIPS Participant data; - if <u>if</u> the specified Restriction Type is “Block for both debit and credit”, the system sets the blocking status to “Blocked for both debit and credit” on the specified TIPS Participant data. <p>If the received message requests to remove a restriction:</p> <ul style="list-style-type: none"> - if the removed Restriction Type removed is “Block for credit”, the system sets the blocking status to “Unblocked for credit” on the specified TIPS Participant data; - if the removed Restriction Type is “Block for debit”, the system sets the blocking status to “unblocked for debit” on the specified TIPS Participant data; - if the removed Restriction Type is “Block for both debit and credit”, the system sets the blocking status to “Unblocked for both debit and credit” on the specified TIPS Participant data. the system sets the blocking status to “Blocked for both debit and credit” on the specified TIPS Participant data.
5	PartyStatusAdvice	TIPS as sender Central Bank as receiver	The system sends a message to the Central Bank → <u>→</u> same DN of the Sender → <u>→</u> containing the proper information of successful execution.

Table 34 – Block/unblock Account/CMB steps

Step	Involved messages	Involved actors	Description
1	AccountExcludedMandateMaintenanceRequest	Central Bank or TIPS Participant/Instructing Party as Sender TIPS as receiver	<p>TIPS receives an incoming request for the amendment of an Account (block/unblock Account for debit/credit or both) from the National Central Bank or amendment of an CMB (block/unblock CMB for debit/credit or both) from the TIPS Participant (possibly through its Instructing Party) or National Central Bank.</p> <p>Schema validation, check of mandatory fields and authentication checks have already been successfully executed.</p>

Step	Involved messages	Involved actors	Description
2		TIPS	TIPS successfully executes the following check: - Access Rights check . See 4.1- Business Rules for details.
2e	AccountRequestRejection	TIPS as sender Central Bank or TIPS Participant/Instructing Party as receiver	TIPS unsuccessfully executes the check of step 2. The system stops and sends a message to the Sender containing the proper error code.
3		TIPS	TIPS successfully executes the checks: - Account/CMB block/unblock type allowed ; - Account/CMB existence ; - Currency of the Account/CMB . <i>User allowed to block/unblock operation;</i> <i>-Related Participant or related Account with higher priority unblocked</i> See 4.1- Business Rules for details.
3e	AccountRequestRejection	TIPS as sender Central Bank or TIPS Participant/Instructing Party as receiver	TIPS unsuccessfully executes one of the checks of step 3. At the first negative check the system stops and sends a message to the Sender containing the proper error code. See 4.1- Business Rules for details.

Step	Involved messages	Involved actors	Description
4		TIPS	<p>TIPS executes the requested operation.</p> <p>If the received message requests to insert a restriction and :</p> <ul style="list-style-type: none"> - if the specified Restriction Type is “Block for credit”, the system sets the blocking status to “Blocked for credit” on the specified Account or CMB data; - #-if the specified Restriction Type is “Block for debit”, the system sets the blocking status to “Blocked for debit” on the specified Account or CMB data; - if-#if the specified Restriction Type is “Block for both debit and credit”, the system sets the blocking status to “Blocked for both debit and credit” on the specified Account or CMB data. <p>If the received message requests to remove a restriction:</p> <ul style="list-style-type: none"> - if the removed Restriction Type is “Block for credit”, the system sets the blocking status to “Unblocked for credit” on the specified Account or CMB data; - if the removed Restriction Type is “Block for debit”, the system sets the blocking status to “Unblocked for debit” on the specified Account or CMB data; - if the removed Restriction Type is “Block for both debit and credit”, the system sets the blocking status to “Unblocked for both debit and credit” on the specified Account or CMB data.
5	AccountRequestAcknowledgement	TIPS as sender Central Bank or TIPS Participant/Instructing Party as receiver	The system sends a message to the DN of the Sender containing the proper information of successful execution.

Table 35 – Update of a CMB Limit steps

Step	Involved messages	Involved actors	Description
1	ModifyLimit	Central Bank or TIPS Participant/Instructing Party as Sender TIPS as receiver	TIPS receives an incoming request for the amendment of a CMB Limit from the TIPS Participant (possibly through its Instructing Party) or National Central Bank. Schema validation, check of mandatory fields and authentication checks have already been successfully executed.

Step	Involved messages	Involved actors	Description
2		TIPS	TIPS successfully executes the checks: - Access Rights check ; See 4.1- Business Rules for details.
2e	Receipt	TIPS as sender Central Bank or TIPS Participant/Instructing Party as receiver	TIPS unsuccessfully executes the check of step 2. The system stops and sends a message to the Sender containing the proper error code.
3		TIPS	TIPS successfully executes the checks: - CMB existence ; - User allowed to change Limit . See 4.1- Business Rules for details.
3e	Receipt	TIPS as sender Central Bank or TIPS Participant/Instructing Party as receiver	TIPS unsuccessfully executes one of the checks of step 3. At the first negative check the system stops and sends a message to the Sender containing the proper error code. See 4.1- Business Rules for details.


Step	Involved messages	Involved actors	Description
4		TIPS	<p>TIPS executes the requested operation, setting the new limit to the requested new value and adjusting the headroom accordingly.</p> <p>If the received message requests to insert a restriction and:</p> <p>if the specified Restriction Type is “Block for credit”, the system sets the blocking status to “Blocked for credit” on the specified Account or CMB data;</p> <p>if the specified Restriction Type is “Block for debit”, the system sets the blocking status to “Blocked for debit” on the specified Account or CMB data;</p> <p>if the specified Restriction Type is “Block for both debit and credit”, the system sets the blocking status to “Blocked for both debit and credit” on the specified Account or CMB data.</p> <p>If the received message requests to remove a restriction:</p> <p>the system sets the blocking status to “Blocked for both debit and credit” on the specified Account or CMB data.</p>
5	Receipt	<p>TIPS as sender</p> <p>Central Bank or TIPS Participant/Instructing Party as receiver</p>	<p>The system sends a message to the DN of the Sender containing the proper information of successful execution.</p>

2.9.1. Examples

This sub-section presents a non-exhaustive list of -examples of the possible scenarios related to the Reference data management in A2A mode for each kind of operation. Scenarios and examples are not exhaustive.

The below table summarises, for each reference data object mentioned in the following examples, the related configuration.

Figure 126 – Reference Data Management examples: data constellation




2.9.1.1.1 Successful scenario – Block of a participant

In this positive scenario a Central Bank successfully blocks for debit a TIPS Participant. “Scenario 1” (white in the above table) is considered.

~~No errors occur.~~ The [PartyModificationRequest](#) message received by TIPS and triggering the scenario looks like the following one:

Figure 127 – Block of a TIPS Participant successful scenario: PartyModificationRequest



The system, after performing the expected checks successfully, performs the requested amendment:


- it identifies the TIPS Participant from the Related Party Identification (PRTYXXMMXXX);
- ~~it~~ identifies the type of block to be performed from the Restriction Type;
- ~~it~~ amends the TIPS Participant reporting the requested type of block.

Figure 128 – TIPS Participant blocked for debiting

PARTY		
BIC	TYPE	BLOCKING STATUS
NCB1XXCBXXX	NCB	Unblocked
PRTYXXMMXXX	TIPS Participant	Blocked for debiting

After the amendment, TIPS sends a confirmation message to the Central Bank sending the request. The [PartyStatusAdvice](#) message sent by TIPS and triggering the scenario looks like the following one.

Figure 129 – Block of a TIPS Participant successful scenario: PartyStatusAdvice




2.9.1.1.2 Successful scenario – Unblock of a participant

In this positive scenario a Central Bank successfully unblocks a TIPS Participant. “Scenario 1” (highlighted in white in [Figure 126 – Reference Data Management examples: data constellation in the above table](#)) is considered.

No errors occur. The [PartyModificationRequest](#) message received by TIPS and triggering the scenario looks like the following one:

Figure 130 – Unblock of a TIPS Participant successful scenario: PartyModificationRequest



The system, after performing the expected checks successfully, performs the requested amendment:


- It identifies the TIPS Participant from the Related Party Identification (PRTYXXMMXXX);
- ~~It~~ identifies the type of block to be performed from the Restriction Type;
- ~~It~~ amends the TIPS Participant setting the party as unblocked.

Figure 131 – TIPS Participant unblocked

PARTY		
BIC	TYPE	BLOCKING STATUS
NCB1XXCBXXX	NCB	Unblocked
PRTYXXMMXXX	TIPS Participant	Unblocked

After the amendment, TIPS sends a confirmation message to the Central Bank sending the request. The [PartyStatusAdvice](#) message sent by TIPS and triggering the scenario looks like the following one:

Figure 132 – Unblock of a TIPS Participant successful scenario: PartyStatusAdvice




2.9.1.1.3 Unsuccessful scenario – Party not existing

In this negative scenario a Central Bank sends a message for blocking a TIPS Participant but the specified BIC does not match with a Participant in the TIPS reference data. “Scenario 1” ([highlighted in white in Figure 126 – Reference Data Management examples: data constellation](#)~~the above table~~) is considered.


In this case, the system rejects the request since the referenced party does not exist. The [PartyModificationRequest](#) message received by TIPS and triggering the scenario looks like the following one:

Figure 133 – Block of a TIPS Participant unsuccessful scenario: PartyModificationRequest



The system, when performing the expected checks, cannot find the referenced TIPS Participant and returns the related message. The [PartyStatusAdvice](#) message sent by TIPS and triggering the scenario looks like the following one:

Figure 134 – Block of a TIPS Participant successful scenario: PartyStatusAdvice




2.9.1.1.4 Successful scenario – block of a CMB

In this positive scenario a TIPS Participant successfully blocks for both credit and debit a CMB. “Scenario 2” (highlighted in yellow in [Figure 126 – Reference Data Management examples: data constellation](#) the above table) is considered.

No errors occur. The [AccountExcludedMandateMaintenanceRequest](#) message received by TIPS and triggering the scenario looks like the following one.:

Figure 135 – Block of a CMB successful scenario: AccountExcludedMandateMaintenanceRequest



The system, after performing the expected checks successfully, performs the requested amendment:


- [lit](#) identifies the CMB from the Account Identification;
- [lit](#) identifies the type of block to be performed from the Restriction Type Code;
- [lit](#) amends the CMB setting the requested type of block.

Figure 136 – CMB blocked for both credit and debit

CMB			
CMB	ACCOUNT	TIPS PARTICIPANT	BLOCKING STATUS
CMBA	ACCOUNTA	PRTYXXMM234	Blocked for credit and debit

After the amendment, TIPS sends a confirmation message to the TIPS Participant or Instructing Party sending the request. The [AccountRequestAcknowledgement](#) message sent by TIPS and triggering the scenario looks like the following one.:

Figure 137 – Block of a CMB successful scenario: AccountRequestAcknowledgement




2.9.1.1.5 Successful scenario – unblock of an Account

In this positive scenario a Central Bank successfully unblocks an Account. “Scenario 1” and “Scenario 2” ([highlighted in white and yellow in Figure 126 – Reference Data Management examples: data constellation the above table](#)) are considered.

No errors occur. The [AccountExcludedMandateMaintenanceRequest](#) message received by TIPS and triggering the scenario looks like the following one.:

**Figure 138 – Unblock of an Account successful scenario:
AccountExcludedMandateMaintenanceRequest**



The system, after performing the expected checks successfully, ~~performs~~ applies the requested amendment:


- ~~it~~ identifies the Account from the Account Identification;
- ~~it~~ It amends the Account setting it as unblocked.

Figure 139 – Account unblocked

CASH ACCOUNT		
ACCOUNT	TIPS PARTICIPANT	BLOCKING STATUS
ACCOUNTB	PRTYXXMMXXX	Unblocked

After the amendment, TIPS sends a confirmation message to the TIPS Participant ~~or~~ instructing ~~pParty~~ sending the request. The AccountRequestAcknowledgement message sent by TIPS and triggering the scenario looks like the following one:

Figure 140 – Unblock of an Account successful scenario: AccountRequestAcknowledgement




2.9.1.1.6 Unsuccessful scenario – Restriction type not allowed

In this negative scenario a TIPS Participant sends a message for blocking a CMB. The message contains a wrong reference to the type of blocking operation and an error is raised and notified. “Scenario 2” (highlighted in yellow in [Figure 126 – Reference Data Management examples: data constellation](#) the above table) is considered.


The [AccountExcludedMandateMaintenanceRequest](#) message received by TIPS and triggering the scenario looks like the following one:

**Figure 141 – Block of a CMB unsuccessful scenario:
AccountExcludedMandateMaintenanceRequest**



The system, performing the expected checks, cannot identify the requested block and raises the error. TIPS notifies the error with a rejection message to the TIPS Participant sending the request. The [AccountRequestRejection](#) message sent by TIPS and triggering the scenario looks like the following one.

Figure 142 – Block of a CMB unsuccessful scenario: AccountRequestRejection



2.9.1.1.7 Successful scenario – Decrease of a CMB Limit

In this positive scenario a TIPS Participant successfully decreases the CMB Limit of a CMB under its data_scope. “Scenario 2” (highlighted in yellow in [Figure 126 – Reference Data Management examples: data constellation](#) the above table) is considered.

~~No errors occur.~~ The CMB Headroom is amended accordingly.

The [ModifyLimit](#) message received by TIPS and triggering the scenario looks like the following one:

Figure 143 – Decrease of a CMB Limit successful scenario ModifyLimit



The system, after performing the expected checks successfully, performs the requested amendment:


- ~~It~~ sets the new Limit for the CMB to 800.00 €; EUR;
- ~~It~~ amends the CMB Headroom decreasing it ~~of-by~~ the difference ~~from-between~~ the old limit value and the new limit value. In this example, the ~~Headroom-headroom~~ of the CMB is 600.00 € EUR and must be adjusted of 200.00 EUR (old limit 1,000.00 € EUR -- -- new limit 800.00 €) EUR reaching the final value of 400.00 € EUR.

Figure 144 – CMB successful decrease of Limit

CMB change of limit				
CMB	OLD LIMIT	NEW LIMIT	OLD HEADROOM	NEW HEADROOM
CMBA	1.000€	800€	600€	400€

After the amendment, TIPS sends a confirmation message to the TIPS Participant or Instructing pParty sending the request. The Receipt message sent by TIPS and triggering the scenario looks like the following one.:

Figure 145 ~~144150~~ -- Decrease of a CMB Limit successful scenario: Receipt




2.9.1.1.8 Unsuccessful scenario – User not allowed to change the Limit

In this negative scenario a TIPS Participant tries to decrease the CMB Limit of a CMB that does not fall under its data_scope. “Scenario 2” (highlighted in yellow in Figure 126 – Reference Data Management examples: data constellation~~the above table~~) is considered.

The system rejects the request and no actions are executed on the CMB.

The ModifyLimit message received by TIPS and triggering the scenario looks like the following one.:

Figure 146145151 – Decrease of a CMB Limit unsuccessful scenario ModifyLimit



The system, performing the expected checks, verifies that the Account Owner is not correctly reported and it is not the owner of the CMB to be modified.

In this case, the system returns an error and sends a confirmation message to the TIPS Participant sending the request. The [Receipt](#) message sent by TIPS and triggering the scenario looks like the following one:

Figure 147146152 – Decrease of a CMB Limit unsuccessful scenario: Receipt



2.10. Raw data extraction

3. Catalogue of messages

This section aims at describing the detailed specifications of the A2A messaging resources used in TIPS.

It is the reference guide for business readers checking the adherence to the schema and completeness of information to cover the business needs.

Together with published XSD schemas, it is the reference guide for developing software components interacting with TIPS.

All of the messages are registered in ISO_20022 standards or have been submitted to the Registration Authority for starting the registration process.

3.1. Introduction

Following ISO_20022 business domains classification, messages from four different domains are used to cover the different business scenarios:

- Payments Clearing and Settlement
- Cash Management
- Account Management
- Reference Data
- _____

Payments Clearing and Settlement messages are used to adhere with SEPA SCT Inst rulebook and Interbank Guidelines. The description includes the related Data Source reference when available.

Cash Management messages are used to provide complete coverage for SEPA SCT Inst investigation and recall processes [as specified by the EPC SCT Inst Scheme](#) and to let users instruct liquidity transfers, query TIPS Accounts and CMBs balances and modify CMB limits.

Account Management messages are used to let users change the blocking status for TIPS Accounts.

Reference Data messages are used to let Central Banks change the blocking status for a TIPS Participant.

3.2. General information

A2A Interactions with TIPS are based on XML ISO_20022 standards as described in the EPC SEPA Inst Scheme.

The processing of the incoming XML messages is performed in different steps described in the following chapters, which are not necessarily under TIPS responsibility.

3.2.1. Message signing

The message signature is handled in the ESMIG TIPS plug-in component.

After successful validation, the ESMIG TIPS plug-in passes on to TIPS Message Router pieces of information that will be stored within TIPS repository, including sender's information and signature and technical network parameters, that would be required for NRO purposes.

No further processing but storing is performed in TIPS with such pieces of information.

3.2.2. Technical validation

Technical validation of incoming TIPS messages is performed in two different steps:

- 1) Schema validation
- 2) Additional technical validation

3) ~~2)~~

Both steps are performed within the ESMIG component.

The schema validation is performed using standard parser components. Every message is validated against the published XSD subset for TIPS.

The additional technical validation include all of the checks which cannot be done in the schema validation with an automated parsing process (e.g. cross fields validation). They are performed only for messages which have passed the schema validation.

The type and quantity of the checks performed, vary depending on the message type and on the SEPA SCT Inst or ISO message constraints.

Rejection occurring for both schema validation and additional technical validation check is reported in the same way, that is with the same message type.

3.2.3. Supported Character Set

Following the SEPA Instant Credit Transfer specifications, the allowed character set is restricted to support the Latin characters which are commonly used in international communication.

The complete list is as follows:

abcdefghijklmnopqrstuvwxyz
 ABCDEFGHIJKLMNOPQRSTUVWXYZ
 0123456789
 /-?:().,'+

As additional rules, it is required that references, identifications and identifiers must not start or end with- '/' or contain '//'.
 /

3.3. Messages usage

3.3.1. List of messages

In the following table, messages are grouped by ISO_20022 business domain.

Table 36 – List of messages

ISO Message	Message Name	Scenario
<u>Payments Clearing and Settlement</u>		
pacs.002.001.03	FIToFIPaymentStatusReport	Settlement of Instant Payments transactions Settlement of Recall Investigation
pacs.004.001.02	PaymentReturn	Settlement of Recall
pacs.008.001.02	FIToFICustomerCreditTransfer	Settlement of Instant Payments transactions
pacs.028.001.01	FIToFIPaymentStatusRequest	Investigation
<u>Cash Management</u>		
camt.003.001.06	GetAccount	Reports and queries
camt.004.001.07	ReturnAccount	Settlement of Instant Payments transactions Liquidity Management Reports and queries

ISO Message	Message Name	Scenario
camt.011.001.06	ModifyLimit	Reference data maintenance
camt.019.001.06	ReturnBusinessDayInformation	Reports and queries
camt.025.001.04	Receipt	Liquidity Management Reference data maintenance
camt.029.001.03	ResolutionOfInvestigation	Recall
camt.050.001.04	LiquidityCreditTransfer	Liquidity Management
camt.052.001.03	BankToCustomerAccountReport	Reports and queries
camt.053.001.03	BankToCustomerStatement	Reports and queries
camt.054.001.06	BankToCustomerDebitCreditNotification	Liquidity Management
camt.056.001.01	FIToFIPaymentCancellationRequest	Recall
<u>Account Management (acmt)</u>		
acmt.010.001.02	AccountRequestAcknowledgement	Reference Data management
acmt.011.001.02	AccountRequestRejection	Reference Data management
acmt.015.001.02	AccountExcludedMandateMaintenanceRequest	Reference Data management
<u>Reference Data (reda)</u>		
reda.016.001.01	PartyStatusAdviceV01	Reference Data management
reda.022.001.01	PartyModificationRequestV01	Reference Data management

3.3.2. Messages description

3.3.2.1. Payments Clearing and Settlement

3.3.2.1.1 FIToFIPaymentStatusReportV03 (pacs.002.001.03)

The FIToFIPaymentStatusReport message is used in several business cases

1. It is sent by TIPS to the Originator Participant to report a rejection for a pacs.008 transaction
2. It is sent by the Beneficiary Participant or Instructing Party to TIPS to report the processing result of a pacs.008 sent by TIPS upon request of an Originator Participant.
3. The message as received by the Beneficiary Participant is forwarded to the Originator Participant
4. It is sent by TIPS to the Beneficiary Participant as a confirmation for processing of the pacs.002 received from the Beneficiary Participant itself.
5. It is sent by TIPS to the Originator Participant after a Status Investigation request
6. It is sent by TIPS to either the Originator Participant or the Beneficiary Participant in case of errors (e.g. to Beneficiary Participant in response to a delayed positive confirmation, in case of timeout condition triggered by TIPS)
6. It is sent by TIPS to the sender of the Recall Answer in case of errors (e.g. not sufficient funds to settle the positive recall or validation error related to the Recall Answer).
- 7.

~~Additionally, It is sent by TIPS to the requestor upon a Payment Transaction Status Query. This business case is detailed in a separate table.~~

Message specification is compliant to EPC DS-03 Confirmation Message as described in the SEPA Instant Credit Transfer scheme Rulebook.

Description of the fields for DS-03 Dataset vs pacs.002.001.03

Table 37 – Description of the fields for DS-03 Dataset vs pacs.002.001.03

EPC Reference	Reference Name	EPC/ISO Description	XML path	Mandatory	TIPS Usage
n/a	Message Identification	The Identification of the message.	FIToFIPmtStsRpt/GrpHdr/MsgId	Yes	Only schema validation is performed.
n/a	Creation Date Time	Date and time at which the message was created.	FIToFIPmtStsRpt/GrpHdr/CreDtTm	Yes	Only schema validation is performed.
n/a	Instructing Agent	Agent that instructs the next party in the chain to carry out the instruction.	FIToFIPmtStsRpt/GrpHdr/InstgAgt	No	Only schema validation is performed.
n/a	Instructed Agent	Agent that is instructed by the previous party in the chain to carry out the instruction.	FIToFIPmtStsRpt/GrpHdr/InstdAgt	No	Only schema validation is performed.

EPC Reference	Reference Name	EPC/ISO Description	XML path	Mandatory	TIPS Usage
n/a	Original Message Identification	Message Identification of the originating message	FItoFIPmtStsRpt/OrgnlGrpInfAndSts/OrgnlMsgld	Yes	<p>This field matches with the Identification of the original message.</p> <p>Business cases 1,2,3: FItoFICstmrCdtTrf/GrpHdr/Msgld</p> <p>Business case 4: FItoFIPmtStsRpt/GrpHdr/Msgld</p> <p>Business case 5: FItoFIPmtStsReq/GrpHdr/Msgld</p>
n/a	Original Message Name Identification	Message identifier of the originating message	FItoFIPmtStsRpt/OrgnlGrpInfAndSts/OrgnlMsgNmId	Yes	<p>Scenario-Business cases 1, 2,3 : pacs.008.001.02</p> <p>Scenario-Business case 4: pacs.002.001.03</p> <p>Scenario-Business case 5: pacs.028.001.01</p>
AT-R1	Group Status Transaction Status	The type of "R" message	<p>FItoFIPmtStsRpt/OrgnlGrpInfAndSts/GrpSts</p> <p>FItoFIPmtStsRpt/TxInfAndSts/TxSts</p>	No	<p>This field is used for negative confirmation message only.</p> <p>Either Group Status or Transaction Status must be used.</p> <p>If incoming pacs.002 from beneficiary does not include any status or both are filled in, connected payment transaction will be rejected by TIPS.</p> <p>In outgoing pacs.002 messages produced by TIPS, Group Status will be used for positive confirmation while Transaction Status will be included for negative acknowledgements,</p>
AT-R3	Reason	The reason code for non-acceptance of the SCT Inst Transaction	FItoFIPmtStsRpt/OrgnlGrpInfAndSts/StsRsnInf/Rsn/Cd	No	This field is used for negative confirmation message only.
n/a	Transaction Information And Status	Information concerning the original transactions, to which the status report message refers.	FItoFIPmtStsRpt/TxInfAndSts	No	Only one occurrence is allowed

EPC Reference	Reference Name	EPC/ISO Description	XML path	Mandatory	TIPS Usage
AT-R4 AT-51	Status Identification	The specific reference of the party initiating the Reject	FIToFIPmtStsRpt/TxInfAndSts/StsId	Yes	For positive confirmation it is the AT-51. For negative confirmation it is the AT-R4
n/a	Original Instruction Identification	Unique identification, as assigned by the original instructing party for the original instructed party.	FIToFIPmtStsRpt/TxInfAndSts/OrgnlInstrId	No	Only schema validation is performed.
AT-41	Original End To End Identification	The Originator's reference of the SCT Inst Transaction	FIToFIPmtStsRpt/TxInfAndSts/OrgnlEndToEndId	Yes	Only schema validation is performed.
AT-43	Original Transaction Identification	The Originator Bank's reference number of the SCT Inst Transaction message	FIToFIPmtStsRpt/TxInfAndSts/OrgnlTxId	Yes	
AT-R2	Originator	The Identification of the type of party initiating the "R" message	FIToFIPmtStsRpt/OrgnlGrpInfAndSts/StsRsnInf/Orgtr FIToFIPmtStsRpt/TxInfAndSts/StsRsnInf/Orgtr	No	These fields are used for negative confirmation message only.
AT-R3	Reason	The reason code for non-acceptance of the SCT Inst Transaction	FIToFIPmtStsRpt/TxInfAndSts/StsRsnInf/Rsn/Cd	No	This field is used for negative confirmation message only.
AT-50	Acceptance Timestamp	Time Stamp of the SCT Inst Transaction	FIToFIPmtStsRpt/TxInfAndSts/AcceptncDtTmFIToFIPmtStsRpt/TxInfAndSts/CdtTrfTxInf/AcceptncDtTm	Yes	Only schema validation is performed.
n/a	Original Transaction Reference	Set of key elements used to identify the original transaction that is being referred to.	FIToFIPmtStsRpt/TxInfAndSts/OrgnlTxRef	Yes	Only schema validation is performed.
AT-40	Scheme Identification Code	The identification code of the SCT Inst Scheme	FIToFIPmtStsRpt/TxInfAndSts/OrgnlTxRef/PmtTpInf/SvcLvl/Cd FIToFIPmtStsRpt/TxInfAndSts/OrgnlTxRef/PmtTpInf/LclInstrm/Cd	Yes	Possible values are checked within schema validation.
AT-45	Category Purpose	The category purpose of the SCT Inst Instruction	FIToFIPmtStsRpt/TxInfAndSts/OrgnlTxRef/PmtTpInf/CtgyPurp	No	Only schema validation is performed.
AT-06	Originator BIC	The BIC code of the Originator Bank	FIToFIPmtStsRpt/TxInfAndSts/OrgnlTxRef/DbtrAgnt/FinInstnId/BIC	Yes	

Payment Transaction Status query response

Table 38 – Payment Transaction Status query response

Field Name	Description	XML-path	Mandatory	TIPS Usage
Message Identifier	Identification of the message	FIToFIPmtStsRpt/GrpHdr/MsgId	Yes	

Field Name	Description	XML-path	Mandatory	TIPS Usage
Creation Date Time	Date and time at which the message was created.	FItoFIPmtStsRpt/GrpHdr/CreDtTm	Yes	
Original Query Identifier	Identification of the query message originating the response	FItoFIPmtStsRpt/OrgnlGrpInfAndSts/OrgnlMsgId	Yes	
Original Message Identification	Message identifier of the originating message	FItoFIPmtStsRpt/OrgnlGrpInfAndSts/OrgnlMsgNmId	Yes	This field is filled with "pacs.028.001.01"
Originator BIC	The BIC code of the Originator Bank	FItoFIPmtStsRpt/TxInfAndSts/OrgnlTxRef/DbtrAgt/FinInstnId/BIC	Yes	
Beneficiary BIC	The BIC code of the Beneficiary Bank	FItoFIPmtStsRpt/TxInfAndSts/OrgnlTxRef/CdtrAgt/FinInstnId/BIC	Yes	
Payment Transaction Reference	The Originator Bank's reference number of the SCT Inst Transaction message	FItoFIPmtStsRpt/TxInfAndSts/OrgnlTxId	Yes	
Payment Transaction Status	Status of the SCT Inst Transaction message	FItoFIPmtStsRpt/TxInfAndSts/TxSts	Yes	
Payment Transaction Amount	Amount of the SCT Inst Transaction message	FItoFIPmtStsRpt/TxInfAndSts/OrgnlTxRef/IntrBkSttlmAmt	No	This field is not filled when the transaction is not retrieved
Settlement Timestamp	Date and time at which the SCT Inst instruction was settled.	FItoFIPmtStsRpt/OrgnlGrpInfAndSts/TxInfAndSts/StsRsnInf/Adtllnfnf	No	This field reports the settlement timestamp only if the payment transaction has been settled.

3.3.2.1.2 -PaymentReturn (pacs.004.001.02)

The PaymentReturn message is sent by the Assignee [PSP Participant](#) as a confirmation for a Recall instructed by the Assigner [PSP Participant](#).

After processing the request, TIPS forwards the ~~the~~ PaymentReturn message to the Assigner [PSP Participant](#) who formerly instructed the Recall and sends a PaymentStatusReport message to the Assignee [PSP Participant](#).

Message specification is compliant to EPC DS-036 [Confirmation Message Answer to a Recall of an SCT Inst Dataset](#) as described in the SEPA Instant Credit Transfer scheme Rulebook.

Description of the fields for DS-06 Dataset vs pacs.004.001.02

Table 38 – Description of the fields for DS-06 Dataset vs pacs.004.001.02

EPC Reference	Reference Name	EPC/ISO Description	XML path	Mandatory	TIPS Usage
n/a	Message Identification	The Identification of the message.	PmtRtr/GrpHdr/MsgId	Yes	Only schema validation is performed.
n/a	Creation Date Time	Date and time at which the message was created.	PmtRtr/GrpHdr/CreDtTm	Yes	Only schema validation is performed.
n/a	Number Of Transactions	Number of individual transactions contained in the message.	PmtRtr/GrpHdr/NbOfTxs	Yes	TIPS supports only one transaction per message. If this field is not "1", message will be rejected.
n/a	Total Returned Interbank Settlement Amount	Total amount of money moved.	PmtRtr/GrpHdr/TtlRtrdntRkStlmAmt	Yes	Only schema validation is performed.
AT-R7	Interbank Settlement Date	The Settlement Date for the positive answer to the Recall	PmtRtr/GrpHdr/IntrBkStlmDt	Yes	Only schema validation is performed.
n/a	Settlement Method	Method used to settle the Instant Payment Transaction.	PmtRtr/GrpHdr/StlmInf/StlmMtd	Yes	Possible values are checked within schema validation.
n/a	Settlement Account	A specific purpose account used to post debit and credit entries as a result of the transaction.	PmtRtr/GrpHdr/StlmInf/StlmAcct	No	Only schema validation is performed.
n/a	Clearing System	Specification of a pre-agreed offering between clearing agents or the channel through which the Instant Payment Transaction is processed.	PmtRtr/GrpHdr/StlmInf/ClrSys	No	Only schema validation is performed.
n/a	Instructing Agent	Agent that instructs the next party in the chain to carry out the instruction.	PmtRtr/GrpHdr/InstgAgt	No	Only schema validation is performed.
n/a	Instructed Agent	Agent that is instructed by the previous party in the chain to carry out the instruction.	PmtRtr/GrpHdr/InstdAgt	No	Only schema validation is performed.
n/a	Original Group Information	Information concerning the original group of transactions, to which the message refers.	PmtRtr/OrgnlGrpInf	No	Sub-elements of 'Original Group Information' must be present in either 'Original Group Information' or in 'Transaction Information'. If any of these sub-elements is included in both components, message will be rejected.

EPC Reference	Reference Name	EPC/ISO Description	XML path	Mand.	TIPS Usage
n/a	Original Group Information + Original Message Identification	Point to point reference, as assigned by the original instructing party, to unambiguously identify the original message.	PmtRtr/OrgnlGrpInf/OrgnlMsgId	Yes	This information must be present in either 'Original Group Information' or in 'Transaction Information'. If it is included in both components, message will be rejected.
n/a	Original Group Information + Original Message Name - Identification	Specifies the original message name identifier to which the message refers.	PmtRtr/OrgnlGrpInf/OrgnlMsgNmId	Yes	This information must be present in either 'Original Group Information' or in 'Transaction Information'. If it is included in both components, message will be rejected.
n/a	Transaction Information	Information concerning the original transactions, to which the return message refers.	PmtRtr/TxInf	Yes	TIPS supports only one transaction per message. If more than one Transaction Information block is included, message will be rejected.
n/a	Return Identification	Unique identification, as assigned by an instructing party for an instructed party, to unambiguously identify the returned transaction.	PmtRtr/TxInf/RtrId	Yes	Only schema validation is performed.
n/a	Transaction Information + Original Group Information	Information concerning the original group of transactions, to which the message refers.	PmtRtr/TxInf/OrgnlGrpInf	No	Sub-elements of 'Original Group Information' must be present in either 'Original Group Information' or in 'Transaction Information'. If any of these sub-elements is included in both components, message will be rejected.
n/a	Transaction Information + Original Group Information ++ Original Message Identification	Point to point reference, as assigned by the original instructing party, to unambiguously identify the original message.	PmtRtr/TxInf/OrgnlGrpInf/OrgnlMsgId	Yes	This information must be present in either 'Original Group Information' or in 'Transaction Information'. If it is included in both components, message will be rejected.

EPC Reference	Reference Name	EPC/ISO Description	XML path	Mand.	TIPS Usage
n/a	Transaction Information + Original Group Information ++ Original Message Name Identification	Specifies the original message name identifier to which the message refers.	PmtRtr/TxInf/OrgnlGrpInf/OrgnlMsgNmId	Yes	This information must be present in either 'Original Group Information' or in 'Transaction Information'. If it is included in both components, message will be rejected.
n/a	Original Instruction Identification	Unique identification, as assigned by the original instructing party for the original instructed party, to unambiguously identify the original instruction.	PmtRtr/TxInf/OrgnlInstrId	No	<u>It is mandatory if provided in the original transaction.</u> Only schema validation is performed.
AT-41	Original End To End Identification	The Originator's reference of the SCT Inst Instruction.	PmtRtr/TxInf/OrgnlEndT oEndId	Yes	Only schema validation is performed.
AT-43	Original Transaction Identification	The Originator Bank's reference of the SCT Inst Transaction message.	PmtRtr/TxInf/OrgnlTxId	Yes	Only schema validation is performed.
AT-04	Original Interbank Settlement Amount	The amount of the SCT Inst in euro.	PmtRtr/TxInf/OrgnlIntrBk SttlmAmt	Yes	Only schema validation is performed.
AT-46	Returned Interbank Settlement Amount	The returned amount of the positive answer to the Recall in euro	PmtRtr/TxInf/RtrdIntrBkS ttlmAmt	Yes	Amount to be settled in TIPS.
n/a	Returned Instructed Amount	Amount of money to be moved between the debtor and the creditor, before deduction of charges, in the returned transaction.	PmtRtr/TxInf/RtrdInstdA mt	No	Only schema validation is performed.
n/a	Charge Bearer	Specifies which party/parties will bear the charges associated with the processing of the payment transaction.	PmtRtr/TxInf/ChrgBr	No	Only schema validation is performed.
AT-47	Charges Information + Amount	The fee for the positive answer to a Recall in euro (optional)	PmtRtr/TxInf/ChrgsInf/A mt	No	It is mandatory if Charges Information component is included. Only schema validation is performed.
AT-23	Charges Information + Party ++ Financial Institution Identification	The BIC code of the Beneficiary Bank.	<u>PmtRtr/TxInf/ChrgsInf/Pt y/FinInstnIdPmtRtr/TxInf/ ChrgsInf/Amt</u>	No	It is mandatory if Charges Information component is included. Only schema validation is performed.
n/a	Transaction Information + Instructing Agent	Agent that instructs the next party in the chain to carry out the instruction.	PmtRtr/TxInf/InstgAgnt	No	Only schema validation is performed.
n/a	Transaction Information + Instructed Agent	Agent that is instructed by the previous party in the chain to carry out the instruction.	PmtRtr/TxInf/InstdAgnt	No	Only schema validation is performed.
AT-R1		The type of "R" message			

EPC Reference	Reference Name	EPC/ISO Description	XML path	Mand.	TIPS Usage
AT-R2	Return Reason Information + Originator	The Identification of the type of party initiating the "R" message	PmtRtr/TxInf/RtrRsnInf/OrgId/OrgId/BICOrBEI	Yes	Only schema validation is performed.
AT-R3	Return Reason Information + Reason ++ Reason	The reason code for non-acceptance of the SCT Inst.	PmtRtr/TxInf/RtrRsnInf/Rsn/CdPmtRtr/TxInf/RtrRsnInf/Rsn	Yes	Only schema validation is performed.
AT-R6	Return Reason Information + Additional Information	The specific reference of the bank initiating the Recall	PmtRtr/TxInf/RtrRsnInf/AdtdInf	Yes	TIPS uses this field for the duplicate check.
AT-42	Interbank Settlement Date	The Settlement Date of the SCT Inst Transaction.	PmtRtr/TxInf/OrgnTxRef/IntrBkSttlmDt	No	Only schema validation is performed.
n/a	Settlement Information	Specifies the details on how the settlement of the original transaction between the instructing agent and the instructed agent was completed.	PmtRtr/TxInf/OrgnTxRef/SttlmInf	No	Only schema validation is performed.
AT-40	Scheme Identification Code	The identification code of the SCT Inst Scheme	PmtRtr/TxInf/OrgnTxRef/PmtTplnf/SvcLv/Cd PmtRtr/TxInf/OrgnTxRef/PmtTplnf/LclInstrm/Cd	No	Only schema validation is performed.
AT-45	Category Purpose	The category purpose of the SCT Inst Instruction.	PmtRtr/TxInf/OrgnTxRef/PmtTplnf/CtgyPurp	No	Only schema validation is performed.
AT-05	Remittance Information	The Remittance information.	PmtRtr/TxInf/OrgnTxRef/RmtInf	No	Only schema validation is performed.
AT-08	Ultimate Debtor + Name	The name of the Originator Reference Party.	PmtRtr/TxInf/OrgnTxRef/UlmtDbtr/Nm	No	Only schema validation is performed.
AT-09	Ultimate Debtor + Identification	The identification code of the Originator Reference Party.	PmtRtr/TxInf/OrgnTxRef/UlmtDbtr/Id	No	Only schema validation is performed.
AT-02	Debtor + Name	The name of the Originator.	PmtRtr/TxInf/OrgnTxRef/Dbtr/Nm	No	Only schema validation is performed.
AT-03	Debtor + Postal Address	The address of the Originator.	PmtRtr/TxInf/OrgnTxRef/Dbtr/PstlAdr	No	Only schema validation is performed.
AT-10	Debtor + Identification	The Originator identification code.	PmtRtr/TxInf/OrgnTxRef/Dbtr/Id	No	Only schema validation is performed.
AT-01	Debtor Account	The IBAN of the account of the Originator.	PmtRtr/TxInf/OrgnTxRef/DbtrAcct	Yes	Only schema validation is performed.
AT-06	Debtor Agent	The BIC code of the Originator Bank.	PmtRtr/TxInf/OrgnTxRef/DbtrAgt	No	Only schema validation is performed.
AT-23	Creditor Agent	The BIC code of the Beneficiary Bank.	PmtRtr/TxInf/OrgnTxRef/CdtrAgt	No	Only schema validation is performed.
AT-21	Creditor + Name	The name of the Beneficiary.	PmtRtr/TxInf/OrgnTxRef/Cdtr/Nm	No	Only schema validation is performed.
AT-22	Creditor + Postal Address	The address of the Beneficiary.	PmtRtr/TxInf/OrgnTxRef/Cdtr/PstlAdr	No	Only schema validation is performed.
AT-24	Creditor + Identification	The Beneficiary identification code.	PmtRtr/TxInf/OrgnTxRef/Cdtr/Id	No	Only schema validation is performed.
AT-20	Creditor Account	The IBAN of the account of the Beneficiary.	PmtRtr/TxInf/OrgnTxRef/CdtrAcct	Yes	Only schema validation is performed.

EPC Reference	Reference Name	EPC/ISO Description	XML path	Mand.	TIPS Usage
AT-28	Ultimate Creditor + Name	Name of the Beneficiary Reference Party.	PmtRtr/TxInf/OrgnITxRef /UltmtCdtr/Nm	No	Only schema validation is performed.
AT-29	Ultimate Creditor + Identification	Identification code of the Beneficiary Reference Party.	PmtRtr/TxInf/OrgnITxRef /UltmtCdtr/Id	No	Only schema validation is performed.

3.3.2.1.3 FIToFICustomerCreditTransferV02 (pacs.008.001.02)

The FIToFICustomerCreditTransfer message allows instructing TIPS for an instant-Instant payment Payment transaction of a positive amount of money from the instructing-originator party-participant account to a-the beneficiary participant account.

Message specification is compliant to EPC DS-02 Interbank Payment Dataset as described in the SEPA Instant Credit Transfer scheme Rulebook.

Description of the fields for DS-02 Dataset vs pacs.008.001.02

Table 39 – Description of the fields for DS-02 Dataset vs pacs.008.001.02

EPC Reference	Reference Name	EPC/ISO Description	XML path	Mand.	TIPS Usage
n/a	Message Identification	Point to point reference, as assigned by the instructing party.	FIToFICstmrCdtTrf/GrpHdr/MsgId	Yes	Only schema validation is performed.
n/a	Creation Date Time	Date and time at which the message was created.	FIToFICstmrCdtTrf/GrpHdr/CreDtTm	Yes	Only schema validation is performed.
n/a	Number Of Transactions	Number of individual transactions contained in the message.	FIToFICstmrCdtTrf/GrpHdr/NbOfTxs	Yes	Possible values are checked within schema validation.
n/a	Total Interbank Settlement Amount	Total amount of money moved between the instructing agent and the instructed agent.	FIToFICstmrCdtTrf/GrpHdr/TtlIntrBkSttlmAmt	Yes	Only schema validation is performed.
AT-42	Settlement Date	The Settlement Date of the SCT Inst Transaction	FIToFICstmrCdtTrf/GrpHdr/IntrBkSttlmDt	Yes	Only schema validation is performed.
n/a	Settlement Information	Specifies the details on how the settlement of the transaction between the instructing agent and the instructed agent is completed.	FIToFICstmrCdtTrf/GrpHdr/SttlmInf	Yes	Only schema validation is performed.
n/a	Settlement Method	Method used to settle the Instant Payment Transaction.	FIToFICstmrCdtTrf/GrpHdr/SttlmInf/SttlmMtd	Yes	Possible values are checked within schema validation.
n/a	Settlement Account	A specific purpose account used to post debit and credit entries as a result of the transaction.	FIToFICstmrCdtTrf/GrpHdr/SttlmInf/SttlmAcct	No	Only schema validation is performed.

EPC Reference	Reference Name	EPC/ISO Description	XML path	Mand.	TIPS Usage
n/a	Clearing System	Specification of a pre-agreed offering between clearing agents or the channel through which the Instant Payment Transaction is processed.	FIToFICstmrCdtTrf/GrpHdr/SttlmInf/ClrSys	No	Only schema validation is performed.
n/a	Payment Type Information	Set of elements used to further specify the type of transaction.	FIToFICstmrCdtTrf/GrpHdr/PmtTpInf	Yes	Only schema validation is performed.
AT-40	Scheme Identification Code	The identification code of the SCT Inst Scheme	FIToFICstmrCdtTrf/GrpHdr/PmtTpInf/SvcLvl/Cd FIToFICstmrCdtTrf/GrpHdr/PmtTpInf/LclInstrm/Cd	Yes	Possible values are checked within schema validation.
AT-45	Category Purpose	The category purpose of the SCT Inst Instruction	FIToFICstmrCdtTrf/GrpHdr/PmtTpInf/CtgyPurp	No	Only schema validation is performed.
n/a	Instructing Agent	Agent that instructs the next party in the chain to carry out the instruction.	FIToFICstmrCdtTrf/GrpHdr/nstgAgt	No	Only schema validation is performed.
n/a	Instructed Agent	Agent that is instructed by the previous party in the chain to carry out the instruction.	FIToFICstmrCdtTrf/GrpHdr/nstdAgt	No	Only schema validation is performed.
n/a	Credit Transfer Transaction Information	Set of elements providing information specific to the individual credit transfer.	FIToFICstmrCdtTrf/CdtTrfTxInf	Yes	Only schema validation is performed.
n/a	Instruction Identification	Unique identification, as assigned by an instructing party for an instructed party.	FIToFICstmrCdtTrf/CdtTrfTxInf/PmtId/InstrId	No	Only schema validation is performed.
AT-41	End To End Identification	The Originator's reference of the SCT Inst Transaction	FIToFICstmrCdtTrf/CdtTrfTxInf/PmtId/EndToEndId	Yes	Only schema validation is performed.
AT-43	Transaction Identification	The Originator Bank's reference number of the SCT Inst Transaction message	FIToFICstmrCdtTrf/CdtTrfTxInf/PmtId/TxId	Yes	The Transaction Identification is used to couple an Instant Payment Transaction with the related A2A messages referenced in the A2A messages resulting out of the processing.
AT-04	Settlement Amount	The amount of SCT Inst in euro	FIToFICstmrCdtTrf/CdtTrfTxInf/IntrBkSttlmAmt	Yes	The currency of the Settlement Amount must be the same of the Creditor and Debtor Accounts
AT-50	Acceptance Timestamp	Time Stamp of the SCT Inst Transaction	FIToFICstmrCdtTrf/CdtTrfTxInf/AcceptncDtTm	Yes	The Acceptance Timestamp is used as a starting point in time for the Instant Payment Transaction processing
n/a	Charge Bearer	Specifies which party/parties will bear the charges associated with the processing of the payment transaction.	FIToFICstmrCdtTrf/CdtTrfTxInf/ChrgBr	Yes	Only schema validation is performed.
AT-08	Originator Reference Party Name	The name of the Originator Reference Party	FIToFICstmrCdtTrf/CdtTrfTxInf/UltmtDbtr/Nm	No	Only schema validation is performed.
AT-09	Originator Reference Party Identification Code	The identification code of the Originator Reference Party	FIToFICstmrCdtTrf/CdtTrfTxInf/UltmtDbtr/Id	No	Only schema validation is performed.

EPC Reference	Reference Name	EPC/ISO Description	XML path	Mand.	TIPS Usage
n/a	Ultimate Debtor + Identification ++ Organisation Identification	Unique and unambiguous way to identify an organisation.	FIToFICstmrCdtTrf/CdtTrfTx/Inf/UltmtDbtr/Id/Orgld	Yes	Only schema validation is performed.
n/a	Ultimate Debtor + Identification ++ Private Identification	Unique and unambiguous identification of a person, eg, passport.	FIToFICstmrCdtTrf/CdtTrfTx/Inf/UltmtDbtr/Id/Prvtld	Yes	Only schema validation is performed.
n/a	Debtor	Party that owes an amount of money to the (ultimate) creditor.	FIToFICstmrCdtTrf/CdtTrfTx/Inf/Dbtr	Yes	Only schema validation is performed.
AT-02	Originator Name	The name of the Originator	FIToFICstmrCdtTrf/CdtTrfTx/Inf/Dbtr/Nm	Yes	Only schema validation is performed.
AT-03	Originator Address	The address of the Originator	FIToFICstmrCdtTrf/CdtTrfTx/Inf/Dbtr/PstlAdr	No	Only schema validation is performed.
n/a	Debtor + Postal Address ++ Country Code	Nation with its own government.	FIToFICstmrCdtTrf/CdtTrfTx/Inf/Dbtr/PstlAdr/Ctry	No	Only schema validation is performed.
n/a	Debtor + Postal Address ++ Address Line	Information that locates and identifies a specific address, as defined by postal services, presented in free format text.	FIToFICstmrCdtTrf/CdtTrfTx/Inf/Dbtr/PstlAdr/AdrLine	No	Only schema validation is performed.
AT-10	Originator Identification Code	The Originator identification code	FIToFICstmrCdtTrf/CdtTrfTx/Inf/Dbtr/Id	No	Only schema validation is performed.
n/a	Debtor + Identification ++ Organisation Identification	Information that locates and identifies a specific address, as defined by postal services, presented in free format text.	FIToFICstmrCdtTrf/CdtTrfTx/Inf/Dbtr/Id/Orgld	Yes	Only schema validation is performed.
n/a	Debtor + Identification ++ Private Identification	Unique and unambiguous identification of a person, eg, passport.	FIToFICstmrCdtTrf/CdtTrfTx/Inf/Dbtr/Id/Prvtld	Yes	Only schema validation is performed.
AT-01	Originator IBAN	The IBAN of the account of the Originator	FIToFICstmrCdtTrf/CdtTrfTx/Inf/DbtrAcct/Id/IBAN	Yes	Only schema validation is performed.
AT-06	Originator BIC	The BIC code of the Originator Bank	FIToFICstmrCdtTrf/CdtTrfTx/Inf/DbtrAgt/FinInstnld/BIC	Yes	The Distinguished Name of the Sender must be authorised to instruct for the Originator BIC The Originator BIC must be stored as an Account Authorised BIC or CMB user
AT-23	Beneficiary BIC	The BIC code of the Beneficiary Bank	FIToFICstmrCdtTrf/CdtTrfTx/Inf/CdtrAgt/FinInstnld/BIC	Yes	The Beneficiary BIC must be linked with at least one Distinguish Name for outbound message routing
n/a	Creditor	Party to which an amount of money is due.	FIToFICstmrCdtTrf/CdtTrfTx/Inf/Dbtr	Yes	Only schema validation is performed.
AT-21	Beneficiary Name Creditor Name	The name of the Beneficiary	FIToFICstmrCdtTrf/CdtTrfTx/Inf/Cdtr/Nm	Yes	Only schema validation is performed.
AT-22	Beneficiary Creditor Address	The address of the Beneficiary	FIToFICstmrCdtTrf/CdtTrfTx/Inf/Cdtr/PstlAdr	No	Only schema validation is performed.

EPC Reference	Reference Name	EPC/ISO Description	XML path	Mand.	TIPS Usage
n/a	Creditor + Postal Address ++ Country Code	Nation with its own government.	FItoFICstmrCdtTrf/CdtTrfTx Inf/Cdtr/PstlAdr/Ctry	No	Only schema validation is performed.
n/a	Creditor + Postal Address ++ Address Line	Information that locates and identifies a specific address, as defined by postal services, presented in free format text.	FItoFICstmrCdtTrf/CdtTrfTx Inf/Cdtr/PstlAdr/AdrLine	No	Only schema validation is performed.
AT-24	Beneficiary Creditor Identification Code	The Beneficiary identification code	FItoFICstmrCdtTrf/CdtTrfTx Inf/Cdtr/Id	No	Only schema validation is performed.
n/a	Creditor + Identification ++ Organisation Identification	Information that locates and identifies a specific address, as defined by postal services, presented in free format text.	FItoFICstmrCdtTrf/CdtTrfTx Inf/Cdtr/Id/Orgld	Yes	Only schema validation is performed.
n/a	Creditor + Identification ++ Private Identification	Unique and unambiguous identification of a person, eg, passport.	FItoFICstmrCdtTrf/CdtTrfTx Inf/Cdtr/Id/Prvtld	Yes	Only schema validation is performed.
AT-20	Beneficiary IBAN Creditor Account	The IBAN of the account of the beneficiary	FItoFICstmrCdtTrf/CdtTrfTx Inf/Cdtr/Id/IBAN	Yes	Only schema validation is performed.
n/a	Ultimate Creditor	Ultimate party to which an amount of money is due.	FItoFICstmrCdtTrf/CdtTrfTx Inf/UltmtCdtr	No	Only schema validation is performed.
AT-28	Beneficiary Reference Party Name Ultimate Creditor Name	The name of the Beneficiary Reference Party	FItoFICstmrCdtTrf/CdtTrfTx Inf/UltmtCdtr/Nm	No	Only schema validation is performed.
AT-29	Beneficiary Reference Party Identification Code Ultimate Creditor Identification	The identification code of the Beneficiary Reference Party	FItoFICstmrCdtTrf/CdtTrfTx Inf/UltmtCdtr/Id	No	Only schema validation is performed.
n/a	Ultimate Creditor + Identification ++ Organisation Identification	Information that locates and identifies a specific address, as defined by postal services, presented in free format text.	FItoFICstmrCdtTrf/CdtTrfTx Inf/UltmtCdtr/Id/Orgld	Yes	Only schema validation is performed.
n/a	Ultimate Creditor + Identification ++ Private Identification	Unique and unambiguous identification of a person, eg, passport.	FItoFICstmrCdtTrf/CdtTrfTx Inf/UltmtCdtr/Id/Prvtld	Yes	Only schema validation is performed.
AT-44	Purpose	The purpose of the SCT Inst Instruction	FItoFICstmrCdtTrf/CdtTrfTx Inf/Purp	No	Only schema validation is performed.
AT-05	Remittance Information	The Remittance Information	FItoFICstmrCdtTrf/CdtTrfTx Inf/Rmtlnf	No	Only schema validation is performed.
n/a	Remittance Information + Unstructured	Information supplied to enable the matching/reconciliation of an entry with the items that the payment is intended to settle, such as commercial invoices in an accounts' receivable system, in an unstructured form.	FItoFICstmrCdtTrf/CdtTrfTx Inf/Rmtlnf/Ustrd	No	Either Unstructured or Structured may be present. If both components are included, the message will be rejected during the schema validation process.

EPC Reference	Reference Name	EPC/ISO Description	XML path	Mand.	TIPS Usage
n/a	Remittance Information + Structured	Information supplied to enable the matching/reconciliation of an entry with the items that the payment is intended to settle, such as commercial invoices in an accounts' receivable system, in a structured form.	FIToFICstmrCdtTrf/CdtTrfTx Inf/RmtInf/Strd	No	Either Unstructured or Structured may be present. If both components are included, the message will be rejected during the schema validation process.
n/a	Remittance Information + Structured ++ Creditor Reference Information	Information supplied to enable the matching/reconciliation of an entry with the items that the payment is intended to settle, such as commercial invoices in an accounts' receivable system, in a structured form.	FIToFICstmrCdtTrf/CdtTrfTx Inf/RmtInf/Strd	No	As the Creditor Bank is not obliged to validate the reference information, TIPS will apply schema validation to this component and included sub-components.

3.3.2.1.4 FIToFIPaymentStatusRequest (pacs.028.001.01)

The FI to FI Payment Status Request message allows instructing TIPS for retrieving the status of an Instant Payment ~~Transaction~~transaction.

This message covers ~~two business~~the scenarios: of

Status investigation message:

- The Originator Bank or Instructing Party can start the investigation process on a previously instructed Instant Payment Transaction

~~— Payment transaction status query~~

- ~~○ The Originator Bank and the Beneficiary Bank can query TIPS to retrieve details on the status of a payment transaction which involved them.~~

Message specification is compliant to EPC DS-07 Interbank Payment Dataset as described in the SEPA Instant Credit Transfer scheme Rulebook.

Additional optional and mandatory fields not included in the DS-07 definition or in the following table, but foreseen by the EPC Inst Interbank Implementation Guidelines, are not used in TIPS.

Status investigation Message EPC DS-07 vs pacs.028.001.01

Table 40 – Status investigation Message EPC DS-07 vs pacs.028.001.01

EPC Reference	Reference Name	EPC/ISO Description	XML path	Mand.	TIPS Usage
n/a	Message Identification	Point to point reference, as assigned by the instructing party.	FIToFIPmtStsReq/GrpHdr/MsgId	Yes	Only schema validation is performed.
n/a	Creation Date Time	Date and time at which the message was created.	FIToFIPmtStsReq/GrpHdr/CreDtTm	Yes	Only schema validation is performed.

n/a	Instructing Agent	Agent that instructs the next party in the chain to carry out the instruction.	FIToFIPmtStsReq/GrpHdr/InstgAgt	No	Only schema validation is performed.
n/a	Instructed Agent	Agent that is instructed by the previous party in the chain to carry out the instruction.	FIToFIPmtStsReq/GrpHdr/InstdAgt	No	Only schema validation is performed.
n/a	Original Message Identification	Message Identification of the originating message	FIToFIPmtStsReq/OrgnlGrpInf/OrgnlMsgId	Yes	Only schema validation is performed.
n/a	Original Message Name Identification	Message identifier of the originating message	FIToFIPmtStsReq/OrgnlGrpInf/OrgnlMsgNmId	Yes	Possible allowed value "pacs.008.001.02"
n/a	Status Request Identification	Unique identification, as assigned by an instructing party for an instructed party.	FIToFIPmtStsReq/TxInf/StsReqId	Yes	Only schema validation is performed.
n/a	Original Instruction Identification	Unique identification, as assigned by the original instructing party for the original instructed party	FIToFIPmtStsReq/TxInf/OrgnlInstrId	No	Only schema validation is performed.
AT-41	Original End To End Identification	The Originator's reference of the SCT Inst Transaction	FIToFIPmtStsReq/TxInf/OrgnlEndToEndId	Yes	Only schema validation is performed.
AT-43	Transaction Identification	The Originator Bank's reference number of the SCT Inst Transaction message	FIToFIPmtStsReq/TxInf/OrgnlTxId	Yes	Identification of the Payment Transaction to be investigated.
AT-50	Acceptance Timestamp	Time Stamp of the SCT Inst Transaction	FIToFIPmtStsReq/TxInf/AcceptncDtTm	Yes	Acceptance timestamp of the Payment Transaction to be investigated.
AT-45	Category Purpose	The category purpose of the SCT Inst Instruction	FIToFIPmtStsReq/TxInf/OrgnlTxRef/PmtTplnf/CtgYPrp	No	Only schema validation is performed.
AT-40	Scheme Identification Code	The identification code of the SCT Inst Scheme	FIToFIPmtStsReq/TxInf/OrgnlTxRef/PmtTplnf/SvcLvl/Cd FIToFIPmtStsReq/TxInf/OrgnlTxRef/PmtTplnf/LclInstrm/Cd	Yes	Possible values are checked within schema validation.
AT-06 ¹⁶	Originator BIC	The BIC code of the Originator Bank	FIToFIPmtStsReq/TxInf/OrgnlTxRef/DbtrAgt/FinInstnId/BICFI	Yes	This field is used in combination with the requestor Distinguish Name to check user access rights.

Payment Transaction Status query

Table 39 – Payment Transaction Status query

Field Name	Description	XML path	Mand.	TIPS Usage
Message Identifier	Identification of the message	FIToFIPmtStsReq/GrpHdr/MsgId	Yes	
Creation Date Time	Date and time at which the	FIToFIPmtStsReq/GrpHdr/CreDtTm	Yes	

¹⁶ This field is not included in the EPC DS-07 requirements. TIPS uses this information to derive the user access rights granted to the instructing party performing the investigation and therefore it has been added to the table.

Field-Name	Description	XML-path	Mand.	TIPS-Usage
	message —was created;			
Query Sender	BIC of the TIPS actor instructing the query	FItoFIPmtStsReq/GrpHdr/InstgAgt/FinInstnId/BICFI	Yes	This field is used in combination with the requestor Distinguish Name to check user access rights.
Original Message Identification	Point to point reference	FItoFIPmtStsReq/OrgnlGrpInf/OrgnlMsgId	Yes	Only schema validation is performed.
Original Message Name Identification	Specifies the original message name identifier	FItoFIPmtStsReq/OrgnlGrpInf/OrgnlMsgNmId	Yes	Only “pacs.008.001.02” is allowed
Status Request Identification	Unique identification to identify the status request	FItoFIPmtStsReq/TxInf/StsReqId	Yes	Only schema validation is performed.
Original Instruction Identification	Unique identification given to the original instruction	FItoFIPmtStsReq/TxInf/OrgnlInstrId	No	Only schema validation is performed.
Original End To-End Identification	Unique identification given to the original instruction	FItoFIPmtStsReq/TxInf/OrgnlEndToEndId	Yes	Only schema validation is performed.
Original Transaction Identification	Unique identification given to the original instruction	FItoFIPmtStsReq/TxInf/OrgnlTxId	Yes	This field is used to retrieve the payment transaction
Acceptance Date and Time	Time Stamp of the SCT Inst Transaction	FItoFIPmtStsReq/TxInf/AcceptncDtTm	Yes	Only schema validation is performed.
Payment Type Information	Set of elements to further specify the type of transaction	FItoFIPmtStsReq/TxInf/OrgnlTxRef/PmtTpInf	No	Only schema validation is performed.
Originator BIC	The BIC code of the Originator Bank	FItoFIPmtStsReq/TxInf/OrgnlTxRef/DbtrAgt/FinInstnId/BICFI	Yes	This field is used in combination with the Transaction Identification to retrieve the payment transaction

3.3.2.2. Cash Management (camt)

3.3.2.2.1 GetAccount (camt.003.001.06)

This message is sent by the Participant or Instructing Party to TIPS to instruct the following queries:

- Account Balance and Status Query;
- CMB Limit and Status Query.
-

The table describes the message elements to be filled.

Table 41 – GetAccount (camt.003.001.06)

Field Name	Description	XML path	Mand.	TIPS Usage
Message Identifier	Identification of the message	GetAcct/MsgHdr/Msgld	Yes	This information will be included in the resulting camt.004
Query Name	Mnemonic for the query	GetAcct/AcctQryDef/AcctCrit/QryNm	Yes	This information will be included in the resulting camt.004
Account or CMB Identifier	Identification of the Account or CMB to query	GetAcct/AcctQryDef/AcctCrit/NewCrit/SchCrit/AcctId/EQ/Othr/Id	Yes	
Account User	Identification of the BIC of the user of the Account or CMB	GetAcct/AcctQryDef/AcctCrit/NewCrit/SchCrit/AcctOwnr/Id/Orgld/AnyBIC	Yes	TIPS uses this BIC in combination with the Distinguished Name to derive access rights granted to the requestor

3.3.2.2.2 ReturnAccount (camt.004.001.07)

This message is sent by TIPS to the interested Participant or Instructing Party in the following business cases:

- Account Balance and Status Query response;
- CMB Limit and Status Query response;
- Query response error;
- Account Floor and Ceiling notifications;
- CMB Floor and Ceiling notifications.

The message content differs depending on the business case. All the optional fields which are out of the related table, will not be included in the message.

Account Balance and Status Query response

Table 42 - Account Balance and Status Query response

Field Name	Description	XML path	Mand.	TIPS Usage
Message Identifier	Identification of the message assigned by TIPS	RtrAcct/MsgHdr/Msgld	Yes	
Timestamp of the Query	Timestamp assigned when retrieval of records has been performed	RtrAcct/MsgHdr/CreDtTm	Yes	
Original Query Message Identifier	Identification of the originating query message	RtrAcct/MsgHdr/OrgnlBizQry/Msgld	Yes	Field is <u>always</u> filled with <u>originating Message Identifier</u> when the camt.004 is a query response.
Query Name	Mnemonic of the originating query message	RtrAcct/MsgHdr/QryNm	Yes	Field is <u>always</u> filled when the camt.004 is a query response.

Field Name	Description	XML path	Mand.	TIPS Usage
TIPS Account Identifier	Account identifier retrieved from reference data repository	RtrAcct/RptOrErr/AcctRpt/AcctId/Othr/Id	Yes	
Currency	Currency for which the returned account is issued	RtrAcct/RptOrErr/AcctRpt/AcctOrErr/Acct/Ccy	Yes	
TIPS Participant Identifier	BIC code of the account owner	RtrAcct/RptOrErr/AcctRpt/AcctOrErr/Acct/Ownr/Id/Orgld/AnyBIC	Yes	Field is always filled when the camt.004 is a response for Account Balance and Status query
Current Balance	Current balance of the account	RtrAcct/RptOrErr/AcctRpt/AcctOrErr/Acct/MulBal/Amt	Yes	The balance is the sum of unreserved and reserved balances
Credit Debit Indicator	Specifies if balance is below or above zero	RtrAcct/RptOrErr/AcctRpt/AcctOrErr/Acct/MulBal/CdtDbtInd	Yes	As negative balances are not foreseen, only the value "CRDT" is expected
Account Status	Status details for the retrieved account	RtrAcct/RptOrErr/AcctRpt/AcctOrErr/Acct/MulBal/RstrctnTp	No	This message component is included only if the account is blocked
Restriction Type Identification	Restriction Type identifier applied to the account	RtrAcct/RptOrErr/AcctRpt/AcctOrErr/Acct/MulBal/RstrctnTp/Id	Yes	Restriction Type code. If not provided, this field must be filled with "BLCK"
Processing Type	Specifies the processing type for the restriction type applied to the account	RtrAcct/RptOrErr/AcctRpt/AcctOrErr/Acct/MulBal/RstrctnTp/PrctgTp/Cd	Yes	Filled with "BLCK"

CMB Limit and Status Query response

Table 43 - CMB Limit and Status Query response

Field Name	Description	XML path	Mand.	TIPS Usage
Message Identifier	Identification of the message assigned by TIPS	RtrAcct/MsgHdr/Msgld	Yes	
Timestamp of the Query	Timestamp assigned when retrieval of records has been performed	RtrAcct/MsgHdr/CreDtTm	Yes	
Original Query Message Identifier	Identification of the originating query message	RtrAcct/MsgHdr/OrgnlBizQry/Msgld	Yes	Field is filled with originating Message Identifier when the camt.004 is a query response. Field is always filled when the camt.004 is a query response.
Query Name	Mnemonic of the originating query message	RtrAcct/MsgHdr/QryNm	Yes	Field is always filled when the camt.004 is a query response.

Field Name	Description	XML path	Mand.	TIPS Usage
TIPS Account Identifier	Account identifier retrieved from reference data repository	RtrAcct/RptOrErr/AcctRpt/AcctId/Othr/Id	Yes	
Currency	Currency of the account linked to the returned CMB	RtrAcct/RptOrErr/AcctRpt/AcctOrErr/Acct/Ccy	Yes	
TIPS Participant Identifier	BIC code of the CMB user	RtrAcct/RptOrErr/AcctRpt/AcctOrErr/Acct/CurBilLmt/CtrPtyId/FinInstnId/BICFI	Yes	
TIPS CMB Identifier	Identification of the CMB	RtrAcct/RptOrErr/AcctRpt/AcctOrErr/Acct/Nm	Yes	Field is always filled
CMB Limit	Limit amount of the CMB for the counterparty	Document/RtrAcct/RptOrErr/AcctRpt/AcctOrErr/Acct/CurBilLmt/LmtAmt	Yes	
Credit Debit Indicator	Specifies if limit which has been set up for the CMB is below or above zero	Document/RtrAcct/RptOrErr/AcctRpt/AcctOrErr/Acct/CurBilLmt/CdtDbtInd	Yes	As negative limits are not foreseen, only the value "CRDT" is expected
CMB Headroom	Dynamic headroom of the CMB limit	RtrAcct/RptOrErr/AcctRpt/AcctOrErr/Acct/CurBilLmt/BilBal/Amt	Yes	
Credit Debit Indicator	Specifies if the current headroom for the CMB is below or above zero	Document/RtrAcct/RptOrErr/AcctRpt/AcctOrErr/Acct/CurBilLmt/BilBal/CdtDbtInd	Yes	As negative limits are not foreseen, only the value "CRDT" is expected
CMB Status	Specifies the status of the CMB	RtrAcct/RptOrErr/AcctRpt/AcctOrErr/Acct/CurBilLmt/BilBal/Tp/Cd	No	This field is filled only if the CMB is blocked. It must be filled with "BLCK"

— Query response error

Table 44 - Query response error

Field Name	Description	XML path	Mand.	TIPS Usage
Message Identifier	Identification of the message assigned by TIPS	RtrAcct/MsgHdr/MsgId	Yes	
Timestamp of the Query	Timestamp assigned when retrieval of records has been performed	RtrAcct/MsgHdr/CreDtTm	Yes	
Original Query Message Identifier	Identification of the originating query message	RtrAcct/MsgHdr/OrgnlBizQry/MsgId	Yes	Field is always filled when the camt.004 is a query response.
Query Name	Mnemonic of the originating query message	RtrAcct/MsgHdr/QryNm	Yes	Field is always filled when the camt.004 is a query response.
Business Error	Specifies the error occurred when processing the originating query message	RtrAcct/RptOrErr/AcctRpt/AcctOrErr/BizErr/Err/Prtry	Yes	
Business Error Description	Provides with additional error description	RtrAcct/RptOrErr/AcctRpt/AcctOrErr/BizErr/Desc	No	

~~CMB Floor and Ceiling notifications~~

Table 45 - CMB Floor and Ceiling notification

Field Name	Description	XML path	Mand.	TIPS Usage
Message Identifier	Identification of the message assigned by TIPS	RtrAcct/MsgHdr/Msgld	Yes	
Timestamp of the Notification	Timestamp assigned when notification has been triggered	RtrAcct/MsgHdr/CreDtTm	Yes	
<u>Original Query Message Identifier</u>	<u>Identification of the originating query message</u>	<u>RtrAcct/MsgHdr/OrgnlBizQry/Msgld</u>	<u>Yes</u>	<u>Field is not required by the business case and will be filled with "NOTPROVIDED"</u>
TIPS Account Identifier	Account identifier retrieved from reference data repository	RtrAcct/RptOrErr/AcctRpt/AcctId/Othr/Id	Yes	
Currency	Currency of the account linked to the related CMB	RtrAcct/RptOrErr/AcctRpt/AcctOrErr/Acct/Ccy	Yes	
TIPS Participant Identifier	BIC code of the CMB user	RtrAcct/RptOrErr/AcctRpt/AcctOrErr/Acct/CurBillmt/CtrPtyId/FinInstnId/BICFI	Yes	
TIPS CMB Identifier	Identification of the CMB	RtrAcct/RptOrErr/AcctRpt/AcctOrErr/Acct/Nm	Yes	Field is always filled
CMB Headroom	Dynamic headroom of the CMB limit	RtrAcct/RptOrErr/AcctRpt/AcctOrErr/Acct/CurBillmt/BilBal/Amt	Yes	
Credit Debit Indicator	Specifies if the current headroom for the CMB is below or above zero	Document/RtrAcct/RptOrErr/AcctRpt/AcctOrErr/Acct/CurBillmt/BilBal/CdtDbtInd	Yes	As negative limits are not foreseen, only the value "CRDT" is expected

~~Account Floor and Ceiling notifications~~

Table 46 - Account Floor and Ceiling notification

Field Name	Description	XML path	Mand.	TIPS Usage
Message Identifier	Identification of the message assigned by TIPS	RtrAcct/MsgHdr/Msgld	Yes	
Timestamp of the Notification	Timestamp assigned when notification has been triggered	RtrAcct/MsgHdr/CreDtTm	Yes	
<u>Original Query Message Identifier</u>	<u>Identification of the originating query message</u>	<u>RtrAcct/MsgHdr/OrgnlBizQry/Msgld</u>	<u>Yes</u>	<u>Field is not required by the business case. A "NOTPROVIDED" dummy value will be included in the field.</u>
<u>Original Query Message Identifier</u>	<u>Identification of the originating query message</u>	<u>RtrAcct/MsgHdr/OrgnlBizQry/Msgld</u>	<u>Yes</u>	<u>Field is not required by the business case. A dummy value will be included in the field.</u>

Field Name	Description	XML path	Mand.	TIPS Usage
TIPS Account Identifier	Account identifier retrieved from reference data repository	RtrAcct/RptOrErr/AcctRpt/AcctId/Othr/Id	Yes	
Currency	Currency for which the returned account is issued	RtrAcct/RptOrErr/AcctRpt/AcctOrErr/Acct/Ccy	Yes	
TIPS Participant Identifier	BIC code of the account owner	RtrAcct/RptOrErr/AcctRpt/AcctOrErr/Acct/Ownr/Id/OrgId/AnyBIC	Yes	Field is always filled when the camt.004 is a response for Account Balance and Status query
Current Balance	Current balance of the account	RtrAcct/RptOrErr/AcctRpt/AcctOrErr/Acct/MulBal/Amt	Yes	The balance is the sum of unreserved and reserved balances
Credit Debit Indicator	Specifies if balance is below or above zero	RtrAcct/RptOrErr/AcctRpt/AcctOrErr/Acct/MulBal/CdtDbtInd	Yes	As negative balances are not foreseen, only the value "CRDT" is expected

3.3.2.2.3 ModifyLimit (camt.011.001.06)

The ModifyLimit message is used in TIPS to manage the limit definition for CMBs.

It is sent by a Participant or authorised Instructing Party to request an immediate change to the allowed Limit on a specific account for a CMB user.

Table 47 - ModifyLimit (camt.011.001.06)

Field Name	Description	XML path	Mand.	TIPS Usage
Message Identifier	Identification of the message	ModfyLmt/MsgHdr/MsgId	Yes	Field is referenced in the resulting camt.025 message
Creation Date Time	Timestamp assigned when message has been generated	ModfyLmt/MsgHdr/CreDtTm	Yes	Only schema validation is performed.
CMB User BIC	BIC of the CMB user	ModfyLmt/LmtDtIs/LmtId/Cur/BilLmtCtrPtyId/FinInstnId/BICFI	Yes	Field is used to retrieve the unique CMB defined for the BIC
Limit Type	Type of the limit to be modified	ModfyLmt/LmtDtIs/LmtId/Cur/Tp/Cd	Yes	Only allowed value is "BIL". Possible values are checked within schema validation.
Account Owner	BIC of the requestor party	ModfyLmt/LmtDtIs/LmtId/Cur/AcctOwnr/FinInstnId/BICFI	Yes	Field is used in combination with the requestor DN to perform the access rights check
Account Identification	Identification of the account linked to the referenced CMB	ModfyLmt/LmtDtIs/LmtId/Cur/AcctId/Othr/Id	Yes	Field is used to identify the limit

Field Name	Description	XML path	Mand.	TIPS Usage
New Limit Value	New limit to be applied to the CMB	ModfyLmt/LmtDtls/NewLmtValSet/Amt/AmtWthCcy	Yes	Possible values are checked within schema validation.

3.3.2.2.4 ReturnBusinessDayInformation (camt.019.001.06)

The ReturnBusinessDayInformation message is sent by the RTGS system to TIPS to:

- Notify the change of RTGS Business Date
- Enable or disable the acceptance of outbound liquidity transfers instructed to TIPS

Table 48 - ReturnBusinessDayInformation (camt.019.001.06)

Field Name	Description	XML path	Mand.	TIPS Usage
<u>Message Identifier</u>	<u>Identification of the message .</u>	<u>RtrBizDayInf/MsgHdr/MsgId</u>	Yes	<u>Identifier which will be referenced in the Receipt.</u>
<u>Creation Date Time</u>	<u>Timestamp assigned when message has been generated.</u>	<u>RtrBizDayInf/MsgHdr/CreDtTm</u>	Yes	<u>Only schema validation is performed.</u>
<u>Market Infrastructure Identification</u>	<u>Identification code of the Market Infrastructure.</u>	<u>RtrBizDayInf/RptOrErr/BizRpt/SysId/MktInfrstrctrl d/Cd</u>	Yes	<u>Only schema validation is performed.</u>
<u>System Date</u>	<u>Business date of the RTGS System.</u>	<u>RtrBizDayInf/RptOrErr/BizRpt/BizDayOrErr/BizDayInf/SysDt</u>	Yes	<u>In case the message is sent for the change of business date, this field contains the next RTGS business date.</u>
<u>System Status</u>	<u>Status of the RTGS System</u>	<u>RtrBizDayInf/RptOrErr/BizRpt/BizDayOrErr/BizDayInf/SysSts/Sts/Prtry/Id</u>	Yes	<u>Status change of the RTGS System.</u>

3.3.2.2.5 Receipt (camt.025.001.04)

The Receipt message is used in TIPS in different business cases related to Liquidity Credit Transfer area and CMB limit modification.-:

In the Inbound Liquidity Transfer scenario, it is sent by TIPS to the RTGS System to report about the execution of the liquidity transfer.

In the outbound liquidity transfer scenario, it is sent by the RTGS System to TIPS to report about the execution of the liquidity transfer.

The Receipt message as received by from the RTGS System, is then sent to the Originator of the Outbound Liquidity Transfer.

In the CMB Limit modification context, it is sent by TIPS to the interested Participant or Instructing Party originating the Modify Limit message.

Table 49 - Receipt (camt.025.001.04)

Field Name	Description	XML path	Mand.	TIPS Usage
Message Identifier	Identification of the message	Rct/MsgHdr/MsgId	Yes	Only schema validation is performed.
Creation Date Time	Timestamp of the creation of the message	Rct/MsgHdr/CreDtTm	YesNo	This must be filled with the Identification of the originating credit transfer. <u>Timestamp when the request has been processed.</u>
Original Message Identification	Identification of the originating liquidity credit transfer or limit modification request	Rct/RctDtls/OrgnlMsgId/MsgId	Yes	
Status Code	Specifies the status of the originating liquidity credit transfer or limit modification request	Rct/RctDtls/ReqHdlg/StsCd	Yes	
Status Description	Additional information on the reported status of the originating liquidity credit transfer or limit modification request	Rct/RctDtls/ReqHdlg/Desc	No	It must be filled whenever an error occurs

3.3.2.2.6 ResolutionOfInvestigation (camt.029.001.03)

The Resolution of Investigation message is sent by the Assignee party as a negative response to a recall request triggered by the Assigner party for a formerly settled Instant Payment transaction.

Message specification is compliant to EPC DS-06 Interbank Payment Dataset as described in the SEPA Instant Credit Transfer scheme Rulebook.

TIPS receives this message by the Assignee party, checks the related access rights and the reachability of the Assigner party.

No further processing but message schema validation is performed as the message is directly forwarded to the party which formerly triggered the Recall process.

Table 50: ResolutionOfInvestigation (camt.029.001.03)

EPC Reference	Reference Name	EPC Description	XML path	Mandatory	TIPS Usage
n/a	Assignment + Identification	Uniquely identifies the case assignment.	RsltOfInvstgtn/Assgmt/Id	Yes	Only schema validation is performed.
n/a	Assigner	Party who sends the Resolution of Investigation message.	RsltOfInvstgtn/Assgmt/Assgnr/Pty/Id/OrgId/BICOrBEI	Yes	This field must be filled with the BIC of the party sending the Resolution of Investigation message and is used in combination with the requestor Distinguish Name to check user access rights.

n/a	Assignee	Party to which the case is assigned	RsltnOfInvstgtn/Assgnmt/AssgntPty/Id/OrgId/BICOrBEI	Yes	This field must be filled with the BIC of the party to which the Resolution of Investigation message is forwarded.
n/a	Assignment + Creation Date Time	Date and time at which the assignment was created.	RsltnOfInvstgtn/Assgnmt/CreDtTm	Yes	Only schema validation is performed.
n/a	Status + Confirmation	Specifies the status of the investigation, in a coded form.	RsltnOfInvstgtn/Sts/Conf	Yes	Possible values are checked within schema validation.
n/a	Cancellation Status Identification	Unique and unambiguous identifier of a cancellation request status, as assigned by the assigner.	RsltnOfInvstgtn/CxlDtIs/TxInfAndSts/CxlStsId	Yes	Only schema validation is performed.
n/a	Original Message Identification	Message Identification of the originating message	RsltnOfInvstgtn/CxlDtIs/TxInfAndSts/OrgnlGrplnf/OrgnlMsgId	Yes	Only schema validation is performed.
n/a	Original Message Name Identification	Message identifier of the originating message	RsltnOfInvstgtn/CxlDtIs/TxInfAndSts/OrgnlGrplnf/OrgnlMsgNmId	Yes	Possible allowed value "pacs.008.001.02"
n/a	Original Instruction Identification	Unique identification, as assigned by the original instructing party for the original instructed party	FIToFIPmtStsReq/TxInf/OrgnlInstrId	No	Only schema validation is performed.
AT-41	<u>Original</u> End To End Identification	The Originator's reference of the SCT Inst Transaction	RsltnOfInvstgtn/CxlDtIs/TxInfAndSts/OrgnlEndTmoEndId	Yes	Only schema validation is performed.
AT-43	<u>Original</u> Transaction Identification	The Originator Bank's reference number of the SCT Inst Transaction message	RsltnOfInvstgtn/CxlDtIs/TxInfAndSts/OrgnlTxId	Yes	Only schema validation is performed.
n/a	Transaction Cancellation Status	Specifies the status of the transaction cancellation request.	RsltnOfInvstgtn/CxlDtIs/TxInfAndSts/TxCxlSts	Yes	Possible values are checked within schema validation.
n/a	Cancellation Status Reason Information	Set of elements used to provide detailed information on the cancellation status reason.	RsltnOfInvstgtn/CxlDtIs/TxInfAndSts/CxlStsRsnlnf	Yes	Only schema validation is performed.
AT-R2	Cancellation Status Reason Information + Originator	The Identification of the type of party initiating the "R" message	RsltnOfInvstgtn/CxlDtIs/TxInfAndSts/CxlStsRsnlnf/Orgtr	Yes	Only schema validation is performed.
AT-R5	Cancellation Status Reason Information + Reason	The Reason Code for non-acceptance of the Recall.	RsltnOfInvstgtn/CxlDtIs/TxInfAndSts/CxlStsRsnlnf/Rsn	Yes	Only schema validation is performed.
n/a	Cancellation Status Reason Information + Reason ++ Code	Reason for the cancellation status, in a coded form.	RsltnOfInvstgtn/CxlDtIs/TxInfAndSts/CxlStsRsnlnf/Rsn/Cd	Yes	Only schema validation is performed.
n/a	Cancellation Status Reason Information + Reason ++ Proprietary	Reason for the status, in a proprietary form.	RsltnOfInvstgtn/CxlDtIs/TxInfAndSts/CxlStsRsnlnf/Rsn/Prtry	Yes	Only schema validation is performed.
n/a	Cancellation Status Reason Information + Additional Information	Further details on the cancellation status reason.	RsltnOfInvstgtn/CxlDtIs/TxInfAndSts/CxlStsRsnlnf/AddtlInf	No	Only schema validation is performed.
n/a	Original Transaction Reference	Set of key elements used to identify the original transaction that is being referred to.	RsltnOfInvstgtn/CxlDtIs/TxInfAndSts/OrgnlTxRef	Yes	Only schema validation is performed.
AT-04	Interbank Settlement Amount	The amount of the SCT Inst in euro.	RsltnOfInvstgtn/CxlDtIs/TxInfAndSts/OrgnlTxRef/IntrBkSttlmAmt	No	Only schema validation is performed.
AT-42	Interbank Settlement Date	The Settlement Date of the SCT Inst Transaction.	RsltnOfInvstgtn/CxlDtIs/TxInfAndSts/OrgnlTxRef/IntrBkSttlmDt	No	Only schema validation is performed.

AT-40	Scheme Identification Code	The identification code of the SCT Inst Scheme	RsltnOfInvstgtn/CxlDtls/TxInfAndSts/OrgnITxRef/PmtPlnfnf/SvcLvl/Cd RsltnOfInvstgtn/CxlDtls/TxInfAndSts/OrgnITxRef/PmtPlnfnf/LclInstnm/Cd	No	Possible values are checked within schema validation.
AT-45	Category Purpose	The category purpose of the SCT Inst Instruction	RsltnOfInvstgtn/CxlDtls/TxInfAndSts/OrgnITxRef/PmtPlnfnf/CtgyPurp	No	Only schema validation is performed.
AT-05	Remittance Information	Information supplied to enable the matching of an entry with the items that the transfer is intended to settle	RsltnOfInvstgtn/CxlDtls/TxInfAndSts/OrgnITxRef/Rmtlnf	No	Only schema validation is performed.
AT-08	Ultimate Debtor + Name	The name of the Originator Reference Party.	RsltnOfInvstgtn/CxlDtls/TxInfAndSts/OrgnITxRef/UltmtDbtr/Nm	No	Only schema validation is performed.
AT-09	Ultimate Debtor + Identification	The identification code of the Originator Reference Party.	RsltnOfInvstgtn/CxlDtls/TxInfAndSts/OrgnITxRef/UltmtDbtr/Id	No	Only schema validation is performed.
AT-02	Debtor + Name	The name of the Originator.	RsltnOfInvstgtn/CxlDtls/TxInfAndSts/OrgnITxRef/Dbtr/Nm	No	Only schema validation is performed.
AT-03	Debtor + Postal Address	The address of the Originator.	RsltnOfInvstgtn/CxlDtls/TxInfAndSts/OrgnITxRef/Dbtr/PstlAdr	No	Only schema validation is performed.
AT-10	Debtor + Identification	The Originator identification code.	RsltnOfInvstgtn/CxlDtls/TxInfAndSts/OrgnITxRef/Dbtr/Id	No	Only schema validation is performed.
AT-01	Debtor Account	The IBAN of the account of the Originator.	RsltnOfInvstgtn/CxlDtls/TxInfAndSts/OrgnITxRef/DbtrAcct	Yes	Only schema validation is performed.
AT-06	Debtor Agent	The BIC code of the Originator Bank.	RsltnOfInvstgtn/CxlDtls/TxInfAndSts/OrgnITxRef/DbtrAgt	No	Only schema validation is performed.
AT-23	Creditor Agent	The BIC code of the Beneficiary Bank.	RsltnOfInvstgtn/CxlDtls/TxInfAndSts/OrgnITxRef/CdtrAgt	No	Only schema validation is performed.
AT-21	Creditor + Name	The name of the Beneficiary.	RsltnOfInvstgtn/CxlDtls/TxInfAndSts/OrgnITxRef/Cdtr/Nm	No	Only schema validation is performed.
AT-22	Creditor + Postal Address	The address of the Beneficiary.	RsltnOfInvstgtn/CxlDtls/TxInfAndSts/OrgnITxRef/Cdtr/PstlAdr	No	Only schema validation is performed.
AT-24	Creditor + Identification	The Beneficiary identification code.	RsltnOfInvstgtn/CxlDtls/TxInfAndSts/OrgnITxRef/Cdtr/Id	No	Only schema validation is performed.
AT-20	Creditor Account	The IBAN of the account of the Beneficiary.	RsltnOfInvstgtn/CxlDtls/TxInfAndSts/OrgnITxRef/CdtrAcct	Yes	Only schema validation is performed.
AT-28	Ultimate Creditor + Name	Name of the Beneficiary Reference Party.	RsltnOfInvstgtn/CxlDtls/TxInfAndSts/OrgnITxRef/UltmtCdtr/Nm	No	Only schema validation is performed.
AT-29	Ultimate Creditor + Identification	Identification code of the Beneficiary Reference Party.	RsltnOfInvstgtn/CxlDtls/TxInfAndSts/OrgnITxRef/UltmtCdtr/Id	No	Only schema validation is performed.

3.3.2.2.7 LiquidityCreditTransfer (camt.050.001.04)

The Liquidity Credit Transfer message is used in TIPS in order to instruct inbound and outbound liquidity transfers to/from RTGS Systems to fund accounts of TIPS Participants or repatriate money in the related RTGS System.

Authorised technical user (RTGS System) can send inbound liquidity transfers from the corresponding RTGS to TIPS. In case the validation is successful TIPS transfers the requested amount from the (technical) transit account to the TIPS account.

Participants or Instructing Parties acting on behalf of Participants can trigger outbound liquidity transfers in TIPS- using a liquidity transfer order message.

Table 51 - LiquidityCreditTransfer (camt.050.001.04)

Field Name	Description	XML path	Mand.	TIPS Usage
Message Identifier	Identification of the message	GetAcct/MsgHdr/MsgId	Yes	
Creation Date Time	Timestamp of the creation of the message	LqdyCdtTrf/MsgHdr/CreDtTm	No	It must be filled for outbound Credit Transfers
Instruction Identification	Identification of the requested credit transfer	LqdyCdtTrf/LqdyCdtTrf/LqdyTrfId/InstrId	No	
End to End Identification	End to end identifier for the requested credit transfer	LqdyCdtTrf/LqdyCdtTrf/LqdyTrfId/EndT oEndId	Yes	If not used, it must be filled with 'NOTPROVIDED'
Creditor	BIC of Financial Institution owning the account to be credited	LqdyCdtTrf/LqdyCdtTrf/Cdtr/FinInstnId/ BICFI	Yes/No	This field must be included in outbound liquidity transfers.
Creditor Account	Account to be credited	LqdyCdtTrf/LqdyCdtTrf/CdtrAcct/Id/Othr /Id	Yes	
Creditor Account Type	Type of the account to be credited	LqdyCdtTrf/LqdyCdtTrf/CdtrAcct/Tp	No	This field must not be included in the request. The message will be rejected in that case.
Transferred Amount	Amount to be transferred from the debited account to the credited account	LqdyCdtTrf/LqdyCdtTrf/TrfdAmt/AmtWth Ccy	Yes	
Debtor	BIC of Financial Institution owning the account to be debited	LqdyCdtTrf/LqdyCdtTrf/Dbtr/FinInstnId/ BICFI	Yes	
Debtor Account	Account to be debited	LqdyCdtTrf/LqdyCdtTrf/DbtrAcct/Id/Othr /Id	Yes	
Debtor Account Type	Type of the account to be debited	LqdyCdtTrf/LqdyCdtTrf/DbtrAcct/Tp	No	This field must not be included in the request. The message will be rejected in that case.
Settlement Date	Settlement date of the Credit Transfer	LqdyCdtTrf/LqdyCdtTrf/SttlmDt	No	This must be included in outgoing Credit Transfer. It must be filled with the stored RTGS business date.

3.3.2.2.8 BankToCustomerAccountReport (camt.052.001.03)

The Bank To Customer Account Report is used in TIPS to provides information for all the TIPS accounts in the data scope of the TIPS actor.

Table 52 - BankToCustomerAccountReport (camt.052.001.03)

Field Name	Description	XML path	Mand.	TIPS Usage
------------	-------------	----------	-------	------------

Field Name	Description	XML path	Mand.	TIPS Usage
Message Identifier	Identification of the message	BkToCstmrAcctRpt/GrpHdr/MsgId	Yes	
Creation Date Time	Timestamp of the creation of the message	BkToCstmrAcctRpt/GrpHdr/CreDtTm	Yes	
Report Identifier	Unique identification, as assigned by TIPS, to unambiguously identify the each report: contains Sequential Number of the report.	BkToCstmrAcctRpt/Rpt/Id	Yes	
Creation Date Time	Timestamp of the creation of the report	BkToCstmrAcctRpt/Rpt/CreDtTm	Yes	Must be equal to the Creation Date Time of the message
Account Identification	Account reported	BkToCstmrAcctRpt/Rpt/Acct/Id	Yes	
Account Currency	Currency of the Account	BkToCstmrAcctRpt/Rpt/Acct/Ccy	Yes	
Account Owner	BIC of Financial Institution owning the account reported	BkToCstmrAcctRpt/Rpt/Acct/Ownr/Id/Org Id/AnyBIC	Yes	
Balance Type	Type of the balance reported	BkToCstmrAcctRpt/Rpt/Bal/Tp/CdOrPrtry /Prtry	Yes	Allowed values: <ul style="list-style-type: none"> - OPBL: Opening balance at start of RTGS business day; - CLBL: Closing balance at end of RTGS business day; - SMDB: Sum of debits for the TIPS account; - SMCR: Sum of credits for the TIPS account.
Amount	Balance Amount with currency	BkToCstmrAcctRpt/Rpt/Bal/Amt	Yes	
Credit/debit Indicator	Specifies if the Amount is credited or debited	BkToCstmrAcctRpt/Rpt/Bal/CdtDbtInd	Yes	
RTGS business date	RTGS business date for which the information is retrieved;	BkToCstmrAcctRpt/Rpt/Bal/Dt	Yes	It must be filled with the stored RTGS business date.

3.3.2.2.9 BankToCustomerStatement (camt.053.001.03)

The Bank To Customer Statement provides detailed information on the activities recorded for all the TIPS accounts in the data scope of the recipient actor.

Table 53 - BankToCustomerStatement (camt.053.001.03)

Field Name	Description	XML path	Mand.	TIPS Usage
Message Identifier	Identification of the message	BkToCstmrStmt/GrpHdr/MsgId	Yes	
Creation Date Time	Timestamp of the creation of the message	BkToCstmrStmt/GrpHdr/CreDtTm	Yes	

<u>Statement Identifier</u>	<u>Unique identification, as assigned by TIPS, to unambiguously identify the each statement: contains Sequential Number of the statement.</u>	<u>BkToCstmrStmt/Stmt/Id</u>	<u>Yes</u>	
<u>Creation Date Time</u>	<u>Timestamp of the creation of the statement</u>	<u>BkToCstmrStmt/Stmt/CreDtTm</u>	<u>Yes</u>	<u>Must be equal to the Creation Date Time of the message</u>
<u>Start Timestamp</u>	<u>Start Timestamp for which the account statement is issued</u>	<u>BkToCstmrStmt/Stmt/FrToDt/FrDtTm</u>	<u>No</u>	<u>Filled only for delta statement</u>
<u>End Timestamp</u>	<u>End Timestamp for which the account statement is issued</u>	<u>BkToCstmrStmt/Stmt/FrToDt/ToDtTm</u>	<u>No</u>	<u>Filled only for delta statement</u>
<u>Account Identification</u>	<u>Account reported</u>	<u>BkToCstmrStmt/Stmt/Acct/Id</u>	<u>Yes</u>	
<u>Account Currency</u>	<u>Currency of the Account</u>	<u>BkToCstmrStmt/Stmt/Acct/Ccy</u>	<u>Yes</u>	
<u>Account Owner</u>	<u>BIC of Financial Institution owning the account reported</u>	<u>BkToCstmrStmt/Stmt/Acct/Ownr/Id/OrId/AnyBIC</u>	<u>Yes</u>	
<u>Balance Type</u>	<u>Type of the balance reported</u>	<u>BkToCstmrStmt/Stmt/Bal/Tp/CdOrPrtry/Prtry</u>	<u>Yes</u>	<u>Allowed value:</u> <u>- FINL: the current final balance of the account at the statement creation</u>
<u>Amount</u>	<u>Balance Amount with currency</u>	<u>BkToCstmrStmt/Stmt/Bal/Amt</u>	<u>Yes</u>	
<u>Credit/debit Indicator</u>	<u>Specifies if the Amount is credited or debited</u>	<u>BkToCstmrStmt/Stmt/Bal/CdtDbtInd</u>	<u>Yes</u>	
<u>RTGS business date</u>	<u>RTGS business date for which the information is retrieved;</u>	<u>BkToCstmrStmt/Stmt/Bal/Dt</u>	<u>Yes</u>	<u>It must be filled with the stored RTGS business date.</u>
<u>Transaction Reference</u>	<u>Payment transaction or Liquidity transfer reference</u>	<u>BkToCstmrStmt/Stmt/Ntry/NtryRef</u>	<u>No</u>	<u>Filled only if the account has been interested by Payment Transaction or Liquidity transfer</u>
<u>Transaction Amount</u>	<u>Transaction Amount with currency</u>	<u>BkToCstmrStmt/Stmt/Ntry/Amt</u>	<u>No</u>	<u>Filled only if the account has been interested by Payment Transaction or Liquidity transfer</u>
<u>Transaction Credit/debit Indicator</u>	<u>Specifies if the transaction Amount is credited or debited on the account</u>	<u>BkToCstmrStmt/Stmt/Ntry/CdtDbtInd</u>	<u>No</u>	<u>Filled only if the account has been interested by Payment Transaction or Liquidity transfer</u>
<u>Transaction Status</u>	<u>Specifies the status of the transaction</u>	<u>BkToCstmrStmt/Stmt/Ntry/Sts</u>	<u>No</u>	<u>Filled only if the account has been interested by Payment Transaction or Liquidity transfer. Only ACCP is allowed: only settled transactions are reported.</u>
<u>Settlement timestamp</u>	<u>Settlement timestamp of the transaction</u>	<u>BkToCstmrStmt/Stmt/Ntry/BookgDt/DtTm</u>	<u>No</u>	<u>Filled only if the account has been interested by Payment Transaction or Liquidity transfer.</u>
<u>Bank transaction code</u>	<u>Bank transaction code of the transaction, which allows to distinguish between Payment Transactions and Liquidity transfer Orders.</u>	<u>BkToCstmrStmt/Stmt/Ntry/BkTxCd/PrTry/Cd</u>	<u>No</u>	<u>Filled only if the account has been interested by Payment Transaction or Liquidity transfer.</u> <u>Allowed values:</u> <u>- LQTO for Liquidity Transfer Order;</u> <u>- IPTR for Instant Payment Transaction.</u>

<u>Transaction Account Balance</u>	<u>Balance of the Account before/after the execution of the transaction</u>	<u>BkToCstmrStmt/Stmt/Ntry/AmtDtls/PrtyAmt/Amt</u>	<u>No</u>	<u>Filled only if the account has been interested by Payment Transaction or Liquidity transfer.</u>
<u>Transaction Account balance type</u>	<u>Type of the balance</u>	<u>BkToCstmrStmt/Stmt/Ntry/AmtDtls/PrtyAmt/Tp</u>	<u>No</u>	<u>Filled only if the account has been interested by Payment Transaction or Liquidity transfer.</u> <u>Allowed values:</u> - <u>BFTS: Before the settlement of the Transaction</u> - <u>FTTS: After the settlement of the Transaction.</u>
<u>Transaction Amount</u>	<u>Transaction Amount with currency</u>	<u>BkToCstmrStmt/Stmt/Ntry/NtryDtls/TxDtls/Amt</u>		<u>Filled only if the account has been interested by Payment Transaction or Liquidity transfer.</u> <u>Same value of the field BkToCstmrStmt/Stmt/Ntry/Amt</u>
<u>Transaction Credit/debit Indicator</u>	<u>Specifies if the transaction Amount is credited or debited on the account</u>	<u>BkToCstmrStmt/Stmt/Ntry/NtryDtls/TxDtls/CdtDbtInd</u>	<u>No</u>	<u>Filled only if the account has been interested by Payment Transaction or Liquidity transfer</u> <u>Same value of the field BkToCstmrStmt/Stmt/Ntry/CdtDbtInd</u>
<u>Transaction Originator BIC</u>	<u>BIC of the Originator Participant of the transaction</u>	<u>BkToCstmrStmt/Stmt/Ntry/NtryDtls/TxDtls/RltdPties/Prtry/Pty/Id/OrglD/AnyBIC</u>	<u>No</u>	<u>Filled only if the account has been interested by Payment Transaction or Liquidity transfer</u> <u>It contains:</u> - <u>the Originator BIC in case of Payment transaction;</u> - <u>The Debtor BIC in case of Liquidity Transfer Order</u>

3.3.2.2.10 BankToCustomerDebitCreditNotification (camt.054.001.06)

The Bank To Customer Debit Credit Notification message is used in TIPS in order to report the settlement of a liquidity transfers credited on an own TIPS account.

Table 54 - BankToCustomerDebitCreditNotification (camt.054.001.06)

Field Name	Description	XML path	Mand.	TIPS Usage
Message Identifier	Identification of the message	BkToCstmrDbtCdtNtfctn/GrpHdr/MsgId	Yes	
Creation Date Time	Timestamp of the	BkToCstmrDbtCdtNtfctn/GrpHdr/CreDtTm	Yes	

Field Name	Description	XML path	Mand.	TIPS Usage
	creation of the message			
Notification Identifier	Identifier of the notification	BkToCstmrDbtCdtNtfctn/Ntfctn/Id	Yes	This field will be equal to the Message Identifier
Notification Creation Date Time	Timestamp of the creation of the notification	BkToCstmrDbtCdtNtfctn/Ntfctn/CreDtTm	Yes	This field will be equal to the Creation Date Time
Account Identifier	Account for which the notification has been generated	BkToCstmrDbtCdtNtfctn/Ntfctn/Acct/Id/Othr/Id	Yes	
Notification Amount	Amount that has been transferred to the Account	BkToCstmrDbtCdtNtfctn/Ntfctn/Ntry/Amt	Yes	
Credit Debit Indicator	Specifies if the Amount has been credited or debited	BkToCstmrDbtCdtNtfctn/Ntfctn/Ntry/CdtDbtInd	Yes	As notification is generated for credit movements only, this field will be "CRDT"
Status	Status of the underlying payment	BkToCstmrDbtCdtNtfctn/Ntfctn/Ntry/Sts	Yes	As notification is generated for settled credit movements only, this field will be "SETTBOOK"
Booking Date	Date and time of Booking	BkToCstmrDbtCdtNtfctn/Ntfctn/Ntry/BookgDt/DtTm	Yes	Timestamp of when the settlement occurred in TIPS
Bank Transaction Code Domain	Bank Transaction Code of the underlying transaction	BkToCstmrDbtCdtNtfctn/Ntfctn/Ntry/BkTxCd/Domn/Cd	Yes	Only Liquidity Transfers are reported. They belong to Payment Domain so this field will be "PMNT"
Bank Transaction Family Code	Bank Transaction Family Code of the underlying transaction	BkToCstmrDbtCdtNtfctn/Ntfctn/Ntry/BkTxCd/Domn/Fmly/Cd	Yes	Only credited Liquidity Transfers are reported. This field will be "RCDT"
Bank Transaction SubFamily Code	Bank Transaction SubFamily Code of the underlying transaction	BkToCstmrDbtCdtNtfctn/Ntfctn/Ntry/BkTxCd/Domn/Fmly/SubFmlyCd	Yes	Only credited Liquidity Transfers from Financial Institutions are reported. This field will be "FICT"
Instruction Identification	Instruction identifier for the credit transfer	/BkToCstmrDbtCdtNtfctn/Ntfctn/Ntry/NtryDtIs/TxDtIs/Refs/InstrId	Yes	This field will contain the Liquidity Transfer reference
End to End Identification	End to end identifier for the requested credit transfer	BkToCstmrDbtCdtNtfctn/Ntfctn/Ntry/NtryDtIs/TxDtIs/Refs/EndToEndId	Yes	If not used, it must be filled with 'NOTPROVIDED'
Transaction Amount	Amount that has been transferred to the Account	BkToCstmrDbtCdtNtfctn/Ntfctn/Ntry/NtryDtIs/TxDtIs/Amt	Yes	This field will be equal to the Notification Amount
Credit	Specifies if	BkToCstmrDbtCdtNtfctn/Ntfctn/Ntry/CdtDbtInd	Yes	As notification is

Field Name	Description	XML path	Mand.	TIPS Usage
Debit Indicator	the Amount has been credited or debited			generated for credit movements only, this field will be "CRDT"
Debtor	BIC of Financial Institution owning the account to be debited	BkToCstmrDbtCdtNfctn/Nfctn/Ntry/NtryDtls/TxDtls/RltdPties/Dtr/Id/Orgld/AnyBIC	Yes	
Debtor Account	Account to be debited	BkToCstmrDbtCdtNfctn/Nfctn/Ntry/NtryDtls/TxDtls/RltdPties/DtrAcct/Id/Othr/Id	Yes	
Creditor	BIC of Financial Institution owning the account to be credited	BkToCstmrDbtCdtNfctn/Nfctn/Ntry/NtryDtls/TxDtls/RltdPties/Cdtr/Id/Orgld/AnyBIC	Yes	
Creditor Account	Account to be credited	BkToCstmrDbtCdtNfctn/Nfctn/Ntry/NtryDtls/TxDtls/RltdPties/CdtrAcct/Id/Othr/Id	Yes	

3.3.2.2.11 FIToFIPaymentCancellationRequest (camt.056.001.01)

The FI To FI Payment Cancellation Request message allows instructing TIPS to trigger a recall process for a formerly settled Instant Payment transaction.

Message specification is compliant to EPC DS-05 Interbank Payment Dataset as described in the SEPA Instant Credit Transfer scheme Rulebook.

TIPS receives this message by the Assigner party, checks the related access rights and the reachability of the Assignee party.

No further processing but message schema validation is performed as the message is directly forwarded to the party to which the case is assigned.

Table 48 – FIToFIPaymentCancellationRequest (camt.056.001.01)

Table 55 - FIToFIPaymentCancellationRequest (camt.056.001.01)

EPC Reference	Reference Name	EPC Description	XML path	Mand.	TIPS Usage
n/a	Assigner	Party who assigns the case.	FIToFIPmtCxlReq/Assgnmt/Assgnr/Pty/Id/Orgld/BI COrBEI	Yes	This field must be filled with the BIC of the originating party and is used in combination with the requestor Distinguish Name to check user access rights.

EPC Reference	Reference Name	EPC Description	XML path	Mand.	TIPS Usage
n/a	Assignee	Party to which the case is assigned	FItoFIPmtCxlReq/Assgmt/Assgnt/Pty/Id/OrgId/BI COrBEI	Yes	This field must be filled with the BIC of the party to which the Cancellation Request is forwarded.

~~3.3.2.3.~~ Account Management (acmt)

~~3.3.2.4.~~

~~3.3.2.5.~~ 3.3.2.3.

~~3.3.2.5.13.~~ 3.3.2.3.1 AccountRequestAcknowledgement (acmt.010.001.02)

The Account Request Acknowledgement message is sent by TIPS to the TIPS participant upon successful processing of a formerly instructed Account Excluded Maintenance Request message.

This message notifies the sender that the blocking status of the TIPS Account or CMB has been changed.

Table 56 - AccountRequestAcknowledgement (acmt.010.001.02)

Field Name	Description	XML path	Mand.	TIPS Usage
Message Identification	Identification of the message.	AcctReqAck/Refs/MsgId/Id	Yes	
Creation Date Time	Date of creation of the message.	AcctReqAck/Refs/MsgId/CreDtTm	Yes	
Process Identification	Identification of the <u>messageprocess</u> .	AcctReqAck/Refs/PrclId/Id	Yes	Not used in TIPS but required by ISO Standards. This field is filled with the same content of the Message Identifier.
Process Date Time	Date of creation of the message.	AcctReqAck/Refs/PrclId/CreDtTm	Yes	Not used in TIPS but required by ISO Standards. This field is filled with the same content of the Creation Date Time.
Acknowledged Message Identification	Identification of the originating Account Excluded Maintenance Request message.	AcctReqAck/Refs/AckdMsgId/Id	Yes	
Acknowledged Date Time	Date of the acknowledgement of the message.	AcctReqAck/Refs/AckdMsgId/CreDtTm	Yes	Not used in TIPS but required by ISO Standards. This field is filled with the same content of the Creation Date Time.

Status	Specifies the status of the Account Excluded Maintenance Request message.	AcctReqAck/Refs/Sts	Yes	Only possible status is "COMP" = <u>Completed</u>
Account Identification	Identification of the TIPS Account or CMB related to the originating Account Excluded Maintenance Request message.	AcctReqAck/AcctId/Id/Othr/Id	Yes	
Currency	Currency of the TIPS Account or CMB related to the originating Account Excluded Maintenance Request message.	AcctReqAck/AcctId/Ccy	Yes	
Organisation Identification	BIC of the TIPS Participant owning the TIPS Account or CMB User.	AcctReqAck/OrgId/AnyBIC	Yes	This field must be filled either with the BIC of the TIPS Account owner or the BIC of the CMB user.
Account Servicer Identification	BIC of the TIPS Participating owning the TIPS Account,	AcctReqAck/AcctSvcrld/FinInstnld/BI CFI	Yes	This field must be filled with the BIC of the TIPS Account owner.

3.3.2.5.23.3.2.3.2 AccountRequestRejection (acmt.011.001.02)

The Account Request Rejection message is sent by TIPS to the TIPS participant upon rejection of a formerly instructed Account Excluded Maintenance Request message.

This message notifies the sender that the request to modify the blocking status of the TIPS Account or CMB has been rejected.

Table 57 - AccountRequestRejection (acmt.011.001.02)

Field Name	Description	XML path	Mand.	TIPS Usage
Rejection Reason	Reason of the message rejection	AcctReqRjctn/Refs/RjctnRsn	Yes	Reports the detailed error information
Rejected Request Identifier	Identification of the rejected request message.	AcctReqRjctn/Refs/RjctdReqId/Id	Yes	
Rejected Request Date Time	Date of creation of the message.	AcctReqRjctn/Refs/RjctdReqId/CreDt Tm	Yes	Not used in TIPS but required by ISO Standards. This field is filled with the same content of the Creation Date Time.
Message Identification	Identification of the message.	AcctReqRjctn/Refs/MsgId/Id	Yes	
Creation Date Time	Date of creation of the message.	AcctReqRjctn/Refs/MsgId/CreDtTm	Yes	
Process Identification	Identification of the <u>messageprocess</u> .	AcctReqRjctn/Refs/PrclId/Id	Yes	Not used in TIPS but required by ISO Standards. This field is filled with the same content of the Message Identifier.

Field Name	Description	XML path	Mand.	TIPS Usage
Process Date Time	Date of creation of the message.	AcctReqRjctn/Refs/PrclD/CreDtTm	Yes	Not used in TIPS but required by ISO Standards. This field is filled with the same content of the Creation Date Time.
Account Servicer Identification	BIC of the TIPS Participating owning the TIPS Account,	AcctReqRjctn/AcctSvcrld/FinInstnld/BI CFI	Yes	This field must be filled with the BIC of the TIPS Account owner.
Organisation Identification	BIC of the TIPS Participant owning the TIPS Account or CMB User.	AcctReqRjctn/Orgld/AnyBIC	Yes	This field must be filled either with the BIC of the TIPS Account owner or the BIC of the CMB user.

3.3.2.5.33.3.2.3.3 AccountExcludedMandateMaintenanceRequest (acmt.015.001.02)

The Account Excluded Mandate Maintenance Request message is sent by a TIPS authorised actor to request a change on the blocking status for a TIPS Account or CMB.

If the request is successfully executed, TIPS notifies the sender with an acmt.010.001.02 message.

If the request is rejected, TIPS notifies the sender with an acmt.011.001.02 message.

Table 58 - AccountExcludedMandateMaintenanceRequest (acmt.015.001.02)

Field Name	Description	XML path	Mand.	TIPS Usage
Message Identification	Identification of the message.	AcctExclMndtMntncReq/Refs/Msgld/ld	Yes	
Creation Date Time	Date of creation of the message.	AcctExclMndtMntncReq/Refs/Msgld/CreDtTm	Yes	
Process Identification	Identification of the message.	AcctExclMndtMntncReq/Refs/PrclD/ld	Yes	Not used in TIPS but required by ISO Standards.
Process Date Time	Date of creation of the message.	AcctExclMndtMntncReq/Refs/PrclD/CreDtTm	Yes	Not used in TIPS but required by ISO Standards.
Account Identification	Identification of the TIPS Account or CMB.	AcctExclMndtMntncReq/Acct/ld/Othr/ld	Yes	
Currency	Currency of the TIPS Account or CMB.	AcctExclMndtMntncReq/Acct/Ccy	Yes	
Floor Notification Amount	Specifies the value of the balance under which a notification will be sent to the account owner.	AcctExclMndtMntncReq/Acct/FlrNtfctnAmt	No	Not used in TIPS. Usage is described in CRDM documentation.
Ceiling Notification Amount	Specifies the value of the balance above which a notification will be sent to the account owner.	AcctExclMndtMntncReq/Acct/ClngNtfctnAmt	No	Not used in TIPS. Usage is described in CRDM documentation.
Closing Date	Date when the account will be or was closed.	AcctExclMndtMntncReq/Acct/ClsgDt	No	Not used in TIPS. Usage is described in CRDM documentation.
Restriction Modification Code	Specifies the type of change.	AcctExclMndtMntncReq/Acct/Rstrctn/ModCd	Yes	Possible values: - ADDD : Block - DELE : Unblock

Field Name	Description	XML path	Mand.	TIPS Usage
Restriction Type Code	Type of the Restriction.	AcctExclMndtMntncReq/Acct/Rstrctn/Rstrctn/RstrctnTp/Cd	Yes	Possible values are: - TACR: Block for credit - TADE: Block for debit - TABO: Block for both debit and credit
Restriction Valid From	Date from which the Restriction is valid.	AcctExclMndtMntncReq/Acct/Rstrctn/Rstrctn/VldFr	Yes	Not used in TIPS.
Account Servicer Identification	BIC of the TIPS Participating owning the TIPS Account,	AcctExclMndtMntncReq/AcctSvcrld/FinInstnld/BICFI	Yes	This field must be filled with the BIC of the TIPS Account owner. It is used in combination with the requestor Distinguish Name to check user access rights.
Organisation	Organised structure that is set up for a particular purpose.	AcctExclMndtMntncReq/Org	Yes	Any element included in this message component which are mandatory in ISO_20022 Standard, are not used in TIPS.

3.3.2.6.3.3.2.4. Reference Data (reda)

3.3.2.6.13.3.2.4.1 PartyStatusAdvice (reda.016.001.01)

The Party Status Advice message is sent by TIPS to report the results of the execution of the related Party Modification Request to the requesting Central Bank.

The XSD schema is shared with Common Reference Data Management to enable users to use a single implementation for the two services.

Table 59 - PartyStatusAdvice (reda.016.001.01)

Field Name	Description	XML path	Mand.	TIPS Usage
Message Identification	Identification of the message.	PtyStsAdv/Msgld/Id	Yes	
Original Message Identification	Identification of the originating Party Modification Request message.	PtyStsAdv/OrgnlMsgld/Id	Yes	
Status	Status of the execution of the originating Party Modification Request message.	PtyStsAdv/PtySts/Sts	Yes	Possible values: - COMP: Completed - REJT : Rejected
Status Reason	Additional information on rejected requests.	PtyStsAdv/PtySts/StsRsn	No	This component will be included only in case of a rejected Party Modification Request message.
Error Code	Error code raised during the processing of the originating Party Modification Request message.	PtyStsAdv/PtySts/StsRsn/Rsn/Prtry	No	This component will be included only in case of a rejected Party Modification Request message.

Field Name	Description	XML path	Mand.	TIPS Usage
Additional Information	Possible additional text information to the requestor.	PtyStsAdvc/PtySts/StsRsn/AddtlInf	No	Not currently used in TIPS.
Related Party Identification	Unique identification to unambiguously identify the party within the system.	PtyStsAdvc/PtySts/SysPtyId/RltdPtyId	No	This field will be included only in case of completed Party Modification Request messages. BIC of the TIPS participant for which the change of blocking status is requested.
Responsible Party Identification	Unique identification to unambiguously identify the party within the system.	PtyStsAdvc/PtySts/SysPtyId/RspnsblPtyId	No	This field will be included only in case of completed Party Modification Request messages. BIC of the Central Bank requesting the change of blocking status for a TIPS Participant they are responsible for.

3.3.2.6.23.3.2.4.2 PartyModificationRequest (reda.022.001.01)

The Party Modification Request message is sent by a Central Bank to request a change on the blocking status for a TIPS Participant.

The sender is notified by TIPS with a reda.016.001.01 message with the result of the execution.

The XSD schema is shared with Common Reference Data Management to enable users to use a single implementation for the two services.

Table 60 - PartyModificationRequest (reda.022.001.01)

Field Name	Description	XML path	Mand.	TIPS Usage
Message Identification	Identification of the message.	PtyModReq/MsgId/Id	Yes	
Related Party Identification	Unique identification to unambiguously identify the party within the system.	PtyModReq/SysPtyId/RltdPtyId	Yes	BIC of the TIPS participant for which the change of blocking status is requested.
Responsible Party Identification	Unique identification to unambiguously identify the party within the system.	PtyModReq/SysPtyId/RspnsblPtyId	Yes	BIC of the Central Bank requesting the change of blocking status for a TIPS Participant they are responsible for. It is used in combination with the requestor Distinguish Name to check user access rights. Not used in TIPS. The authorisation is checked at DN level which must belong to a Central Bank user.
Scope Indication	Specifies the type of requested modification.	PtyModReq/Mod/Scplndctn	Yes	Possible values: - INSE: Block - DELT: Unblock -
System Party	Specifies the party reference data, as assigned by the system.	PtyModReq/Mod/ReqdMod/SysPty	Yes	Not used in TIPS but required for CRDM functionality implementation.

Field Name	Description	XML path	Mand.	TIPS Usage
Party Identification	Unique identification to unambiguously identify the party within the system.	PtyModReq/Mod/ReqdMod/PtyId	Yes	Not used in TIPS but required for CRDM functionality implementation.
Party Name	Specifies the name by which a party is known and which is usually used to identify that party.	PtyModReq/Mod/ReqdMod/PtyNm	Yes	Not used in TIPS but required for CRDM functionality implementation.
Technical Address	Unique technical address to unambiguously identify a party for receiving messages from the executing system.	PtyModReq/Mod/ReqdMod/TechAdr	Yes	Not used in TIPS but required for CRDM functionality implementation.
Party Address	Information that locates and identifies a specific address, as defined by postal services.	PtyModReq/Mod/ReqdMod/PtyAdr	Yes	Not used in TIPS but required for CRDM functionality implementation.
System Restriction	Specifies the date from which the restriction is valid.	PtyModReq/Mod/ReqdMod/SysRstrctn/VldFr	Yes	Not used in TIPS but required for CRDM functionality implementation.
Valid To	Specifies the date until which the restriction is valid.	PtyModReq/Mod/ReqdMod/SysRstrctn/VldTo	No	Not used in TIPS.
Restriction Type	Specifies the identification of a restriction.	PtyModReq/Mod/ReqdMod/SysRstrctn/Tp	Yes	Possible values are: - TPCR: Block for credit - TPDB: Block for debit - TPBO: Block for both debit and credit
Market Specific Attribute	Additional attributes defined by a system entity for a party.	PtyModReq/Mod/ReqdMod/MktSpfcAttr	Yes	Not used in TIPS but required for CRDM functionality implementation.

4. Appendices

4.1. Business Rules

Business process	BR Name	Check ID	Input Fields and parameters	Business check	Error codes	Error Description
All	Access Rights check	000001	Sender User Role Entity	The DN of the Message sender as User of the Party is assigned to privilege XXX through its own role in the User Role Entity. List of couples service - privilege: - XXX - YYY	If no row is present: - when pacs.002, error code DS14 - all other cases, error code A001	
Instant Payment transaction business process	Duplicate check	000002	Original Transaction Identification Debtor Agent System parameter: data retention period	The couple (Original Transaction Identification, Debtor Agent) must not exist in the list of transactions of the last X days, where X is equal to the system parameter " data Retention period Period "	If a couple (Original Transaction Identification, Debtor Agent) already exists: - error code AM05	
Instant Payment transaction business process	Timeout Check - Originator Side	010001	Acceptance Date Time Parameter " SCT ^{Inst} Timestamp Timeout" Parameter "Originator Side Offset" for the Currency specified for the debited account Parameter "Acceptable Future Time Window" Current timestamp	The "Acceptance Date Time" of the message sent by the Originator Participant or Instructing Party must respect this check: Acceptance Date Time < (current timestamp + Acceptable Future Time Window) current timestamp < (Acceptance Date Time + SCT ^{Inst} Timestamp Timeout + Originator Side Offset)	If the check is not respected: - error code AB06	Timeout debtor side exceeded or "Acceptance datetime" too far in the future – acceptable future offset exceeded.
Instant Payment transaction business process	Timeout Check - Beneficiary Side	010002	Acceptance Date Time Parameter " SCT ^{Inst} Timestamp Timeout" Parameter "Beneficiary Side Offset" for the Currency specified for the credited account Current timestamp	The "Acceptance Date Time" of the message sent for initiating the transaction must respect this check: current timestamp < (Acceptance Date Time + SCT ^{Inst} Timestamp Timeout + Beneficiary Side Offset)	If the check is not respected: - error code AB05	Timeout creditor side exceeded

Business process	BR Name	Check ID	Input Fields and parameters	Business check	Error codes	Error Description
Instant Payment transaction business process	Timeout Check - Missing answer	010003	Transaction acceptance time Parameter "SCT ^{Inst} Timestamp Timeout" Parameter "Beneficiary Side Offset" for the Currency specified for the credited account Current timestamp	The "Acceptance Date Time" of the transaction must respect this check: current timestamp < (Acceptance Date Time + SCT ^{Inst} Timestamp Timeout + Beneficiary Side Offset)	If the check is not respected: - error code AB08	Timeout creditor side - missing answer in the proper time
Instant Payment transaction business process Recall business process	Originator Account or CMB existence	000003	Debtor Agent Instructed Amount Business Date	The system verifies that in table "Authorised Account User" the Debtor Agent exists and it is linked to one and only one Account, type "TIPS Account", that in table "Cash Accounts" has the currency equal to the one defined in the Instructed Amount and is open for the current Business Date. If no Account exists, the system verifies that in table " Authorised Account User " " CMB " the Debtor Agent exists and it is linked to one and only one item. The CMB must be related to an Account that has the currency equal to the one defined in the Instructed Amount and open for the current Business Date.	If the check is not respected: - error code DNOR	Originator Account or CMB not found – not existing or not yet open or already closed
All	Instructing Party authorised	000004	Sender Debtor Agent	The system checks the existence of the couple (Sender, Debtor Agent) in the entity "Inbound DN-BIC Routing".	If no row is present: - DNOR error code is returned	
Instant Payment transaction business process Recall business process	Beneficiary Account or CMB existence	000005	Creditor Agent Instructed Amount Business Date	The system verifies that in table "Authorised Account User" the Creditor Agent exists and it is linked to one and only one Account, type "TIPS Account", that in table "Cash Accounts" has the currency equal to the one defined in the Instructed Amount and is open for the current Business Date. If no Account exists, the system verifies that in table " CMB " " Authorised Account User " the Creditor Agent exists and it is linked to one and only one CMB linked to an Account that has the currency equal to the one defined in the Instructed Amount and open for the current Business Date.	If the check is not respected: - error code CNOR	Beneficiary Account or CMB not found – not existing or not yet open or already closed
Instant Payment transaction business process	Same currency	010004	Debtor Agent Creditor Agent Instructed Amount Business Date	The system selects Originator Account/CMB from the Debtor Agent as follows: – the system selects the row related to the Debtor Agent linked to one and only one Account in the table "Authorised Account User", type "TIPS Account"; in table "Cash Accounts" the system checks that this Account has the currency equal to the one defined in the Instructed Amount and it is open for the current Business Date – if the previous step fails, the system selects the row related to the Debtor Agent linked to one and only one CMB in table "CMB"; this CMB must be linked to an account having the currency equal to the one defined in the Instructed Amount and must be open for the current Business Date. The system selects Beneficiary Account/CMB from the Creditor Agent as follows: – the system selects the row related to the Creditor Agent linked to one and only one Account in the table "Authorised Account User", type "TIPS Account"; in table "Cash Accounts" the system checks that this Account has the currency equal to the one defined in the Instructed Amount and it is open for the current Business Date	If the check is not respected: – AM03 error code is returned	Incoherent currencies

Business process	BR Name	Check ID	Input Fields and parameters	Business check	Error codes	Error Description
				<p>-if the previous step fails, the system selects the row related to the Creditor Agent linked to one and only one CMB in table "CMB"; this CMB must be linked to an account having the currency equal to the one defined in the Instructed Amount and must be open for the current Business Date.</p> <p>Both accounts/CMB must have the same currency and must be equal to the currency defined in the Instructed Amount.</p>		
Instant Payment transaction business process	Maximum Amount not Exceeded	010005	Instructed Amount Parameter "Maximum Amount"	The "Maximum Amount" parameter for the currency of the transaction is selected. The "Instructed Amount" of the message must be lower than or equal to the "Maximum Amount".	If the check is not respected: - return error code AM02	Amount exceeds the maximum authorised amount
Instant Payment transaction business process Recall business process	Originator Account not blocked	000006	Debtor Agent Instructed Amount Business Date	<p>The system select Originator Account/CMB from the Debtor Agent as follows: - Queries the table "Authorised Account User" the row related to the Debtor Agent linked to one and only one Account, type "TIPS Account", that in table "Cash Accounts" has the currency equal to the one defined in the Instructed Amount and is open for the current Business Date - If no Account is returned, queries that in table "Cash Accounts" the row related to the Debtor Agent linked in table "Authorised Account User" to one and only one Account, type="TIPS CMB", for the currency equal to the one defined in the Instructed Amount and open for the current Business Date.</p> <p>If an Originator Account is involved, the system checks that the Blocking Status of the account is not "Blocked" or "Blocked for debiting". If an Originator CMB is involved, the system checks that the Blocking Status of the CMB and the related account are not "Blocked" or "Blocked for debiting". If the previous checks are passed, the system checks that the TIPS Participant related to the Debtor Agent and to the Account (directly involved or involved through a CMB) have Blocking Status different from "Blocked" or "Blocked for debiting".</p>	If the check is not respected: - return error code AC06	The Originator Account is blocked OR the Debiting CMB is blocked
Instant Payment transaction business process Recall business process	Beneficiary Account not blocked	000007	Creditor Agent Instructed Amount Business Date	<p>The system selects Beneficiary Account/CMB from the Creditor Agent as follows: - the system selects the row related to the Creditor Agent linked to one and only one Account in the table "Authorised Account User", type "TIPS Account"; in table "Cash Accounts" the system checks that this Account has the currency equal to the one defined in the Instructed Amount and it is open for the current Business Date - if the previous step fails, the system selects the row related to the Creditor Agent linked in table "Authorised Account User" to one and only one Account, type="TIPS CMB"; in table "Cash Accounts"; this CMB must have the currency equal to the one defined in the Instructed Amount and must be open for the current Business Date.</p> <p>If a Beneficiary Account is involved, the system checks that the Blocking Status of the account is not "Blocked" or "Blocked for debiting". If a Beneficiary CMB is involved, the system checks that the Blocking Status of the CMB and the related account are not "Blocked" or "Blocked for debiting". If the previous checks are passed, the system checks that the TIPS Participant related to the Creditor Agent and to the Beneficiary Account (directly involved or involved through a CMB) has Blocking Status different from "Blocked" or "Blocked for</p>	If the check is not respected: - return error code AC06	The Beneficiary Account is blocked OR The Crediting CMB is blocked

Business process	BR Name	Check ID	Input Fields and parameters	Business check	Error codes	Error Description
				debiting".		
Instant Payment transaction business process Recall business process	Available amount not exceeded	000008	Debtor Agent Instructed Amount Business Date	The system selects Originator Account/CMB from the Debtor Agent as follows: - the system selects the row related to the Debtor Agent linked to one and only one Account in the table "Authorised Account User", type "TIPS Account"; in table "Cash Accounts" the system checks that this Account has the currency equal to the one defined in the Instructed Amount and it is open for the current Business Date - if the previous step fails, the system selects the row related to the Debtor Agent linked in table "Authorised Account User" to one and only one Account, type "TIPS CMB", in table "Cash Accounts"; this CMB must have the currency equal to the one defined in the Instructed Amount and must be open for the current Business Date. Then the system retrieves the available balance of the Originator Account (directly involved or linked to the Debiting CMB) and/or the Debiting CMB Headroom. The system checks that the Instructed Amount is lower than or equal to the Originator Account available balance. If a Debiting CMB is involved, the system checks that (i) the Instructed Amount is lower than or equal to its limit headroom is lower and that (ii) the Instructed Amount is lower than or equal to the Originator Account available balance.	If the check is not respected: - return error code AM23	
Instant Payment transaction business process	Beneficiary correctly configured	010006	Creditor Agent	The system checks that a unique item related to the Creditor Agent exists in the entity "Outbound DN-BIC".	If no row is or multiple rows are returned: - return error code MS03	Beneficiary DN not found
Instant Payment transaction business process	Pending transaction existing	010007	Original Transaction Identification Debtor Agent	The system checks that a unique item related to the Original Transaction Identification and to the Debtor Agent with status "Reserved" exists in the transactional entity "Instant Payment".	If no row is or multiple rows are returned: - return error code AG09	Transaction not found
Instant Payment transaction business process Recall Business Process	Instructing Party authorised – creditor side	000009	Sender Creditor Agent	The system checks the existence of the couple (Sender, Creditor Agent) in the entity "Inbound DN-BIC Routing".	If no row is present: - CNOR error code is returned	
Queries business process Investigation business process	Instructing Party authorized authorized for queries	000010	Sender Account User/_Query Sender /Originator BIC	The system checks the existence of the couple (Sender, Account User/_Query Sender /Originator BIC) in the entity "Inbound DN-BIC Routing".	If no row is present: Business error RJCT is returned, error code DNOR	Instructing party not authorized authorized to send query
Queries business process	Account or CMB existence	070001	Account or CMB Identifier Account User	For Account balance and status query, TIPS verifies that the Account or CMB Identifier corresponds to an account type "TIPS Account" in the table "Cash Accounts" and if the Participant or Instructing Party is authorized authorized to query on it based based on the query permission.	If the check is not respected: Business error RJCT, error code DNOR	Account or CMB not found – not existing or not yet open or already closed

Business process	BR Name	Check ID	Input Fields and parameters	Business check	Error codes	Error Description
				For CMB limit and status query, TIPS verifies that the Account or CMB Identifier corresponds to a CMB in the table "CMB" and if the Participant or Instructing Party is <u>authorized-authorized</u> to query on it <u>basing-based</u> on the query permission. The system selects also the TIPS Account linked to the CMB.		
Payment transaction status query	Payment Transaction existence	070002	Transaction Identification Originator-BIC Query-Sender	The system checks that an item related to the Transaction Identification and to the Originator BIC exists in the transactional entity "Instant Payment" and if the Participant or Instructing Party (field Query-Sender) is authorized <u>authorized</u> to query the transaction <u>basing</u> on the query permission.	If no row is present: Business error RJCT, error code AG09	
Investigation business process	Payment Transaction existence	030001	Transaction Identification Originator BIC	The system checks that: - an item related to the Transaction Identification and to the Originator BIC exists in the transactional entity "Instant Payment" (Data retention period not expired) - the TIPS actor is the Originator of the interested Payment transaction or the Instructing <u>pParty</u> acting on behalf of <u>the</u> Participants or Reachable <u>Parties-Party</u> on the originator side.	If no row is present: - Business error RJCT, error code AG09	
Investigation business process	<u>Investigation allowed</u> <u>SCTInst Timestamp</u> <u>Timeout-expired</u>	030002	Transaction Identification Originator BIC <u>Acceptance date time</u> <u>SCTInst Timestamp</u> <u>Timeout</u> <u>Investigation Offset</u> <u>Current timestamp</u>	Investigation-Current Timestamp => (Transaction_ Acceptance Date Time → SCTInst Timestamp Timeout + Investigation Offset)	If the check is not respected: - Business error RJCT, error code AG09	<u>Transaction in final status not found</u> <u>Investigation not allowed for the Payment Transaction</u>
<u>Liquidity Transfer business process</u>	<u>Creditor and Creditor Account existence</u>	<u>040001</u>	<u>Creditor</u> <u>Creditor Account</u>	<u>The Creditor of an Inbound Liquidity Transfer should be an existing and active TIPS Actor.</u> <u>The TIPS Account to be credited of an Inbound Liquidity Transfer exists should be an existing and active TIPS Account with closing date equal or greater than the current RTGS Business day.</u>	<u>If the check is not respected:</u> <u>- error code L001</u>	<u>Unknown Creditor or Creditor Account</u>
<u>Liquidity Transfer business process</u>	<u>RTGS Creditor Account inclusion Check</u>	<u>040004</u>	<u>Creditor Account</u>	<u>The Creditor Account field must be populated.</u>	<u>If the check is not respected:</u> <u>-error code L004</u>	-
Liquidity Transfer business process	<u>Debtor and Debtor Account existence</u> Check	040002	<u>Debtor</u> <u>Debtor Account</u> <u>Sender DN</u>	<u>The Debtor of an Outbound Liquidity Transfer should be an existing and active TIPS Participant.</u> <u>The Debtor Account of an outbound Liquidity Transfer should be an existing and active TIPS Cash Account with closing date equal or later than the current business day of the relevant RTGS system. (neither blocked nor logically deleted and no RTGS Transit Account) otherwise the incoming Outbound Liquidity Transfer will be rejected.</u> <u>The responsible Central bBank are able to initiate an Outbound Liquidity Transfer even if the closing date of the TIPS Account is exceeded (e.g. if the balance of a closed account is still greater than zero).</u>	If the check is not respected: - error code L002	<u>Unknown Debtor or Debtor Account</u> <u>Debtor Account of outbound LT is neither an existing nor an active TIPS Account.</u>
Liquidity Transfer business process	Currency Check	040003	Transferred Amount	The currency of the incoming flow should be the same as the currency of the TIPS Account to be credited/debited, otherwise the incoming Outbound or Inbound Liquidity Transfer will be rejected.	If the check is not respected: - error code L003	<u>Currency of incoming flow differs from Account currency.</u>

Business process	BR Name	Check ID	Input Fields and parameters	Business check	Error codes	Error Description
Liquidity Transfer business process	Creditor and Creditor Account not blocked Check	040004	Creditor Creditor Account	The Creditor of an Inbound Liquidity Transfer should be an existing and active TIPS Aeter. The system checks that: - The Creditor has a having Blocking Status different from "Blocked" or "Blocked for crediting". - The Blocking Status of the account to be credited is not "Blocked" or "Blocked for debiting". The TIPS Account to be credited of an Inbound Liquidity Transfer should be an existing and active TIPS Cash Account (neither blocked nor logically deleted and no RTGS Dedicated Transit Account), otherwise the incoming Inbound Liquidity Transfer will be rejected.	If the check is not respected: - return error code L004	The Creditor is blocked OR The Creditor Account is blocked.
Liquidity Transfer business process	Debtor and Debtor Account not blocked Check	040005	Debtor Debtor Account Sender DN	The system checks that: - The Debtor of an Outbound Liquidity Transfer should be an existing and active TIPS Participant and has a Blocking Status different from "Blocked" or "Blocked for debiting". - The Blocking Status of the TIPS Account to be debited is not "Blocked" or "Blocked for debiting". The responsible Central Banks are able to initiate an Outbound Liquidity Transfer regardless of the TIPS account's blocking status.	If the check is not respected: Business error RJCT, error code L005	The Debtor is blocked OR The Debtor Account is blocked. Debtor of outbound LT is neither an existing nor an active TIPS Participant.
Liquidity Transfer business process	LT Duplicate Check	040006	Instruction Identification Debtor Account Transferred Amount Creditor Account	If the Incoming Outbound or Inbound Liquidity Transfer has the same Instruction ID, refers to the same Debit and Credit Account and has the same Transferred Amount as another Outbound or Inbound Liquidity Transfer in the list of orders of the last X days, where X is equal to the system parameter "data-retention-periodPeriod", then it is a duplicate submission. The second and any further submission will be rejected. The couple (Instruction Identification, Debtor) must not exist in the list of transactions of the last X days, where X is equal to the system parameter "Retention Period"	If the check is not respected: - return error code L006	Outbound or Inbound LT is a duplicate submission
Liquidity Transfer business process	Funds Check	040007	Transferred Amount	The Transferred Amount must be lower or equal to the Available Balance (Cash Balance) on the account to be debited.	If the check is not respected: - return error code L007	Failure of the settlement attempt of the instruction due to your insufficient cash balance
Liquidity Transfer business process	RTGS opening hours Check	040008	RTGS system data - RTGS Status	The value of the attribute "RTGS Status" is "Open" for the RTGS system.	If the check is not respected: - error code L008	
Liquidity Transfer business process	Not defined Invalid status code in RTGS Answer Check	040009	Status code	TIPS expects that an RTGS Answer returns only one RTGS status, either 'RREJ' or 'RCON'. If the status value is neither 'RREJ' nor 'RCON' the RTGS answer will be rejected.	If the check is not respected: - error code L009	Invalid content of the field RTGS Status
Liquidity Transfer business process	RTGS Access Rights Check	040010	Sender DN Transferred Amount	The sender DN should be an existing and active RTGS DN in TIPS. The RTGS currency corresponds to the currency of the Inbound Liquidity Transfer	If the check is not respected: - error code L010	Insufficient Privileges for sending the RTGS Answer.
Liquidity Transfer business process	Pending (Transient) order existing	040011	Original Message Identification	The system checks that a unique item related to the Original Message Identification with status "Transient" exists in TIPS.	If the check is not respected: - error code L011	Order not found

Business process	BR Name	Check ID	Input Fields and parameters	Business check	Error codes	Error Description
Liquidity Transfer business process	LT Amount Check	040012	Transferred Amount	The Transferred Amount must be greater than zero.	If the check is not respected: - error code L012	The amount is lower or equal to zero.
Liquidity Transfer business process	LT Amount Check	040012	Transferred Amount	The Transferred Amount must be greater than zero.	If the check is not respected: - error code L012	The amount is lower or equal to zero.
Recall business process	Maximum Amount not exceeded for Returned Amount	020001	Returned Amount (AT-46 DS06) Parameter "Maximum Amount"	The "Maximum Amount" parameter for the currency of the transaction is selected. The "Returned Amount" of the message must be lower than or equal to the "Maximum Amount".	If the check is not respected: - return error code AM02	Amount exceeds the maximum authorised amount
Recall business process	Duplicate check for positive Recall Answer	020002	Recall Reference of the bank initiating the Recall (R6 – DS06) Beneficiary BIC (AT23 – DS02 subset of DS06) System parameter: data rRetention periodPeriod	The couple Recall Reference of the bank initiating the Recall (R6 – DS06) and Beneficiary BIC must not exist as a couple Transaction ID/Beneficiary BIC in the list of transactions of the last X days with status "Failed", where X is equal to the system parameter "data retention period". The couple Recall Reference of the bank initiating the Recall (R6 – DS06) and Beneficiary BIC (to be interpreted as new Originator BIC) must not exist as a couple Transaction ID/Originator BIC in the list of transactions of the last X days with status "Settled", where X is equal to the system parameter "data rRetention periodPeriod".	If the check is not respected: - error code AM05	
Reference data management	TIPS Participant block/unblock type allowed	050001	Restriction Type Code	The Restriction Type Code must be TPCR (Block for credit), TPDB (Block for debit) or TPBO (Block for both debit and credit).	If the check is not respected: - error code R001	Restriction Type not allowed
Reference data management	Party existence	050002	Related Party Identification	The party identified by the Related Party Identification must exist.	If the check is not respected: - error code R002	Party not existing
Reference data management	Party type allowed	050003	Related Party Identification	The party identified by the Related Party Identification must be a TIPS Participant.	If the check is not respected: - error code R003	Party Type not allowed for blocking/unblocking operations
Reference data management	User allowed to the Update of Participants	050004	Responsible Party Identification Related Party Identification	The system checks that the party identified by the Responsible Party Identification is a Central Bank and that the party identified by the Related Party Identification is under the Central Bank responsibility.	If the check is not respected: - error code R004	User not allowed to block/unblock the TIPS Participant
Reference data management	Account/CMB block/unblock type allowed	050005	Restriction Type Code	The Restriction Type Code must be TACR (Block for credit), TADE (Block for debit) or TABO (Block for both debit and credit).	If the check is not respected: - error code R005	Restriction Type not allowed
Reference data management	Account/CMB existence	050006	Account Identification	The Account or CMB identified by the Account Identification must exist.	If the check is not respected: - error code R006	Account/CMB not existing
Reference data management	Currency of the Account/CMB	050007	Currency Account Identification	The currency identified by the Currency must be the same of the Account/CMB specified by the Account or CMB identified by the Account Identification.	If the check is not respected: - error code R007	Currency not correct

Business process	BR Name	Check ID	Input Fields and parameters	Business check	Error codes	Error Description
Reference data management	User allowed to block/unblock operation	050008	Account Servicer Identification Account Identification	<p>If the Account Identification identifies an Account, the system checks that the party identified by the Account Servicer Identification is a Central Bank and that the owner of the Account is under the Central Bank responsibility.</p> <p>If the Account Identification identifies a CMB, the system checks that the party identified by the Account Servicer Identification is:</p> <ul style="list-style-type: none"> - Either a Central Bank and that the owner of the Account linked to the CMB is under the Central Bank responsibility; - Or the TIPS Participant owner of the Account linked to the CMB. 	If the check is not respected: - error code R008	User not allowed to block/unblock the TIPS Account/CMB
Reference data management	Related Participant or related Account with higher priority unblocked	050009	Account Identification	<p>If the Account Identification identifies an Account, the system checks that the party owner of the Account is unblocked otherwise does not proceed in the blocking/unblocking.</p> <p>If the Account Identification identifies a CMB, the system checks that the both the account the CMB is linked to and the Participant owner of the account the CMB is linked to are unblocked otherwise does not proceed in the blocking/unblocking.</p>	If the check is not respected: - error code R009	Related Participant or related Account with an higher priority blocked
Reference data management	CMB existence	050020	Account Identification CMB User BIC	The CMB identified by the Account Identification must exist and its user must be CMB User BIC.	If the check is not respected: - error code R020	CMB not existing
Reference data management	User allowed to change Limit	050021	Account Owner	<p>theThe system checks that the party identified by the Account Owner is:</p> <ul style="list-style-type: none"> - Either a Central Bank and that the owner of the Account linked to the CMB is under the Central Bank responsibility; - Or the TIPS Participant owner of the Account linked to the CMB. 	If the check is not respected: - error code R021	User not allowed to change the Limit

4.2. List of ISO Error codes

ISO Code	ISO Name	SEPA Core Reason as specified in the Rulebook	Comments
AB05	TimeoutCreditorAgent	Transaction stopped due to timeout at the Creditor Agent.	
AB06	TimeoutInstructedAgent	Transaction stopped due to timeout at the Instructed Agent.	
AB08	OfflineCreditorAgent	Creditor Agent is not online.	Used in TIPS for the orphan payments
AC06	BlockedAccount	Account blocked, reason not specified	
AG09	PaymentNotReceived	Original payment never received.	Pending item to be confirmed not existing or already expired
AM02	NotAllowedAmount	Amount exceeds the maximum authorised amount for SCT Inst	
AM03	NotAllowedCurrency	Specified message amount is an non processable currency outside of existing agreement	Not present in SEPA document – introduced for checking the validity of the currency since TIPS is multi-currency
AM05	Duplication	Duplicate payment	
AM23	AmountExceedsSettlementLimit	Transaction amount exceeds settlement limit.	
DS14	UserDoesNotExist	The user is unknown on the server	Not present in SEPA document
CNOR	Creditor bank is not registered	Beneficiary bank is not registered under this BIC in the CSM	
DNOR	Debtor bank is not registered	Originator bank is not registered under this BIC in the CSM	
MS03	NotSpecifiedReasonAgentGenerated	Reason not specified	Currently used for generic error when no related error code has been defined in the ISO documentation
TM01	InvalidCutOffTime	Time-out – maximum execution time has been exceeded	

4.3. Index of figures

Figure 1 – Scope of UDFS.....	7
Figure 2 – TIPS Connectivity.....	11
Figure 3 – Party reference data model.....	20
Figure 4 – Account structure and organisation.....	22
Figure 5 – Dynamic data model.....	26
Figure 6 – Payment Transaction status transition diagram.....	36
Figure 7 – Positive Recall Answer status diagram.....	39
Figure 8 – Inbound Liquidity Transfer status.....	41
Figure 9 – Outbound Liquidity Transfer status.....	43
Figure 10 – Interaction with RTGS System for Liquidity Transfers.....	52
Figure 11 – Closure and opening of the RTGS System.....	53
Figure 12 – RTGS System change of business date.....	54
Figure 13 – Interaction between CRDM and TIPS.....	57
Figure 14 – Timeout parameters.....	60
Figure 15 – Payment Transaction flow.....	68
Figure 16 – Payment Transaction missing/delayed Beneficiary-side answer flow.....	78
Figure 17 – Payment Transaction examples data constellation.....	82
Figure 18 – Payment Transaction successful scenario FItoFICustomerCreditTransfer.....	84
Figure 19 – Payment Transaction successful scenario reservation.....	85
Figure 20 – Payment Transaction successful scenario FItoFIPaymentStatusReport.....	85
Figure 21 – Payment Transaction successful scenario settlement.....	86
Figure 22 – Payment Transaction successful scenario FItoFICustomerCreditTransfer.....	86
Figure 23 – Payment Transaction successful scenario reservation.....	87
Figure 24 – Payment Transaction successful scenario FItoFIPaymentStatusReport.....	88
Figure 25 – Payment Transaction successful scenario settlement.....	89
Figure 26 – Payment Transaction successful scenario FItoFICustomerCreditTransfer.....	89
Figure 27 – Payment Transaction successful scenario reservation.....	90
Figure 28 – Payment Transaction successful scenario FItoFIPaymentStatusReport.....	91
Figure 29 – Payment Transaction successful scenario settlement.....	92
Figure 30 – Payment Transaction rejected order FItoFICustomerCreditTransfer.....	92
Figure 31 – Payment Transaction rejected order reservation.....	93
Figure 32 – Payment Transaction rejected order FI to FI Status Report.....	94
Figure 33 – Payment Transaction rejected order unreservation.....	95
Figure 34 – Headroom error FItoFICustomerCreditTransfer.....	96
Figure 35 – Headroom error transaction failed.....	96
Figure 36 – Headroom error FItoFIPaymentStatusReport.....	97
Figure 37 – Blocked account error FItoFICustomerCreditTransfer.....	97
Figure 38 – Blocked account error transaction failed.....	98
Figure 39 – Blocked account error FItoFIPaymentStatusReport.....	98
Figure 40 – Beneficiary side timeout error FItoFICustomerCreditTransfer.....	99
Figure 41 – Beneficiary side timeout error reservation.....	99
Figure 42 – Beneficiary side timeout error FItoFIPaymentStatusReport.....	100
Figure 43 – Beneficiary side timeout error un-reservation.....	100
Figure 44 – Beneficiary side timeout error FI to FI Status Report.....	101
Figure 45 – Delayed Beneficiary-side answer FItoFICustomerCreditTransfer.....	101
Figure 46 – Delayed Beneficiary-side answer reservation.....	102
Figure 47 – Delayed Beneficiary-side answer unreservation.....	103

Figure 48 – Timeout answer FItToFIPaymentStatusReport (Originator side)	103
Figure 49 – Timeout answer FItToFIPaymentStatusReport (Beneficiary side).....	103
Figure 50 – Delayed Beneficiary-side response FItToFIPaymentStatusReport.....	104
Figure 51 – Delayed Beneficiary-side reply FItToFIPaymentStatusReport.....	104
Figure 52 – Recall flow.....	106
Figure 53 – Recall examples: data constellation.....	113
Figure 54 – Recall successful scenario: positive answer – FItToFIPaymentCancellationRequest	114
Figure 55 – Recall successful scenario: positive answer – PaymentReturn.....	114
Figure 56 – Recall successful scenario: positive answer – Recall Dataset.....	115
Figure 57 – Recall successful scenario: positive answer – Settlement Process	115
Figure 58 – Recall successful scenario: negative answer – FItToFIPaymentCancellationRequest	116
Figure 59 – Recall successful scenario: negative answer – ResolutionOfInvestigation	117
Figure 60 – Recall unsuccessful scenario: Duplicate check failed – FItToFIPaymentCancellationRequest.....	118
Figure 61 – Recall unsuccessful scenario: Duplicate check failed – PaymentReturn	118
Figure 62 – Recall unsuccessful scenario: Duplicate check failed – Duplicate submission....	119
Figure 63 – Recall unsuccessful scenario: Duplicate check failed – FItToFIPaymentStatusReport	119
Figure 64 – Investigation Flow.....	121
Figure 65 – Transaction status investigation examples: data constellation.....	123
Figure 66 – Successful FItToFIPaymentStatusRequest.....	124
Figure 67 – Successful FItToFIPaymentStatusReport.....	124
Figure 68 – Unsuccessful FItToFIPaymentStatusRequest.....	125
Figure 69 – Unsuccessful FItToFIPaymentStatusReport	125
Figure 70 – Inbound Liquidity Transfer Order flow	127
Figure 71 – Inbound Liquidity Transfer Order examples: data constellation	131
Figure 72 – Successful Inbound Liquidity Transfer order: liquidity credit transfer.....	133
Figure 73 – Successful Inbound Liquidity Transfer order settlement	133
Figure 74 – Successful Inbound Liquidity Transfer order Receipt.....	134
Figure 75 – Successful Inbound Liquidity Transfer order credit notification	134
Figure 76 – Unsuccessful Inbound Liquidity Transfer order: Liquidity credit transfer	135
Figure 77 – Unsuccessful Inbound Liquidity Transfer order: duplicate submission.....	135
Figure 78 – Unsuccessful Inbound Liquidity Transfer order Receipt	136
Figure 79 – Outbound Liquidity Transfer Order flow.....	139
Figure 80 – Outbound Liquidity Transfer Order examples: data constellation.....	145
Figure 81 – Successful Outbound Liquidity Transfer order: Liquidity Credit Transfer.....	146
Figure 82 – Successful Outbound Liquidity Transfer order settlement.....	147
Figure 83 – Successful Outbound Liquidity Transfer order: Liquidity Credit Transfer.....	148
Figure 84 – Successful Outbound Liquidity Transfer order Receipt received by TIPS	149
Figure 85 – Successful Outbound Liquidity Transfer order Receipt sent by TIPS.....	150
Figure 86 – Unsuccessful Outbound Liquidity Transfer order: Liquidity Credit Transfer	151
Figure 87 – Unsuccessful Outbound Liquidity Transfer order Receipt sent by TIPS	152
Figure 88 – Outbound Liquidity Transfer order: incoming message.....	153
Figure 89 – Outbound Liquidity Transfer order: settlement in TIPS.....	154
Figure 90 – Outbound Liquidity Transfer order: forwarding to the RTGS.....	155
Figure 91 – Outbound Liquidity Transfer order: negative Receipt sent by the RTGS	156
Figure 92 – Outbound Liquidity Transfer order: reverse settlement	156

Figure 93 – Outbound Liquidity Transfer order: negative Receipt sent by TIPS	157
Figure 94 – Outbound Liquidity Transfer: Missing RTGS answer flow.....	158
Figure 95 – Floor and ceiling notification triggers	160
Figure 96 – Floor notification settlement	161
Figure 97 – Floor notification ReturnAccount	162
Figure 98 – Ceiling notification settlement.....	163
Figure 99 – Ceiling notification ReturnAccount	163
Figure 100 – Account Balance Status query flow.....	167
Figure 101 – Queries examples: data constellation.....	170
Figure 102 – Successful Get Account.....	171
Figure 103 – Successful ReturnAccount	171
Figure 104 – Successful Get Account.....	172
Figure 105 – Successful ReturnAccount	173
Figure 106 – Unsuccessful GetAccount.....	173
Figure 107 – Unsuccessful GetAccount: account retrieval failure	174
Figure 108 – Unsuccessful ReturnAccount.....	174
Figure 109 – Statement of Account Turnover flow.....	183
Figure 110 – Statement of Account Turnover example: report subscription.....	185
Figure 111 – Statement of Account Turnover example: data constellation.....	185
Figure 112 – Statement of Account Turnover example: list of transactions.....	186
Figure 113 – Statement of Account Turnover example: BankToCustomerAccountReport	187
Figure 114 – Statement of Accounts flow	188
Figure 115 – Statement of Accounts example: report subscription (full mode)	189
Figure 116 – Statement of Accounts example: report subscription (delta mode).....	190
Figure 117 – Statement of Accounts example: data constellation	190
Figure 118 – Statement of Accounts example: list of transactions (full mode)	191
Figure 119 – Statement of Accounts example: BankToCustomerStatement	192
Figure 120 – Statement of Accounts example: list of transaction (delta mode).....	193
Figure 121 – Statement of Accounts example: scheduled frequency n.1	194
Figure 122 – Statement of Accounts example: scheduled frequency n.2	194
Figure 123 – Statement of Accounts example: scheduled frequency n.3	195
Figure 124 – Statement of Accounts example: scheduled frequency n.4	195
Figure 125 – Reference Data Messages flow.....	197
Figure 126 – Reference Data Management examples: data constellation.....	204
Figure 127 – Block of a TIPS Participant successful scenario: PartyModificationRequest	205
Figure 128 – TIPS Participant blocked for debiting	205
Figure 129 – Block of a TIPS Participant successful scenario: PartyStatusAdvice	205
Figure 130 – Unblock of a TIPS Participant successful scenario: PartyModificationRequest	206
Figure 131 – TIPS Participant unblocked	206
Figure 132 – Unblock of a TIPS Participant successful scenario: PartyStatusAdvice	207
Figure 133 – Block of a TIPS Participant unsuccessful scenario: PartyModificationRequest.	207
Figure 134 – Block of a TIPS Participant successful scenario: PartyStatusAdvice	208
Figure 135 – Block of a CMB successful scenario: AccountExcludedMandateMaintenanceRequest.....	208
Figure 136 – CMB blocked for both credit and debit.....	209
Figure 137 – Block of a CMB successful scenario: AccountRequestAcknowledgement	209
Figure 138 – Unblock of an Account successful scenario: AccountExcludedMandateMaintenanceRequest.....	210
Figure 139 – Account unblocked	210

Figure 140 – Unblock of an Account successful scenario: AccountRequestAcknowledgement	211
Figure 141 – Block of a CMB unsuccessful scenario: AccountExcludedMandateMaintenanceRequest.....	211
Figure 142 – Block of a CMB unsuccessful scenario: AccountRequestRejection.....	212
Figure 143 – Decrease of a CMB Limit successful scenario ModifyLimit	212
Figure 144 – CMB successful decrease of Limit	213
Figure 145 – Decrease of a CMB Limit successful scenario: Receipt.....	213
Figure 146 – Decrease of a CMB Limit unsuccessful scenario ModifyLimit.....	214
Figure 147 – Decrease of a CMB Limit unsuccessful scenario: Receipt.....	214

4.4. Index of tables

Table 1 – TIPS U2A Functions	15
Table 2 – Setup of Parties for TIPS.....	16
Table 3 – Party reference data	20
Table 4 – Instructing Party reference data	21
Table 5 – Account reference data	24
Table 6 – CMB reference data	25
Table 7 – Authorised Account User reference data	26
Table 8 – Instant Payment Transaction data	27
Table 9 – Liquidity Transfer data.....	28
Table 10 – Cash Posting data	29
Table 11 – Cash Balance data.....	30
Table 12 – CMB Headroom data.....	30
Table 13 – RTGS systems data.....	31
Table 14 – TIPS Payment transaction types.....	33
Table 15 – Reference data management functions available in TIPS	45
Table 16 – Raw data	49
Table 17 – Raw data for Billing.....	50
Table 18 – System Parameters.....	58
Table 19 – Network services	62
Table 20 – Outbound routing.....	64
Table 21 – Instant Payment transaction steps.....	70
Table 22 – Payment Transaction missing/delayed Beneficiary-side answer steps	79
Table 23 – Recall steps.....	107
Table 24 – Investigation steps.....	121
Table 25 – Inbound Liquidity Transfer Order steps.....	128
Table 26 – Outbound Liquidity Transfer Order steps	140
Table 27 – Outbound Liquidity Transfer: Missing RTGS answer steps.....	159
Table 28 – Query permissions	164
Table 29 – Account Balance Status query steps	168
Table 30 – Report permissions and data scope	182
Table 31 – Statement of Account Turnover steps	184
Table 32 – Statement of Accounts steps.....	189
Table 33 – Block/unblock Participant steps	198
Table 34 – Block/unblock Account/CMB steps.....	199
Table 35 – Update of a CMB Limit steps	201
Table 36 – List of messages.....	217
Table 37 – Description of the fields for DS-03 Dataset vs pacs.002.001.03	219
Table 38 – Description of the fields for DS-06 Dataset vs pacs.004.001.02	223
Table 39 – Description of the fields for DS-02 Dataset vs pacs.008.001.02	227
Table 40 – Status investigation Message EPC DS-07 vs pacs.028.001.01	231
Table 41 – GetAccount (camt.003.001.06).....	234
Table 42 - Account Balance and Status Query response.....	234
Table 43 - CMB Limit and Status Query response	235
Table 44 - Query response error	236
Table 45 - CMB Floor and Ceiling notification.....	237
Table 46 - Account Floor and Ceiling notification	237

Table 47 - ModifyLimit (camt.011.001.06).....	238
Table 48 - ReturnBusinessDayInformation (camt.019.001.06)	239
Table 49 - Receipt (camt.025.001.04).....	240
Table 50: ResolutionOfInvestigation (camt.029.001.03).....	240
Table 51 - LiquidityCreditTransfer (camt.050.001.04).....	243
Table 52 - BankToCustomerAccountReport (camt.052.001.03).....	243
Table 53 - BankToCustomerStatement (camt.053.001.03).....	244
Table 52 - BankToCustomerDebitCreditNotification (camt.054.001.06)	246
Table 55 - FIToFIPaymentCancellationRequest (camt.056.001.01)	248
Table 54 - AccountRequestAcknowledgement (acmt.010.001.02)	249
Table 55 - AccountRequestRejection (acmt.011.001.02)	250
Table 58 - AccountExcludedMandateMaintenanceRequest (acmt.015.001.02).....	251
Table 59 - PartyStatusAdvice (reda.016.001.01).....	252
Table 60 - PartyModificationRequest (reda.022.001.01).....	253

4.5. List of acronyms

Item	Description
24/7/365	24-hour and seven-day around the year
A2A	Application-to-Application
BIC	Bank Identifier Code
CAMT	Cash Management
CRDM	Common Reference Data Management
CMB	Credit Memorandum Balance
DN	Distinguished Name
DS	Dataset
ECB	European Central Bank
EPC	European Payments Council
ESMIG	Eurosystem Single Market Infrastructure Gateway
GL	General Ledger
GUI	Graphical User Interface (see U2A)
IBAN	International Bank Account Number
<u>NCB</u>	<u>National Central Bank</u>
<u>NRO</u>	<u>Non Repudiation of Origin</u>
NSP	Network Service Provider
PACS	Payments Clearing and Settlement
<u>RTGS</u>	<u>Real Time Gross Settlement</u>
SEPA	Single Euro Payments Area
T2S	TARGET2-Securities
TIPS	TARGET Instant Payments Settlement Service
<u>TRGS</u>	<u>tbd</u>
U2A	User-to-Application
UDFS	User Detailed Functional Specifications
UHB	User Handbook
UR	User Requirement
URD	User Requirements Document
XML	Extensible Mark-up Language

4.6. List of referenced documents

	Title	Source
[1]	SEPA Instant Credit Transfer (SCT Inst) Scheme Rulebook, Version 1.0, 2016	EPC
[2]	SEPA Instant Credit Transfer Scheme Interbank Implementation Guidelines, Version 1.1, 2017	EPC
[3]	TARGET Instant Payment Settlement User Requirements	ECB
[4]	TARGET Instant Payment Settlement User Handbook	4CB

4.7. Glossary

4.8.

Item	Description	Source
A2A	See application-to-application	ECB
application-to-application	A technical mode of communication that permits the exchange of information between different software applications without a graphical user interface.	ECB
Beneficiary	A customer identified in the SCT Inst transaction to whom the funds are sent to.	EPC
Beneficiary Participant	A Beneficiary account servicing payment services provider.	EPC
Business Identifier Code	An international standard for identification of institutions within the financial services industry. It consists of eight or eleven contiguous characters, comprising a financial institution code (four characters), a country code (two characters), a location code (two characters) and, optionally, a branch code (three characters).	ECB
camt	See Cash Management message	ECB
Cash Management message	(Camt) ISO 20022 standard for XML messages to be used to manage cash.	ECB
Ceiling	An upper threshold for notifying the account owner that a defined account balance or CMB limit has been reached.	ECB
Central Bank Money	Liabilities of a central bank, in the form of either banknotes or bank deposits held at a central bank, which can be used for settlement purposes.	ECB
Credit Memorandum Balance	A credit limit that is linked to a TIPS account.	ECB
Dataset	It specifies the full range of data to be provided in the relevant ISO 20022 XML message.	ECB
Delta report	A delta report is a report which only contains data for which the status/content has changed since the generation of the previous report.	ECB
Distinguished name	A name that uniquely identifies an entry in a directory or network. Usually it is a sequence of attribute-value assertions (e.g. "cn=smith") separated by commas, e.g. <cn=smith,ou=t2s-ops,o=bnkacott,o=nsp-1>.	ECB
European Payments Council	An association representing payment service providers that supports and promotes payments integration and development in Europe. The primary task of the EPC is to manage the SEPA payment schemes.	EPC
Eurosystem	The central banking system of the euro area. It comprises the ECB and the national central banks of those EU Member States whose currency is the euro.	ECB

Item	Description	Source
Extensible Mark-up Language	(XML) An open standard developed and maintained by World Wide Web Consortium (W3C), for describing and structuring data for the transmission and exchange of information between computer applications and organisations / humans.	ECB
Floor	A lower threshold for notifying the account owner that a defined account balance or CMB limit has been reached.	ECB
Headroom	The (remaining) headroom of a CMB specifies the current cash amount available to the user of the CMB for settlement of instant payment transactions. The headroom is the limit minus limit utilisation.	ECB
Instant Payment	A payment that can be executed 24 hours a day, each day of the year, and resulting in the immediate or close-to-immediate interbank clearing of the transaction and crediting of the payee's account with the confirmation to the payer within seconds of payment initiation. This is irrespective of the underlying payment instrument used and of the underlying arrangements for clearing and settlement that makes this possible.	ERPb
Instant Payment Transaction	A transaction or message requesting the transfer of funds from a debtor to a creditor by means of an instant payment.	ECB
Instructing Party	An entity acting on behalf of either a Participant or a Reachable Party and communicate with TIPS directly (i.e. send and receive messages). Participants and Reachable Parties can act as Instructing Parties and impersonate them.	ECB
International Bank Account Number	An International Organization for Standardization (ISO) technical code that is an expanded version of the basic bank account number (BBAN). Intended for use internationally, the IBAN uniquely identifies an individual account at a specific financial institution in a particular country. The IBAN also includes the bank identifier of the financial institution servicing that account.	ECB
ISO 20022	The international standard for financial services messaging, maintained by the International Organization for Standardisation.	ECB
Limit	Quantitative limit on the funds transfer activity of participants in a system; limits may be set by each participant or imposed by the body managing the system.	ECB
Limit utilisation	The limit utilisation of a CMB specifies the amount by which its limit is already reduced by settlement of instant payments. The limit utilisation is the limit minus headroom.	ECB
Liquidity transfer	An instruction to transfer central bank money from an RTGS account to a TIPS account or vice-versa from a TIPS account to an RTGS account.	ECB
National Central Bank	A Central Bank that provides cash account services to Participants for settlement of instant payments in central bank money	ECB
Originator	A Customer who initiates directly or indirectly the SCT Inst by providing the Originator Participant with an instruction.	EPC
Originator Participant	An Originator account servicing payment services provider.	EPC

Item	Description	Source
pac	See Payments Clearing and Settlement message	ECB
Participant	An entity which has a BIC and own at least a TIPS (and/or linked CMBs); their accounts cannot have a negative balance. This entity is responsible for the setup and configuration of CMBs linked to their accounts.	ECB
Payment Transaction	See Instant Payment Transaction	-
Payments Clearing and Settlement message	(Pacs) ISO 20022 standard for XML messages to be used to manage payments clearing and settlement.	ECB
Reachable Party	An entity which does not have TIPS accounts and have to rely on a Participant to allow them to use an account (or CMB). Reachable parties can interact with TIPS directly (i.e. send payment transactions) if they assume the role of an Instructing Party; however, responsibility remains with the Participant.	ECB
Real-Time Gross Settlement system	A settlement system in which processing and settlement take place on a transaction-by-transaction basis (without netting) in real time.	ECB
Recall	A recall occurs when the Originator Participant requests to cancel an SCT Inst Transaction. The Recall procedure can be initiated only by the Originator Participant which may do it on behalf of the Originator.	EPC
Reservation of funds	A process of preventing the transfer of a specified amount of funds in a specific currency in one account to any other account except for the purpose for which the funds were reserved.	ECB
Scheme	A scheme can be considered as a set of procedures, rules and technical standards governing the execution of payment transactions.	ECB
Settlement	An act that discharges obligations in respect of funds or securities transfers between two or more parties.	ECB
Single Euro Payments Area	A process initiated by European banks and supported, inter alia, by the Eurosystem and the European Commission with a view to integrating retail payment systems and transforming the euro area into a true domestic market for the payment industry.	ECB
System User	An individual or a technical process/application that can log into the service with a login name and password.	ECB
T2S	See TARGET2-Securities	ECB
TARGET2	The Eurosystem's single shared platform enabling the settlement of payments in central bank money in Europe, supporting the implementation of the Eurosystem's monetary policy.	ECB
TARGET2-Securities	The Eurosystem's single technical platform enabling central securities depositories (CSDs) and national central banks to provide core, borderless and neutral securities settlement services in central bank money in Europe.	ECB
Timestamp	A timestamp is a sequence of characters, denoting the date and/or time at which a certain event occurred.	ECB

Item	Description	Source
TIPS Operator	The Operator is the legal and/or organisational entity/entities that operates/operate the instant payment service.	ECB
Transit Account	A cash account in the RTGS system and in TIPS held and used by the responsible system operator to transfer funds between the two. The transit account opened within TIPS is referred as RTGS dedicated transit account and the transit account opened within the RTGS system is referred as TIPS dedicated transit account.	ECB
U2A	See user-to-application	ECB
user-to-application	A mode of technical communication that permits the exchange of information between software applications of TIPS and a TIPS system user through a graphical user interface.	ECB